


ae B 43

Botanischer Garten Olmütz (Austria).

Index
seminum horti botanici
Olomucensis (Olmütz).

T = Tubera aut bulbi.



Alsineae.

- Agrostemma Githago L.
- Arenaria grandiflora L.
- Dianthus barbatus L.
- deltoides L.
- Lychnis alpina L.
- coronaria Lam.
- flos cuculi L.
- Gypsophila paniculata L.
- Silene inflata Sm.
- Saxifraga L.
- viscosa Pers
- Spergula arvensis L.
- Vaccaria parviflora Moench
- Viscaria vulgaris Roehl

Amarantaceae.

- Amarantus caudatus L.

Aroideae.

- T. Arum cornutum
- T. Amorphophallus Rivieri
- T. Richardia albomaculata Hook.

1 1205



SHOUT
SHARE **IT**

Asclepiadeae.

Asclepias cornuti DC.

Vincetoxicum officinale Moench

Balsamineae.

Impatiens glanduligera Lindl

Bignoniaceae.

Incarvillea grandiflora Spr.

Boragineae.

Anchusa officinalis L.

Cerinthe alpina Kit
major L.

Cynoglossum officinale L.

Lithospermum officinale L.

Myosotis alpestris Koch

Campanulaceae.

Campanula barbata L.

carpatica Jacq.

glomerata L.

latifolia L.

media L.

persicifolia L.

rapunculoides L.

thyrsiflora L.

trachelium L.

turbinata Schott

urticifolia Schm.

Edraianthus tenuifolius DC. fil.

Michauxia campanuloides Juss.

Platycodon grandiflorum DC. var *Mariesii*

Chenopodiaceae.

Atriplex hortensis L.

nitens Schk.

Beta maritima L.
 vulgaris L.
 " altissima L.
 " rubra L.
 Blitum capitatum L.
 Chenopodium foliosum Moench

Cistideae.

Helianthemum polifolium DC.

Compositae.

Alfredia cernua Cass
 Anacyclus pyrethrum DC.
 Anthemis tinctoria L.
 Aster alpinus L.
 Bidens andicola
 tripartita L.
 Calendula officinalis L.
 Centaurea cyanus L.
 suaveolens Willd
 Chamaepeuce triacantha
 Chrysanthemum segetum L.
 Coreopsis tinctoria De.
 Crupina vulgaris Pers.
 Eryngium Bourgati Gouan
 Gaillardia Lorenziana Hort
 Galinsoga parviflora Cav.
 T. Helianthus tuberosus L.
 Helminthia echioides Gaert
 Inula Helenium L.
 Lactuca scariola L.
 Madia sativa L.
 Mulgedium alpinum Cass.
 Onopordon Acanthium L.
 Rudbeckia laciniata L.
 purpurea L.
 Scolymus hispanicus L.
 Senecio Fuchsii Gm.
 Serratula tinctoria L.

Succisa pratensis Moench
 Tagetes patula L.
 Tragopogon porrifolius L.
 Xanthium italicum Moretti
 spinosum L.
 Zinnia elegans Jacq.

Convolvulaceae.

Convolvulus scamonia L.
 sicus L.
 Ipomoea purpurea Lam.

Crassulaceae.

Sempervivum arachnoideum L.
 montanum L.

Cruciferae.

Alliaria officinalis L.
 Alyssum montanum L.
 Wulfenianum Bernh.
 Arabis alpina L.
 Aubrietia graeca Boiss
 Barbaraea praecox R. Br.
 Berteroa incana DC.
 Bunias erucago L.
 Camelina sativa Crantz
 Cheiranthus Cheiri L.
 Eruca sativa DC.
 Erysimum cheiranthoides Gay
 Iberis amara L.
 Isatis tinctoria L.
 Lepidium campestre R. Br.
 ruderales L.
 sativum L.
 Lunaria annua L.
 Malcolmia maritima R. Br.
 Neslea paniculata Desv.
 Peltaria alliacea L.
 Sinapis alba L.

Sisymbrium officinale Scop.
Thlaspi arvense L.

Cucurbitaceae.

Bryonia alba L.
 dioica L.
Citrullus vulgaris Schrad.
Cucumis flexuosus L.
 melo L.
 sativus L.
Cucurbita melopepo L.
 pepo L.
 verrucosa L.
Cyclanthera explosens Naud.
 pedata Schrad.
Ecballium elaterium L.
Lagenaria vulgaris Ser.
Momordica charantia L.

Cyperaceae.

T. *Cyperus esculentus* L.

Dipsaceae.

Cephalaria alpina Röm. Schult.
Dipsacus fullonum L.
 laciniatus L.
 silvestris Huds
Scabiosa atropurpurea L.
 stellata L.

Euphorbiaceae.

Euphorbia chamaesyce L.
Ricinus communis L.

Gentianeae.

Gentiana asclepiadea L.

Geraniaceae.

Erodium gruinum L.

Globularieae.

Globularia Willkommii Nym.

Gramineae.

Agrostis alba L.

Andropogon halepensis Brot.
saccharatus Kunth.

Sorghum Brot.

Avena sativa var. *orientalis* Schreb.

Bromus secalinus L.

sterilis L.

Briza media L.

Coix lacrymae Jobi L.

Eleusine coracana Lam.

indica Gaert.

Eragrostis abyssinica L.

Gymnothrix japonica Kft.

Holcus lanatus L.

Hordeum distichum L.

hexastichum L.

jubatum DC.

Lolium temulentum L.

Melica ciliata L.

Panicum miliaceum L.

Phalaris canariensis L.

Phleum alpinum L.

Poa bulbosa L.

Stipa capillata L.

pennata L.

Triticum monococcum L.

Irideae.

Iris graminea L.

hispanica (*Xiphium* Hort)

sibirica L.

Labiatae.

Betonica officinalis L.

Brunella grandiflora Moench.

Calamintha acinos Clairv.
Clinopodium vulgare L.
Dracocephalum austriacum L.
 moldavica L.
Galeopsis tetrahit L,
 versicolor L.
Lallemantia iberica F. et Mey.
Leonurus cardiaca L.
Marrubium vulgare L.
Ocimum Basilicum L.
Phlomis tuberosa L.
Salvia Aethiopis L.
 argentea L.
 austriaca L.
 coccinea L.
 glutinosa L.
 officinalis L.
 silvestris L.
 verticillata L.
Satureia hortensis L.
Stachys recta L.
 silvatica L.
T. Sieboldi (affinis Fresen)
Teucrium Botrys L.
 Euganeum Vis

Liliaceae.

Allium ascalonicum L.
 fistulosum L.
 Victorialis L.
Asparagus officinalis L.
Lilium Martagon L.
Polygonatum multiflorum All.
 officinale All.
Veratrum nigrum L.

Lineae.

Linum flavum L.
 perenne L.
 usitatissimum L.

Loasaceae.

Blumenbachia Hieronymi H. B.

Malvaceae.

Abutilon Avicennae Gaert

Althaea rosea L.

Hibiscus Trionum L.

Malva crispa L.

Nyctagineae.

Mirabilis Jalapa L.

Oenotheraeae.

Epilobium angustifolium L.

Oenothera biennis L.

Oxalidcae.

T. Oxalis Deppei Lodd

Papaveraceae.

Argemone mexicana L.

Eschscholtzia californica Lindl

Glaucium corniculatum Curt

flavum Crantz

Papaver alpinum L. nudicaule

Argemone L.

orientale L.

Rhoeas L.

somniferum L.

Papilionaceae.

Anthyllis vulneraria L.

Astragalus glycyphyllos L.

Biserrula Pelecinus L.

Cicer arietinum L.

Coronilla varia L.

Glycyrrhiza echinata L.

Lathyrus aphaca L.

Lens esculenta Moench

- Lupinus angustifolius L.
 luteus L.
 mutabilis L. Sweet
 Medicago turbinata Willd
 Onobrychis sativa Lam.
 Ornithopus sativus L.
 Pisum arvense L.
 sativum L.
 Scorpiurus vermiculatus L.
 Soja hispida Moench
 Tetragonolobus siliquosus L.
 Trifolium fragiferum L.
 hybridum L.
 incarnatum L.
 montanum L.
 rubens L.
 Vicia faba L.
 lutea L.
 narbonensis L.

Phytolaccaceae.

- Phytolacca decandra L.

Plantagineae.

- Plantago alpina L.
 coronopus L.
 cynops L.
 maritima L.

Plumbagineae.

- Armeria alpina Willd

Polemoniaceae.

- Collomia grandiflora Dougl
 Phlox Drummondii Hook
 Polemonium coeruleum L.

Polygoneae.

- Rheum officinale L.
 rhaponticum L.

Rumex Acetosa L.
 flexuosus Soland
 Hydrolapathum Huds
 maximus Schreb
 Patientia L.

Portulacaceae.

Claytonia cubensis
 Portulaca oleracea L.
 Tetragonia expansa Ait

Primulaceae.

Anagallis arvensis L.
 coerulea Schreb.

Ranunculaceae

Actaea spicata L.
 Adonis aestivalis L.
 Aquilegia corymbosa
 nevadensis
 vulgaris L.
 Delphinium consolida L.
 Helleborus viridis L.
 Myosurus minimus L.
 Nigella damascena L.
 sativa L.
 Pulsatilla vulgaris Mill
 Ranunculus aconitifolius L.
 arvensis L.
 sardous Crantz
 Thalictrum aquilegif. L.
 flavum L.
 minus L.
 Trollius europaeus L.

Rosaceae.

Agrimonia eupatoria L.
 Alchemilla alpina L.
 Crataegus coccinea L.

Dryas octopetala L.
Geum montanum L.
 rivale L.
Potentilla atrosanguinea Lodd.
 recta L.
 rupestris L.
 sanguisorbaefolia
Sanguisorba minor Scop.
 officinalis L.

Rubiaceae.

Asperula tinctoria L.
Galium cruciatum Scop.
 verum L.
Rubia tinctorum L.

Saxifrageae.

T. *Saxifraga granulata* L.

Scrophularieae.

Antirrhinum Orontium L.
Digitalis purpurea L.
Linaria alpina L.
 minor Desf.
Mimulus luteus L.
Nycteria capensis Benth.
Verbascum Blattaria L.
 Lychnitis L.
 speciosum Schrad.
Veronica fruticulosa L.
 saxatilis Jacq.

Solaneae.

Capsicum baccatum L.
Datura Metel L.
 Stramonium L.
Hyoscyamus albus L.
 niger L.

Nicotiana affinis Hort
macrophylla Spr.
Sanderae Hort
silvestris Moore
rustica L.

Physalis Alkekengi L.

Solanum Guineense Lam.
nigrum L.

Umbelliferae.

Archangelica officinalis Hoffm.

Astrantia major L.

• *Bupleurum rotundifolium* L.

Chaerophyllum aromaticum L.

Selinum carvifolia L.

Urticaceae.

Cannabis sativa L.

Urtica pilulifera L.



Seminum messis hujus anni propter hibernacula plantarum aedificanda incompleta fuit.

E. Tuma,
 Obmann.

L. Frank,
 Professor.

Botanischer Garten, Olmütz.

A la Direction
du **Jardin botanique**

de *H. Louis Mo*

An den
Botanischen Garten
in
Olmütz
Austria.

Hortus botanicus Olmütz, Austria.

Supplementum indicis 1909.

Abutilon vesicarium Sweet	Dryas Drummondii Rich	Primula farinosa L
Acanthus spinosus L	Echium creticum L	Prunus Mahaleb L
Aechionema saxatile R Br	Erinus alpinus L	Rehmannia angulata Hemsley
Allium neapolitanum Cir	Erysimum odoratum Ehrh	Rheum palmatum L
Alyssum argenteum Witm.	Gratiola officinalis L	Rhodiola rosea L
Amorpha fruticosa L	Helianthus rigidus Desf	Rosa cinnamomea L
Anemone stellata L	Helichrysum bracteatum Andr.	" pomifera Herrm
Anoda hastata Cav	Heracleum Lehmannianum	" rubiginosa L
Anthericum Liliago L	Herniaria glabra L	Salsola Kali L
Arabis pumila Jacq	Hieracium Jacquini Vill	Salvia Sclarea L
Arenaria serpyllifolia L	Jasione perennis Lam	Sanvitalia procumbens Lam
Asclepias tuberosa L	Impatiens tricornis Lindl	Scrophularia vernalis
Asperula azurea Spach	Kochia scoparia f. tri- chophila Stapf	Sedum atratum L
Astragalus australis Lam	Ligustrum vulgare L	" ibericum Stev
Berberis vulgaris L	Linaria organifolia Ait	Senecio erraticus Bert
Bromus arvensis L	Linum austriacum L	Seseli glaucum Jacq
Campanula alliariifolia Willd	Lonicera nigra L	Setaria italica P.B.
" americana L	Lopezia coronata Andr	Sicyos angulata L
" medium L	Lychnis coeli-rosa Desr	Silene Muscipula L
Cardamine chenopodiifolia Juss.	Nahonia aquifolium Nutt	" viridiflora L
Carex canescens L	Malus floribunda Sieb	" viscosa Pers
" hordeistichos Vill	Malvastrum peruvian. Gray	t sisyrinchium Bermudi- ana L
Cassia occidentalis L	Medicago scutellata Mill	Stachys lenata Jacq
Catananche coerulea L	Mespilus germanica L	statice superba Regl
cephalaria pilosa Gren	Molucella laevis L	Symphandra Hofmanni Pant.
cerastium chloraefolium F.M.	Oenothera Lamarckiana Ser	Thlaspi ceratocarpum Murr
" lanatum Lam	Onobrychis caput galli Lam	Torenia asiatica L
Chelone barbata Cav	Onosma stellulatum W.K.	Trifolium alpestre L
cydonia vulgaris Pers	Potentilla fruticosa L	" Thalii Vill
Desmodium canadense Dc	" nepalensis Hook	Tunica velutina Guss
Didiscus cceruleus Hook		

- Ar. Aristolochia Clematitis L
 Bals. Impatiens tricornis L
 Borag. Lycopsis arvensis L
 Symphytum asperrimum M.B
 " off. L.
 Camp. Camp. Alliariifolia Willd
 - Medium L
 Phyteuma Scheuchzeri All
 Capr. Lonicera nigra L
 Caryoph. Arenaria serpyllifolia L
 cerastium lanatum Lam.
 gypsophila fastigiata L
 Herniaria glabra L
 Kohlrauschia velutina Rchb.
 Lychnis Coronaria Desr.
 Silene Armeria L
 - muscipula L
 - noctiflora L
 - viscosa Pers
 Spergularia rubra Presl
 Celastr. Evonymus eur. L
 Chen. Atriplex tataricum L
 Chenop. Botrys L
 Kochia arenaria Roth
 Kochia scoparia trichophila Stapf
 Salsola Kali L
 Comp. Achillea atrata L
 " setacea W.K.
 Ammobium alatum R.Br.
 Artemisia vulgaris L.
 Bellidiasstr. Michellii Cass
 Bidens chilensis D C
 Catananche coerulea L
 Centaurea jacea L
 " phrygia L
 " pseudophrygia Mey
 Chrysanth. balsamita L
 " Parthenium Bernh
 Crepis Jacquini Tsch
 " rhoeadifolia M.B
 Echinops horridus Desf
 Erigeron acer L
 Filago arvensis L
 Hedypnois cretica Willd
 Helianthus rigidus Desf
 Helichrysum arenarium D C
 " bracteatum Willd
 Hieracium bupeuroides Gm
 " glabratum Hoppe
 " humile Host
 " pratense Tsch
 " saxatile Rchb.
 Senecio viscosus L
 " erraticus Bert
 Tussilago Farfara L
 Conv. Cuscuta epilinum L
 Crass. Sedum acre L
 " atratum L
 " roseum Scop
 Cruc. Alyssum argenteum Vitm
 " calycinum L
 Arabis pumila Jacq.
 Sinapis arvensis L
 Malcolmia maritima Br
 Thlaspi praecox Wulf
 " montanum L
 Cucurb. Cucumis flexuosus L
 sicyos angulata L
 Cyper. Carex atrata L
 " canescens L
 " hordeistichos Vill
 " secalina Wahlb.
 Cyperus alternifolius L
 " fuscus L
 Scirpus maritimus L
 Dips. Cephalaria pilosa Gren
 Scabiosa lucida Vill
 " graminifolia L
 Euphorb. Euph. exigua L
 - falcata L
 Fum. Corydalis solida Sm
 Gent. gentiana pneumonanthe L
 Gram. Bromus arvensis L
 " mollis L
 " patulus M.K.
 " squarrosus L.
 " tectorum L
 Crypsis alopecuroides Schrad
 Cynosurus echinatus L
 Eragrostis major Host
 " minor Host
 Koeleria cristata Pers
 Phleum alpinum L
 " pratense L
 Festuca elatior L
 " spectabilis Jan
 " varia Hanke
 " vaginata W.K.
 Irid. Gladiolus imbricatus L
 Iris spuria L
 Sisyrinchium angustifolium Mill
~~Lab. Lavandula stoechas~~
 Mollucella laevis L
 Salvia patens Cav
 " sclarea L
 Phymus angustifolius Pers
 " vulgaris L
 Lil. Allium angulosum L
 " montanum Schm
 Fritillaria meleagris L
 Majanthem. bifol. DC
 Muscari racemosum Mill
 Polygonat. verticill. All
 Veratrum lobelianum Bernh
 Lin. Linum austriacum
 Radiola linoides Roth
 Malv. Lavatera trimestris L
 Oen. Epilobium fleischeri Hochst
 Eucharidium concinnum Fisch
 Lopezia coronata Andr
 Papav. Papaver orientale L
 Pap. Astragalus alpinus L
 " australis Lam
 " sulcatus L
 Baptisia australis R Br
 Lupinus arboreus Sims
 Medicago hispida Gartn
 " lupulina L
 Melilotus dentatus Pers
 Ononis natrix Lam
 Onobrychis caput galli Lam
 Trifolium angustifol. L
 " alpestre L
 " pannonicum Jacq
 " thalii Vill
 Vicia pisiformis L

Supplementum seminum pro 1912

Ergänzungs-Liste für 1911

Acanthaceae. Thunbergia alata Bojer Amarantaceae. Gomphrena globosa L Amaryllideae. Amaryllis formosissima L Bignoniaceae. Eccremocarpus scaber R. et. P. Incarvillea grandiflora Spr. Campanulaceae. Campanula alliariifolia Willd " medium L " rotundifolia Phyteuma Scheuchzeri All Symphyandra Hofmanni Pant. Caryophylleae. Cerastium lanatum Lam. Lychnis coeli rosa Desv. Silene aenea L " muscipula L " noctiflora L " viscosa Pers	Hieracium humile Jacq " murorum L " saxatile Jacq " setigerum Fsch Crassulaceae. Sedum dasphyllum L Cruciferae. Aethionema saxatile R. Br. Camelina microcarpa Andr. Draba affinis Host Lepidium Draba L Malcolmia maritima R. Br. Raphanus Raphanistrum L Sisymbrium Sophia L Thlaspi ceratocarpum Murr Cucurbitaceae. Cucurbita Pepo L " verrucosa L Luffa acutangula Ser Cuscutaceae. Cuscuta epilinum Weib	Irideae. Gladiolus communis L " imbricatus L Iris spuria L Sisyrinchium Bermudianum Tournef. Juncaceae. Luzula campestris DC. " multiflora Dsf. Labiatae. Molucella laevis L Thymus angustifolius Pers Liliaceae. Anthericum Liliago L Allium montanum Schmidt Bowiea volubilis Harvey Eremurus robustus Rgl " turkestanicus Rgl Fritillaria Meleagris L Muscari comosum Mill Ornithogalum nutans L Polygonatum verticillatum All Veratrum album L.
Chenopodiaceae. Atriplex tartaricum L Chenopodium botrys L Kochia arenaria Roth Salsola Kali L Compositae. Achillea macrophylla L " setacea W. et. K. Anacyclus pyrethrum DC Bellidiastrum Michellii Cass Crepis paludosa Mönch " Jacquinii Tsch " grandiflora Tsch " biennis L Carduus defloratus L Catananche coerulea L Centaurea jacea L " pseudophrygia Mey Cnicus benedictus L Cosmos bipinatus Cav Eupatorium aromaticum L Filago arvensis L Helichrysum arenarium DC Hieracium bupleuroides Gmel " glaucum All " glabratum	Cyperaceae. Carex atrata L " hordeistichos Vill Scirpus maritimus L Dipsaceae. Cephalaria pilosa Gren Scabiosa graminifolia L Gentianeae. Gentiana Pneumonanthe L Geraniaceae. Erodium cicutarium L'Herit Geranium dissectum L Gramineae. Avena versicolor Vill Bromus mollis L " patulus M. u. K. " tectorum L Festuca vaginata W. u. K. Corynephorus canescens P. B. Eragrostis major Host Koeleria cristata Pers Phleum alpinum L Poa alpina L " pratensis L Zizania aquatica L	Lineae. Linum austriacum L " grandiflorum Desf. Malvaceae. Anoda hastata Cav Lavatera trimestris L Oenotheraeae. Lythrum virgatum L Lopezia coronata Andr Papilionaceae. Astragalus echinatus " falcatus Lam Medicago hispida macrocarpa " scorpioides Plantagineae. Plantago arenaria W. u. K " argentea Chaix " coronopus L Plumbagineae. Acantholimon glumaceum Bois Statice serbica Nym

Polemoniaceae.

Phlox Drummondii Hook

Primulaceae.

~~Androsace~~ Laggeri Huet
" ~~chamaejasme~~ Hst
Primula elatior Jacq
" pannonica Kern
" ~~rosea~~ Royle
~~Samolus~~ Valerandi L.

Ranunculaceae.

Anemone hortensis L
Ranunculus Steveni Andr

Rosaceae.

Dryas Drummondii Rich
Potentilla minima Schleich
" nivea L

Potentilla pulcherrima Lehm.
" villosa Pall
Sibbaldia cuneata Hornem

Saxifragineae.

Bergenia cordifolia A. Br.
" crassifolia Engl
Saxifraga crustata Vest
" cuneifolia L
" moschata Wulf
" Rocheliana Sternb
" sancta Grsb
" umbrosa L

Scrophularineae.

Erinus alpinus L
Gratiola officinalis L
Linaria macrocana hort
" minor Desf
Scrophularia vernalis L

Veronica latifolia L
" spicata L

Solaneae.

Scopolia carniolica Jaquin
Solanum Lycopersicum L

Tropaeolaceae.

Tropaeolum majus L
" peregrinum

Umbelliferae.

Anethum graveolens L
Bupleurum longifolium L
Daucus Carota L
Seseli annuum L
" glaucum Mneh

Valerianeae.

Valeriana montana L

Supplementum seminum pro

1914

Ergänzungs-Liste für

1914

Acanthaceae.

~~Thunbergia alata Bojer~~

Amarantaceae.

Gomphrena globosa L

Amaryllideae.

Amaryllis formosissima L

Bignoniaceae.

Eccremocarpus scaber R. et. P.
Incarvillea grandiflora Spr.

Campanulaceae.

Campanula alliariifolia Willd
" medium L
~~" rotundifolia~~
Phyteuma Scheuchzeri All
Symphyandra Hofmanni Pant.

Caryophylleae.

Cerastium lanatum Lam.
Lychnis coeli rosa Desv.
Silene armeria L
" muscipula L
" noctiflora L
" viscosa Pers

Chenopodiaceae.

Atriplex tartaricum L
Chenopodium botrys L
Kochia arenaria Roth
Salsola Kali L

Compositae.

Achillea macrophylla L
" setacea W. et. K.
Anacyclus pyrethrum DC
~~Bellidiastrum Michellii Cass~~
~~Crepis paludosa Mönch~~
" Jacquini Tsch
" grandiflora Tsch
" biennis L
Carduus defloratus L
Catananche coerulea L
Centaurea jacea L
" pseudophrygia Mey
Cnicus benedictus L
Cosmos bipinatus Cav
Eupatorium aromaticum L
Filago arvensis L
Helichrysum arenarium DC
Hieracium bupleuroides Gmel
" glaucum All
" glabratum

Hieracium humile Jacq
" murorum L
" saxatile Jacq
" setigerum Fsch

Crassulaceae.

Sedum dasyphyllum L

Cruciferae.

Aethionema saxatile R. Br.
Camelina microcarpa Andr.
~~Draba affinis Host~~
Lepidium Draba L
Malcolmia maritima R. Br.
Rhaphanus Rhaphanistrum L
Sisymbrium Sophia L
Thlaspi ceratocarpum Murr

Cucurbitaceae.

Cucurbita Pepo L
" verrucosa L
~~Luffa acutangula Ser~~

Cuscutaceae.

Cuscuta epilinum Weih

Cyperaceae.

Carex atrata L
" hordeistichos Vill
Scirpus maritimus L

Dipsaceae.

Cephalaria pilosa Gren
Scabiosa graminifolia L

Gentianeae.

Gentiana Pneumonanthe L

Geraniaceae.

Erodium cicutarium L'Herit
Geranium dissectum L

Gramineae.

Avena versicolor Vill
Bromus mollis L
" patulus M. u. K.
" tectorum L
Festuca vaginata W. u. K.
~~Corynephorus canescens P. B.~~
~~Eragrostis major Host~~
Koeleria cristata Pers
Phleum alpinum L
Poa alpina L
" pratensis L
Zizania aquatica L

Irideae.

Gladiolus communis L
" imbricatus L
Iris spuria L
Sisyrinchium Bermudianum Tournef.

Juncaceae.

Luzula campestris DC.
" multiflora Dsf.

Labiatae.

Molucella laevis L
Thymus angustifolius Pers

Liliaceae.

Anthericum Liliago L
Allium montanum Schmidt
Bowiea volubilis Harvey
Eremurus robustus Rgl
" turkestanicus Rgl
Fritillaria Meleagris L
Muscari comosum Mill
Ornithogalum nutans L
Polygonatum verticillatum All
Veratrum album L.

Lineae.

Linum austriacum L
" grandiflorum Desf.

Malvaceae.

~~Anoda hastata Cav~~
Lavatera trimestris L.

Oenotherae.

Lythrum virgatum L
Lopezia coronata Andr

Papilionaceae.

Astragalus echinatus
" falcatus Lam
Medicago hispida macrocarpa
~~" scorpioides~~

Plantagineae.

~~Plantago arenaria W. u. K~~
" argentea Chaix
" coronopus L

Plumbagineae.

Acantholimon glumaceum Bois
Statice serbica Nym

Polemoniaceae.

Phlox Drummondii Hook

Primulaceae.

Androsace Laggeri Huet
" chamaejasme Hst
Primula elatior Jacq
" pannonica Kern
" rosea Royle
Samolus Valerandi L.

Ranunculaceae.

Anemone hortensis L
Ranunculus Steveni Andr

Rosaceae.

Dryas Drummondii Rich.
Potentilla minima Schleich
" nivea L

Potentilla pulcherrima Lehm.
" villosa Pall
Sibbaldia cuneata Hornem

Saxifragineae.

Bergenia cordifolia A. Br.
" crassifolia Engl
Saxifraga crustata Vest
" cuneifolia L
" moschata Wulf
" Rocheliana Sternb
" sancta Grsb
" umbrosa L

Scrophularineae.

Erinus alpinus L
Gratiola officinalis L
Linaria macrocana hort
" minor Desf
Scrophularia vernalis L

Veronica latifolia L
" spicata L

Solaneae.

Scopolia carniolica Jaquin
Solanum Lycopersicum L

Tropaeolaceae.

Tropaeolum majus L
" peregrinum

Umbelliferae.

Anethum graveolens L
Bupleurum longifolium L
Daucus Carota L
Seseli ~~anuum~~ L
" glaucum Mneh

Valerianeae.

Valeriana montana L

Index seminum horti botanici Olomucensis pro 1907—1912.

der für den Samenaustausch in den Jahren 1907—1912 bestimmten Arten.

Aizoac., Basellac., Nyctag., Phytolacc., Portulacc. vide **Amarantaceae** — Bignoniac., Martyn., Pedal., Orobanch.
vide **Scrophul.** — Datisac. vide **Loasaceae** — Lythrac. vide **Oenother.**

510

Caryophylleae.

- 76 a *Agrostemma Githago* L
77 p *Alsine juniperina* Wahlenb.
78 p — *verna* Bartl
79 p *Arenaria ciliata* L
80 p — *grandiflora* All
81 a *Cerastium arvense* L
82 p *Cucubalus baccifer* L
83 p *Dianthus alpinus* L
84 p — *Armeria* L
85 p — *barbatus* L
86 p — *caesius* Sm.
87 p — *carthusianorum* L
88 p — *deltoides* L
89 p — *plumarius* L
90 p — *speciosus* Rehb.
91 p — *superbus* L
92 p *Drypis spinosa* L
93 a *Gypsophila muralis* L
94 p — *paniculata* L
95 p — *repens* L fl. alb.
et ros.
96 p *Heliosperma alpestre* (Jacq.)
97 p — *quadrifidum* (L)
98 p *Lychnis alpina* L
99 b — *coronaria* Lam
100 p — *flos cuculi* L
101 p — *flos Jovis* Lam
102 p *Malachium aquaticum* L
103 b *Melandrium album* Garcke
104 p — *rubrum* Garcke
105 p *Moehringia muscosa* L
106 p *Saponaria oeymoides* L
107 p — *officinalis* L
108 p *Silene acaulis* L
109 a — *gallica* L
110 p? — *nemoralis* W. et K.
111 p — *nutans* L
112 p — *Otites* Sm.
113 p — *pumilio*
114 p — *saxifraga* L
115 p — *vulgaris* Garcke
116 a *Spergula arvensis* L
117 p *Stellaria holostea* L
118 p *Tunica saxifraga* Scop.
119 a *Vaccaria parviflora* Mönch
120 p *Viscaria vulgaris* Röhl

Chenopodiaceae.

- | | | | |
|-----|---|---------------------------|---------------------------|
| 121 | a | <i>Atriplex hortensis</i> | L |
| 122 | a | — | <i>nitens</i> Schk. |
| 123 | b | <i>Beta maritima</i> | L |
| 124 | b | — | <i>vulgaris</i> Cicla L |
| 125 | b | — | — <i>rapa altissima</i> L |
| 126 | b | — | — — <i>rubra</i> L |
| 127 | a | <i>Chenopodium album</i> | L |
| 128 | a | — | <i>ambrosioides</i> L |
| 129 | p | — | <i>Bonus Henricus</i> L |
| 130 | a | — | <i>capitatum</i> Asch |
| 131 | a | — | <i>ficifolium</i> Sm. |
| 132 | a | — | <i>foliosum</i> Mönch |

- 133 a *Chenopodium Quinoa* Willd
134 a *Kochia scoparia* Schrad
135 b *Spinacia oleracea* L

Cistaceae.

- 136 p Helianthemum polifolium Koch
137 p — vulgare Gärtn

Compositae.

- | | | | |
|-------|--------------|---------------|-------------------------|
| 138 p | Achillea | ageratifolia | Hook |
| 139 p | — | argentea | Vis |
| 140 p | — | Clavennae | L |
| 141 p | — | Clusiana | Tsch |
| 142 p | — | Millefolium | L f. sude-
tica Opiz |
| 143 p | — | nobilis | L |
| 144 p | — | pannonica | Scheele |
| 145 p | — | Ptarmica | L |
| 146 p | — | tanacetifolia | All. |
| 147 p | Achyrophorus | maculatus | Scop. |
| 148 p | — | uniflorus | Bl. et
Fing |

- 149 p *Alfredia cernua* Cass.
150 a *Ambrosia trifida* L
151 a *Anacyclus officinarum* Hayne

- | | | | |
|-----|---|----------------------|------|
| 152 | p | Antennaria dioica | L |
| 153 | p | Anthemis nobilis | L |
| 154 | p | — tinctoria | L |
| 155 | p | Arnica montana | L |
| 156 | p | Aronicum scorpioides | Koch |
| 157 | p | Artemisia Absinthium | L |
| 158 | p | — Dracunculus | L |
| 159 | p | — maritima | L |
| 160 | p | — Mutellina | L |
| 161 | p | — spicata | Wulf |

- 162 p Aster alpinus L
163 p — Amellus L
164 p — Tripolium L
165 a Bidens andicola hort
166 a — bipinnata L
167 a — cernua L
168 a — leucantha Willd
169 a — tripartita L

- | | | | |
|-----|---|--------------------------------|--------------------------|
| 170 | p | <i>Bupthalmum salicifolium</i> | L |
| 171 | p | <i>Cacalia suaveolens</i> | L |
| 172 | a | <i>Calendula officinalis</i> | L |
| 173 | b | <i>Carduus nutans</i> | L |
| 174 | p | <i>Carlina acaulis</i> | L |
| 175 | a | <i>Carthamus tinctorius</i> | L |
| 176 | b | <i>Contaurea Calcitrapa</i> | L |
| 177 | a | — | <i>cyanus</i> L |
| 178 | p | — | <i>macrocephala</i> M. L |
| 179 | p | — | <i>montana</i> L |
| 180 | p | — | <i>rhenana</i> Bor |
| 181 | p | — | <i>Scabiosa</i> L |
| 182 | a | — | <i>solstitialis</i> L |
| 183 | a | — | <i>suaveolens</i> Willd |
| 184 | p | <i>Chamaepeuce diacantha</i> | DC |

- 185 p *Chondrilla juncea* L
186 p *Chrysanthemum cinerariifol.*
Bocc

- 187 a Chrysanthemum segetum L
188 a Cichorium Endivia L
189 p — Intybus L

- | | | | | |
|-----|---|----------------|----------------------|-------|
| 190 | p | <i>Cirsium</i> | <i>acaule</i> | All |
| 191 | p | — | <i>canum</i> | M. B. |
| 192 | p | — | <i>eriphorum</i> | Scop |
| 193 | p | — | <i>erisithales</i> | Scop |
| 194 | p | — | <i>ferox</i> | DC |
| 195 | p | — | <i>heterophyllum</i> | All |
| 196 | p | — | <i>oleraceum</i> | Scop |
| 197 | p | — | <i>spinosissimum</i> | Scop |

- 198 a *Coreopsis tinctoria* Nutt
199 p *Crepis aurea* Cass
200 p — *blattarioides* Vill
201 p — *praemorsa* Tsch
202 a *Crupina vulgaris* Cass
203 b *Cynara Scolymus* L
204 a *Dimorphoteca pluvialis* Mönch
205 p *Doronicum austriacum* Jacq
206 p — *caucasicum* M. B.
207 p — *Halleri* Tsch

- 208 p *Echinops Ritro* L
209 p — *sphaerocephalus* L
210 p *Erechtites hieracifolia* Raf
211 p *Erigeron aurantiacus* Rgl
212 a — *canadensis* L
213 p — *uniflorus* L
214 p *Eupatorium cannabinum* L
215 p *Gaillardia aristata* Pursh
216 p — — *var grandiflora*

- 217 a *Galinsoga parviflora* Cav
218 p *Gnaphalium norvegicum* Gunn
219 a — *silvaticum* L

- 220 p *Grindelia squarrosa* Dunal
221 a *Guizotia oleifera* DC
222 a *Helianthus annuus* L
223 T p ————— *tuberosus* L

- 224 a *Helichrysum angustifolium* DC
225 a *Helminthia echioides* Gärt
226 p *Hieracium alpinum* L

- 227 p — aurantiacum L
228 p — intybaceum Jacq
229 p — magyaticum N. P.
230 p — pilosella L

- | | | |
|-------|---|--------------------|
| 231 p | — | sabandum L |
| 232 p | — | staticifolium Vill |
| 233 p | — | umbellatum L |
| 234 p | — | villosum L |

- 235 p Inula Helenium L
236 p — birta L
237 p — salicina L

- 38 p *Kentrophyllum lanatum* DC
39 a *Lactuca angustana* All
40 p — *perennis* L

- 41 a — scariola L
42 b — virosa L
43 a *Lampsana communis* L

- 44 b *Lappa tomentosa* Lam
45 p *Leontopodium alpinum* Cass
46 p *Ligularia sibirica* Cass

- 47 a *Madia sativa* Mol
48 a *Matricaria chamomilla* L
49 p *Mulgedium alpinum* Cass

- 250 b Onopordon Acanthium L
 251 b — illyricum L
 252 p Petasites niveus Bmg.
 253 p — officinalis Mönch
 254 p Picris hieracioides L
 255 p Podospermum Jacquinianum
 256 p Prenanthes purpurea L [Koch]
 257 p Pulicaria dysenterica Gaert
 258 p Pyrethrum caucasicum Willd
 259 p — Parthenium Sm
 260 p — roseum Bieb
 261 p Rudbeckia laciniata L
 262 p — purpurea L
 263 a Sanvitalia procumbens L
 264 a Scolymus hispanicus L
 265 p Scorzonera hispanica L
 266 p — humilis L
 267 p — purpurea L
 268 p Senecio abrotanifolius L
 269 p — Fuchsii Gm
 270 p — sudeticus DC
 271 p Serratula tinctoria L
 272 p Silphium laciniatum L
 273 p — perfoliatum L
 274 a Silybum Marianum Gärt.
 275 p Solidago canadensis L
 276 p — virga aurea L
 277 a Spilanthus oleracea Jacq
 278 a Tagetes patula L
 279 p Tanacetum Balsamita L
 280 p — corymbosum Schultz
 281 p — vulgare L
 282 b Tragopogon porrifolius L
 283 b — pratensis v. orientalis L
 284 a Xanthium italicum Mor
 285 a — spinosum L
 286 a — Strumarium L
 287 a Xeranthemum annuum L
 288 a Zinnia elegans Jacq

Convolvulaceae.

- 289 a Convolvulus Scammonia L
 290 p — sepium L
 291 a Cuscuta europaea L
 292 p Exogonium purga Wend
 293 p Ipomoea Batatas Lam
 294 a — purpurea Lam
 295 a Quamoclit coccinea Mönch

Crassulaceae.

- 296 p Sedum album L
 297 p — reflexum L
 298 p — villosum L
 299 p Sempervivum arachnoideum L
 300 — hirtum L
 301 — montanum L
 302 — tectorum L

Cruciferae.

- 303 a Alliaria officinalis L
 304 p Alyssum montanum L
 305 p — saxatile L
 306 p — Wulfenianum Willd =
 = transsilvanicum Schk
 307 a Anastatica hierochuntica L
 308 p Arabis alpina L
 309 b — bellidifolia Jacq
 310 b — hirsuta Scop
 311 p — procurrens W. et K
 312 b — Turrita L
 313 p Aubrietia graeca Boiss
 314 p Barbarea praecox R Br
 315 p — vulgaris R Br
 316 b Berteroa incana DC
 317 p Biscutella laevigata L
 318 a Brassica nigra Koch

- 319 a — Napus L oleifera annua

- Koch
 320 a — — L oleifera hie-
 malis Doel
 321 b — — rapifera Metzger
 322 b — oleracea L acephala DC
 323 b — — botrytis L
 324 b — — capitata L
 325 b — — gemmifera DC
 326 b — — gongylodes L
 327 b — — sabauda L
 328 a — Rapa oleif. annua Koch
 329 b — — hiemalis Mart
 330 b — — rapifera Metzger

- 331 a Bunias Erucago L
 332 p — orientalis L
 333 a Camelina sativa Crantz
 334 p Cardamine amara L
 335 a — impatiens L
 336 p — resedifolia L
 337 p — trifolia L
 338 b Cheiranthus Cheiri L
 339 Tp Cochlearia Armoracia L
 340 b — officinalis L
 341 p Crambe maritima L
 342 p Dentaria bulbifera L
 343 p — enneaphyllos L
 344 p — glandulosa W et K
 345 p Diplotaxis tenuifolia DC
 346 p Draba aizoides L
 347 p — stellata Jacq
 348 a Eruca sativa Mill
 349 p Erysimum canescens Roth
 350 b — cheiranthoides L
 351 b—p — odoratum Ehrh

- 352 b—p Hesperis matronalis L
 353 b — tristis L
 354 a Iberis amara L
 355 a — umbellata L
 356 b Isatis tinctoria L
 357 p Kerneria saxatilis Rehb
 358 b Lepidium campestre R. Br
 359 a — ruderales L
 360 a — sativum L
 361 a Lunaria biennis Mönch
 362 p — rediviva L
 363 a Mathiola incana L
 364 p Nasturtium officinale L
 365 a Neslea paniculata Desv.
 366 p Peltaria alliacea L
 367 p Petrocallis pyrenaica R. Br
 368 a Raphanus sativus L oleiferus
 369 p Roripa amphibia Scop
 370 a Sinapis alba L
 371 a Sisymbrium officinale Scop
 372 p — strictissimum L
 373 a Thlaspi arvense L
 374 p — rotundifolium L
 375 b Turritis glabra L

Cucurbitaceae.

- 376 p Bryonia alba L
 377 p — dioica L
 378 a Citrullus vulgaris Schrad
 379 a Cucumis Melo L
 380 a — sativus L
 381 a Cucurbita Melopepo L
 382 a Cyclanthera explodens Naud
 383 a — pedata Schrad
 384 a Ecballium Elaterium Rich
 385 a Lagenaria vulgaris Ser
 386 a Luffa cylindrica Roem
 387 a Momordica charantia L

Cyperaceae.

- 388 p Carex ampullacea Good
 389 p — flava L
 390 p — hirta L
 391 p — humilis Leysser
 392 p — muricata L
 393 p — panicea L
 394 p — paradoxa Willd
 395 p — pulicaris L
 396 p — rupestris All
 397 Tp Cyperus esculentus L
 398 a — flavescens L
 399 p Eriophorum polystachyum L
 400 p Rhynchospora alba Vahl

- 437 p *Gentiana germanica* Willd
438 p — *verna* L
439 p *Swertia perennis* L

Dipsaceae.

- 401 p *Cephalaria alpina* Schrad
402 b *Dipsacus fullonum* Mill
403 b — *laciniatus* L
404 b — *silvestris* Mill
405 p *Knautia arvensis* Coult
406 a *Scabiosa atropurpurea* L
407 p — *caucasica* M. B
408 p — *ochrolenca* L
409 p — *stellata* L
410 p — *suaveolens* Desf.
411 p *Succisa pratensis* Mönch

Euphorbiaceae.

- 412 p *Euphorbia amygdaloides* L
413 a — *chamaesyce* L
414 p — *dulcis* L
415 p — *epithymoides* L
416 p — *fragifera* Jan
417 b — *lathyris* L
418 p — *Myrsinites* L
419 p — *palustris* L
420 p — *Paralias* L
421 p — *verrucosa* Lam
422 p — *villosa* W. et K
423 p — *Wulfeni* Hoppe
424 p — *Mercurialis perennis* L
425 a — *Ricinus communis* L

Fumariaceae.

- 426 p *Adlumia cirrhosa* Raf
427 p *Corydalis cava* Wahlb
428 p — *lutea* DC
429 T p *Dicentra spectabilis* Borkh.
430 a *Fumaria officinalis* L
431 a *Hypecoum procumbens* L

Gentianeae.

- 432 a *Erythraea centaurium* Pers
433 p *Gentiana acaulis* L
434 p — *asclepiadea* L
435 p — *bavarica* L
436 p — *cruciata* L

Geraniaceae.

- 440 a *Erodium gruinum* L
441 p *Geranium argenteum* L
442 p — *macrorrhizum* L
443 p — *phaeum* L
444 p — *pratense* L
445 p — *sanguineum* L
446 p — *silvaticum* L

Globularieae.

- 447 p *Globularia cordifolia* L
448 p — *nudicaulis* L
449 p — *vulgaris* L

Gramineae.

- 450 p *Agrostis alba* L
451 p — *canina* L
452 p *Aira caespitosa* L
453 a *Andropogon ceruatus* Kth
454 p — *Gryllus* L
455 a — *halepensis* Brot
456 p — *Ischaemum* L
457 a — *Sorghum* Brot niger
Körn
458 a — *saccharatus* Kth
459 a *Apera spica venti* P. B.
460 p *Anthoxantum odoratum* L
461 p *Arrhenatherum elatius* P. B.
462 p *Avena pubescens* Huds
463 a — *sativa* L
464 a — *sterilis* L
465 p *Bouteloua oligostachya* Torr
466 p *Brachypodium pinnatum* P. B.
467 p *Briza media* L
468 a *Bromus briziformis* Fisch et Mey
469 p — *erectus* Huds
470 p — *inermis* Leyss
471 a — *sterilis* L
472 p *Calamagrostis lanceolata* Roth
473 p *Catabrosa aquatica* P. B.
474 a *Cenehrus tribuloides* L
475 a *Coix lacryma Jobi* L
476 a *Crypsis aculeata* Ait
477 p *Cynodon dactylon* Pers
478 p *Cynosurus cristatus* L
479 a *Eleusine coracana* Gärtn
480 a — *indica* Gärtn
481 p *Elymus arenarius* L
482 a *Eragrostis abessinica* Link
483 p *Festuca pratensis* L
484 p — *rubra* L
485 p — *scoparia* Hackel v. *crinum*
ursi Ram

- 486 p *Festuca sulcata* Hackel
487 p *Holcus lanatus* L
488 a *Hordeum distichum* L
489 a — *hexastichum* L
490 p — *jubatum* L
491 a — *zeocriton* L
492 a *Lagurus ovatus* L
493 p *Lolium multiflorum* Lam
494 p — *perenne* L
495 a — *temulentum* L
496 p *Melica altissima* L
497 a — *ciliata* L
498 p *Molinia coerulea* Moench
499 p *Nardus stricta* L
500 a *Panicum italicum* v. *german.*
501 a — *miliaceum* L [Lam
502 a — *sanguinale* L
503 a *Pennisetum villosum* R. Br
504 p *Phalaris arundinacea* L
505 a — *canariensis* L
506 p *Phleum pratense* L *nodosum*
507 p *Poa bulbosa* L *vivipara*
508 p — *sudetica* Hänke
509 p *Secale montanum* Guss
510 p *Sesleria coerulea* Scop
511 p — *auctumnalis* F. Schultz
512 p *Stipa calamagrostis* Link
513 p — *capillata* L
514 p — *pennata* L
515 p — *tenacissima* L
516 a — *tortilis* Desf.
517 a *Tragus racemosus* Desf.
518 p *Trisetum flavescens* Beauv
519 a *Triticum monococcum* L
520 a — *(Aegilops) ovatum* Gren
521 a — *— ventricosum* Ces
522 a — *sativum* X *ovatum* A. G.
= *Aegilops triticoides* Req
523 a — *spelta* L
524 a *Zea Mais* L

Hydrocharitaceae (pl. viv.)

Potamogetoneae.

- 525 p *Elodea canadensis* Rich
526 p *Hydrocharis morsus ranae* L
527 p *Potamogeton acutifolius* Link
528 p — *crispus* L
529 p — *pusillus* L

Hydrophyllaceae.

530 a *Phacelia tanacetifolia* Benth

Hypericaceae.

531 p *Hypericum calycinum* L
532 p — *Coris* L
533 p — *montanum* L
534 p — *perforatum* L

Irideae.

535 Tp *Crocus sativus officinalis* L
536 , *Iris germanica* L
537 , — *graminea* L
538 , — *Pseudacorus* L
539 , — *pumila* L
540 , — *sibirica* L
541 , — *Xiphium* L

Juncaceae.

542 p *Juncus squarrosus* L
543 p *Luzula albida* DC
544 p — *silvatica* Gaud

Labiatae.

545 b *Ajuga chamaepitys* Schreb
546 p — *genevensis* L
547 p — *reptans* L
548 p *Ballota nigra* L
549 p *Betonica officinalis* L
550 p *Brunella grandiflora* Jacq
551 p *Calamintha acinos* Clairv
552 p — *alpina* Lam
553 p — *nepetoides* Jord
554 p *Clinopodium vulgare* L
555 p *Dracocephalum altaense* Lam
556 p — *austriacum* L
557 a — *Moldavica* L
558 a *Galeopsis tetrahit* L
559 a — *ochroleuca* Lam
560 a — *versicolor* Curt
561 p *Horminum pyrenaicum* L
562 p *Hyssopus officinalis* L
563 p *Lamium album* L
564 p — *Orvala* L
565 a *Lallemantia iberica* Fisch. et
566 p *Leonurus Cardiac* L [Mey
567 p *Lycopus europaeus* L
568 p *Marrubium peregrinum* L
569 p — *vulgare* L
570 p *Melissa officinalis* L
571 p *Melittis melissophyllum* L
572 p *Mentha aquatica* L
573 p — *pulegium* L
574 p — *silvestris* L
575 p *Monarda digyma* L
576 p — *fistulosa* L
577 p *Nepeta cataria* L
578 p — *grandiflora* M. B

579 p *Nepeta macrantha* Fisch.
580 a *Ocimum Basilicum* L
581 a *Origanum Majorana* L
582 p — *vulgare* L
583 p *Phlomis tuberosa* L
584 p *Physostegia virginiana* Benth
585 p *Prasium majus* L
586 p *Salvia Aethiopis* L
587 b — *argentea* L
588 p — *austriaca* Jacq
589 p — *azurea* Lam
590 p — *clandestina* L
591 p — *cleistogama* de Bary
592 p — *coccinea* L
593 p — *glutinosa* L
594 p — *grandiflora* Etl
595 p — *Horminum* L
596 p? — *nilotica* Murr
597 p — *officinalis* L
598 p — *pratensis* L
599 p — *silvestris* L
600 p — *splendens* Sellow
601 p — *verticillata* L
602 a *Satureja hortensis* L
603 a — *montana* L
604 p *Scutellaria galericulata* L
605 p — *macrantha* Fisch
606 p *Sideritis montana* L
607 p *Stachys alpina* L
608 p — *germanica* L
609 p — *recta* L
610 Tp — *Sieb. et Miq. = affinis* Fres
611 p — *silvatica* L
612 a *Teucrium Botrys* L
613 p — *Chamaedrys* L
614 p — *Enganeum* Vis
615 p — *flavum* L
616 p — *Scorodonia* L

Lillaceae.

617 T *Allium ampeloprasum* L
618 T — *ascalonicum* L
619 T — *fistulosum* L
620 — *flavum* L
621 T — *Porrum* L
622 — *sibiricum* L
623 — *Victorialis* L
624 — *vineale* L
625 *Asparagus officinalis* L
626 *Asphodelus albus* Mill
627 — *luteus* L
628 T *Colchicum autumnale* L
629 T *Convallaria majalis* L
630 T *Galtonia candicans* Dec
631 T *Lilium Martagon* L
632 T — *pardalinum* Lindl
633 T — *tigrinum* L
634 T *Leucojum vernum* L

635 T *Ornithogalum umbellatum* L
636 *Paradisica Liliastrum* Bert
637 *Paris quadrifolia* L
638 *Polygonatum multiflorum* All
639 — *officinale* All
640 *Streptopus amplexifolius* De
641 *Veratrum nigrum* L

Lineae.

642 p *Linum alpinum* L
643 p — *flavum* L
644 p — *perenne* L
645 p — *tenuifolium* L
646 a — *usitatissimum* L
647 p — *viscosum* L

Loasaceae, Datisceae.

648 a *Blumenbachia Hieronymi* Urb
649 a *Cajophora lateritia* Presl
650 a *Datisca cannabina* L
651 a *Loasa lateritia* Gill

Malvaceae.

652 a *Abutilon Avicennae* Gärtn
653 p *Althaea cannabina* L
654 p — *officinans* L
655 b — *rosea* L atropurp.
656 a *Hibiscus esculentus* L
657 a — *palustris* L
658 a — *Trionum* L
659 p *Kitaibelia vitifolia* Willd
660 p *Lavatera thuringiaca* L
661 p *Malva Alcea* L
662 a — *crispa* L
663 p — *moschata* L
664 a — *rotundifolia* L
665 b — *silvestris* L

Oenotheraeae, Lythraceae.

666 p *Circaea lutetiana* L
667 a *Clarkia elegans* Dougl
668 a *Cuphea viscosissima* Jacq
669 p *Epilobium augustifolium* L
670 p — *Dodonaei* Vill
671 p — *hirsutum* L
672 p — *roseum* Schreb
673 p *Lythrum Salicaria* L
674 b *Oenothera biennis* L
675 p — *fruticosa* L
676 p — *missouriensis* Sims
677 p — *pumila* L
678 p — *taraxacifolia* Sweet

Oxalideae.

- 679 T p Oxalis Acetosella L
680 T p — caprina L
681 T p — corniculata
682 T p — tetraphylla Cav
683 T p — valdiviensis Barn.
684 T p — vespertilionis Zucc

Papaveraceae.

- 685 a Argemone grandiflora Sw
686 a — mexicana L
687 p Chelidonium majus L f. laciniata
688 a Eschscholtzia californica Cham
689 a Glaucium corniculatum Curt
690 a — flavum Crantz
691 a Hypecoum procumbens L
692 p Macleya cordata R. Br.
693 p Meconopsis cambrica L
694 p — nepalensis DC
695 p Papaver alpinum L fl. alb.
696 p — — nudicaule L
697 a — argemone L
698 p — caasicum M. B
699 p — orientale L
700 a — Rhoeas L
701 a — somniferum L
702 p Sanguinaria canadensis L

Papilionaceae.

- 703 p Anthyllis montana Jacq
704 p — vulneraria L
705 p Astragalus baeticus L
706 p — Cicer L
707 p — danicus Retz
708 p — glycyphyllos L
709 a Biserrula Pelecinus L
710 p Colophaca wolgarica Fisch
711 p Caragana arborescens Lam
712 a Cicer arietinum L
713 p Colutea arborescens L
714 p Coronilla Emerus L
715 p — scorpioides Koch
716 p — varia L
717 p Cytisus Laburnum L
718 p — leucanthus W. K.
719 p — nigricans L
720 p — purpureus Scop
721 p — ratisbonensis Schaff
722 a Dolichos Lablab L
723 p Dorycnium suffruticosum Jord
724 p Galega officinalis L
725 p Genista germanica L
726 p — radiata Scop
727 p — sagittalis L
728 p — tinctoria L
729 p Glycyrrhiza echinata L
730 p — glabra L
731 p Hedysarum obscurum L
732 p Hippocrepis comosa L
733 p Indigofera Dosua Hamilt.

- 734 a Lathyrus Aphaca L
735 p — montanus Bernh
736 a — Nissolia L
737 a — odoratus L
738 p — silvester L
739 p — tuberosus L
740 p — vernus Bernh
741 a Lens esculenta Moench
742 p Lotus corniculatus L
743 a Lupinus angustifolius L
744 a — luteus L
745 p — perennis L
746 p — polyphyllus Lindl
747 a Medicago Echinus DC
748 p — falcata L
749 p — falcata × sativa =
media Pers
750 a — minima Desr
751 p — sativa L
752 a — turbinata Willd
753 b Melilotus officinalis Desr
754 p Onobrychis sativa Lam
755 p Ononis spinosa L
756 a Ornithopus sativus Brot
757 a Phaseolus multiflorus Willd
758 a Pisum arvense L
759 p Sarothamnus scoparius Koch
760 a Scorpiurus vermiculatus L
761 a Soja hispida Moench
762 p Spartium junceum L
763 p Tetragonolobus siliquosus L
764 a Trifolium arvense L
765 b — p Trifolium aureum Poll
766 p Trifolium badium Schreb.
767 p — fragiferum L
768 p — hybridum L
769 b — incarnatum L
770 p — medium L
771 a — minus Sm
772 p — montanum L
773 p — ochroleucum L
774 p — repens L
775 p — rubens L
776 b—p — spadiceum L
777 p — stellatum L
778 p — subterraneum L
779 a Trigonella coerulea Ser
780 a — foenum graecum L
781 p Ulex europaeus L
782 a Vicia Faba L
783 a — lutea L
784 a — narbonensis L
785 p — sepium L
786 a Vigna sinensis

Plantagineae.

- 787 p Plantago alpina L
788 p — lanceolata L
789 p — maritima L
790 a — Psyllium L

Plumbagineae.

- 791 p Armeria alpina Willd
792 p — vulgaris Willd
793 p Plumbago europaea L
794 p Statice Limonium L

Polemoniaceae.

- 795 a Cobaea scandens Cav
796 a Collomia coccinea Lehm
797 a — grandiflora Dougl
798 p Phlox paniculata L
799 p Polemonium coeruleum L

Polygoneae.

- 800 a Fagopyrum esculentum Moench
801 p Polygonum amphibium L
802 p — baldschuanicum Regl
803 p — Bistorta L
804 a — Convolvulus L
805 p — cuspidatum L et Z.
806 a — hydropiper L
807 p — sachalinense Schmidt
808 a — tinctorium Ait
809 a — virginianum L
810 p — viviparum L
811 p Rheum officinale L
812 p — palmatum L
813 p — Rhaponticum L
814 p Rumex Acetosa L
815 p — alpinus L
816 p — crispus L
817 p — Hydrolapathum Huds
818 p — maximus Schreb
819 p — Patientia L
820 p — sanguineus L
821 p — scutatus L

Primulaceae.

- 822 a Anagallis arvensis L
823 a — coerulea Schreb
824 p — grandiflora Andr
825 p Androsace lactea L
826 b — maxima L
827 p — sarmentosa Wall
(stolones)
828 p Cortusa Matthioli L
829 p Lysimachia nummularia L
830 p — punctata L
831 p Naumburgia thyrsiflora Rehb

- 832 p *Primula acaulis* Jacq
833 p — *auricula* L
834 p — *cortusoides* L
835 p — *hirsuta* All
836 p — *minima* L
837 p — *officinalis* L

Ranunculaceae.

- 838 p *Aconitum Lycoctonum* L
839 p — *Napellus* L
840 p *Actaea spicata* L
841 a *Adonis aestivalis* L
842 p — *vernalis* L
843 p *Anemone alpina* L
844 p — *grandis* Wend
845 p — *japonica* Sieb
846 p — *narcissiflora* L
847 p — *nigricans* Fritsch
848 p — *pulsatilla* L
849 p — *ranunculoides* L
850 p — *silvestris* L
851 p — *vernalis* L
852 p *Aquilegia atroviolacea* Lall
853 p — *vulgaris* L
854 p *Atragene alpina* L
855 p *Caltha palustris* L
856 p *Clematis recta* L
857 p — *Viticella* L
858 p *Delphinium caucasicum* C. A. M.
859 a — *Consolida* L
860 p — *elatum* Willd
861 p — *Staphysagria* L
862 p *Eranthis hiemalis* L
863 p *Helleborus foetidus* L
864 p — *niger* L
865 p — *viridis* L
866 p *Isopyrum thalictroides* L
867 a *Myosurus minimus* L
868 p *Nigella damascena* L
869 p — *sativa* L
870 p *Paeonia peregrina* Mill
871 p *Ranunculus acer* L
872 a — *arvensis* L
873 p — *auricomus* L
874 p — *Ficaria* L
875 p — *gramineus* L
876 p — *lanuginosus* L
877 p — *lingua* L
878 p — *platanifolius* L
879 p — *polyanthemus* L
880 p — *sardous* Crantz
881 a — *sceleratus* L
882 p *Thalictrum angustifolium* L
883 p — *aquilegifolium* L
884 p — *flavum* L
885 p — *minus* L
886 p *Trollius europaeus* L
887 p — *Ledebouri* Rehb.

Resedaceae.

- 888 b *Reseda luteola* L
889 a — *odorata* L

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
891 p *Alchemilla alpina* L
892 p — *vulgaris* L
893 p *Amelanchier vulgaris* Mönch
894 p *Aruncus silvester* Kostel
895 p *Comarum palustre* L
896 p *Crataegus coccinea* L
897 p *Cydonia japonica* Pers
898 p *Dryas octopetala* L
899 p *Eriobotrya japonica* Lindl
900 p *Fragaria elatior* Ehrh
901 p *Geum album* Gm
902 p — *montanum* L
903 p — *intermedium* Ehrh
904 p — *rivale* L
905 p — *urbanum* L
906 p *Pirus baccata* L
907 p *Potentilla alba* L
908 p — *anserina* L
909 p — *argentea* L
910 p — *atrosanguinea* Lodd
911 p — *aurea* L
912 p — *caulescens* L
913 p — *Clusiana* L
914 p — *pennsylvanica* L
— *sanguisorbifolia* A. G.
915 p — *rupestris* L
916 p *Poterium Sanguisorba* L
917 p *Sanguisorba minor* Scop
918 p — *officinalis* L
919 p *Sorbus Aria* Ehrh
920 p — *Aucuparia v. dulcis* A. G.
921 p — *tormalis* Crantz
922 p *Spiraea Filipendula* L
923 p — *Ulmaria* L

Rubiaceae

- 924 p *Asperula cynanchica* L
925 p — *odorata* L
926 p — *tinctoria* L
927 a *Crucianella stylosa* Trin
928 a *Galium Aparine* L
929 p — *boreale* L
930 p — *cruciata* Scop
931 a — *tricornis* With
932 p — *verum* L
933 p *Rubia tinctorum* L
934 a *Sherardia arvensis* L

Rutaceae.

- 935 p *Dictamnus albus* L
936 p *Ruta graveolens* L

Saxifrageae.

- 937 p *Chrysosplenum alternifolium* L
938 p *Mitella pentandra* Hook
939 p *Parnassia palustris* L
940 p *Ribes alpinum* L
941 p — *sanguineum* Pursh
942 p *Saxifraga aizoon* L
943 p — *Cotyledon* L
944 T p — *granulata* L
945 p — *rotundifolia* L

Scrophulariaceae, Bignon., Martyn.,
Pedaliaceae, Orobanchaeae.

- 946 a *Alonzoa Warscewiczii* Regl
947 a *Antirrhinum majus* L
948 p — *Orontium* L
949 a *Calceolaria scabiosaefolia* Sims
950 p *Celsia betonicifolia* Desf
951 a *Collinsia bicolor* Benth
952 p *Digitalis ambigua* Murr
953 p — *ferruginea* L
954 b-p — *lanata* Ehrh
955 b-p — *lutea* L
956 b — *purpurea* L
957 a *Hebenstreitia dentata*
958 p *Incarvillea Delavayi* Franch
959 a *Linaria alpina* Mill
960 p — *cymbalaria* Mill
961 p — *dalmatica* Mill
962 p — *genistifolia* Mill
963 a — *spuria* Mill
964 p — *vulgaris* Moench
965 p *Lophospermum scandens* Don
966 a *Martynia proboscidea* L
967 b-p *Maurandia Barclayana* Lindl
968 a *Mimulus luteus* L
969 a *Nycteria capensis* Benth
970 p *Pentstemon coeruleus* Nutt
971 p — *gentianoides* Lindl
972 p — *glaucus* Grah

- 973 a *Salpiglossis sinuata* R. P.
 974 a *Schizanthus pinnatus* R. P.
 975 p *Scrophularia nodosa* L
 976 a *Torenia Fournieri* Linden
 977 b *Verbascum Blattaria*
 978 p — *nigrum* L
 979 b — *Olympicum* Boiss
 980 b — *phlomoides* L
 981 b — *phoeniceum* L
 982 b — *speciosum* Schrad
 983 p *Veronica aphylla* L
 984 p — *Beccabunga* L
 985 p — *caucasica* Bieb
 986 p — *chamaedrys* L
 987 p — *crassifolia* Wierzb
 988 p — *fruticulosa* L
 989 p — *gentianoides* Vahl
 990 a — *hederaefolia* L
 991 p — *longifolia* L
 992 p — *lutea* Wettst.
 993 p — *maritima* L
 994 p — *officinalis* L
 995 p — *satureioides* Vis
 996 p — *saxatilis* Scop
 997 p — *Teucrium* L
 998 p — *urticifolia* L

Solaneae.

- 999 p *Atropa Belladonna* L
 1000 a *Capsicum annum* L
 1001 a — *baccatum* L
 1002 a *Datura Metel* L
 1003 a — *Stramonium* L
 1004 a — — *var Tatula* L
 1005 a *Hyoscyamus niger* L
 1006 a *Nicandra physaloides* Gaertn
 1007 a *Nicotiana affinis* Moore
 1008 a — *rustica* L
 1009 a — *silvestris* Speg
 1010 a — *Tabacum* L
 1011 p *Physalis Alkekengi* L
 1012 a — *peruviana* L
 1013 p *Solanum Dulcamara* L
 1014 a — *guineense* Lam
 1015 a — *Melongena* L

- 1016 a *Solanum nigrum* L
 1017 a — *rostratum* Dunal

Thymeleae.

- 1018 p *Daphne Laureola* L
 1019 p — *Mezereum* L
 1020 p *Hippophaë rhamnoides* L
 1021 a *Passerina annua* (L)

Umbelliferae.

- 1022 a *Aethusa Cynapium* L
 1023 p *Angelica silvestris* L
 1024 a *Anthriscus Cerefolium* Hoffm
 1025 p *Archangelica officinalis* Hoffm
 1026 p *Astrantia major* L
 1027 p *Athamanta cretensis* L
 1028 p *Bupleurum falcatum* L
 1029 p — *ranunculoides* L
 1030 a — *rotundifolium* L
 1031 b *Carum Bulbocastanum* L
 1032 b — *carvi* L
 1033 p *Chaerophyllum aromaticum* L
 1034 p — *hirsutum* Koch
 1035 b — *temulum* L
 1036 p *Cicuta virosa*
 1037 b *Conium maculatum* L
 1038 a *Coriaria sativum* L

- 1039 p *Eryngium alpinum*
 1040 p — *Bourgati* Gouan
 1041 p — *campestre* L
 1042 p — *giganteum* M. B
 1043 p — *planum* L

- 1044 b *Falcaria vulgaris* Bernh
 1045 a *Foeniculum officinale* L
 1046 Tp *Haquetia Epipactis* De
 1047 p *Heracleum giganteum* Hort
 1048 p *Imperatoria Ostruthium* L
 1049 p *Laserpitium latifolium* L
 1050 p *Levisticum officinale* Koch
 1051 p *Libanotis montana* Crantz
 1052 p *Meum alhamanticum* Jacq
 1053 p — *Mutellina* Gaertn
 1054 a *Orlaya grandiflora* Hoffm
 1055 p *Peucedanum alsaticum* L
 1056 p — *Cervaria* Lap
 1057 p — *Oreoselinum* Moench
 1058 a *Pimpinella Anisum* L
 1059 p — *magna* L
 1060 p *Pleurospermum austriacum* Hoffm

- 1061 p *Sanicula europaea* L
 1062 p *Scandix pecten Veneris* L
 1063 p *Selinum Carvifolia* L
 1064 p *Silau pratensis* Bess
 1065 p *Siler trilobum* Crantz
 1066 p *Sium Sisarum* L
 1067 b *Torilis Anthriscus* Gm
 1068 b *Trinia vulgaris* DC

Urticaceae.

- 1069 a *Cannabis sativa* L
 1070 *Laportea canadensis* Gaud
 1071 p *Parietaria officinalis* L
 1072 p *Urtica cannabina* L
 1073 a — *pilulifera* L

Valerianeae.

- 1074 p *Centranthus ruber* DC
 1075 p *Valeriana officinalis* L
 1076 a *Valerianella olitoria* Moench

Verbenaceae.

- 1077 p *Verbena officinalis* L

Violaceae.

- 1078 p *Viola biflora* L
 1079 p — *lutea* Sm sudetica Koch
 1080 p — *mirabilis* L
 1081 p — *Riviniana* Rehb

Zygophylleae.

- 1082 a *Tribulus terrestris* L

E. Tuma

Obmann.

Prof. L. Frank

Gartendirektor.

Index seminum horti botanici Olomucensis pro 1907—1912.

der für den Samenaustausch in den Jahren 1907—1912 bestimmten Arten.

Aizoac., Basellac., Nyctag., Phytolacc., Portulac. vide **Amarantaceae** — Bignoniac., Martyn., Pedal., Orobanch.
vide **Scrophul.** — Datisac. vide **Loasaceae** — Lythrac. vide **Oenother.**

BOL. Garde
1909

Caryophyllaceae.

76 a *Agrostemma Githago* L
77 p *Alsine juniperina* Wahlenb.
78 p — *verna* Bartl
79 p *Arenaria ciliata* L
80 p — *grandiflora* All
81 a *Cerastium arvense* L
82 p *Cucubalus baccifer* L
83 p *Dianthus alpinus* L
84 p — *Armeria* L
85 p — *barbatus* L
86 p — *caesius* Sm.
87 p — *carthusianorum* L
88 p — *deltoides* L
89 p — *plumarius* L
90 p — *speciosus* Rehb.
91 p — *superbus* L
92 p *Drypis spinosa* L
93 a *Gypsophila muralis* L
94 p — *paniculata* L
95 p — *repens* L fl. alb.
et ros.
96 p *Heliosperma alpestre* (Jacq.)
97 p — *quadrifidum* (L)
98 p *Lychnis alpina* L
99 b — *coronaria* Lam
100 p — *flos cuculi* L
101 p — *flos Jovis* Lam
102 p *Malachium aquaticum* L
103 b *Melandrium album* Garcke
104 p — *rubrum* Garcke
105 p *Moehringia muscosa* L
106 p *Saponaria ocymoides* L
107 p — *officinalis* L
108 p *Silene acaulis* L
109 p — *W.* L
110 p? — *nemoralis* W. et K.
111 p — *nutans* L
112 p — *Otites* Sm.
113 p — *pumilio*
114 p — *saxifraga* L
115 p — *vulgaris* Garcke
116 a *Spergula arvensis* L
117 p *Stellaria holostea* L
118 p *Tunica saxifraga* Scop.
119 a *Vaccaria parviflora* Mönch
120 p *Viscaria vulgaris* Röhl

Chenopodiaceae.

121	a	Atriplex	hortensis	L
122	a	—	nitens	Schk.
123	b	Beta	maritima	L
124	b	—	vulgaris	Cicla L
125	b	—	—	rapa altissima L
126	b	—	—	— rubra L
127	a	Chenopodium	album	L
128	a	—	ambrosioides	L
129	p	—	Bonus	Henricus L
130	a	—	capitatum	Asch
131	a	—	ficefolium	Sm.
132	a	—	foliosum	Mönch

133 a *Chenopodium Quinoa* Willd
134 a *Kochia scoparia* Schrad
135 b *Spinacia oleracea* L

Cistaceae.

136 p *Helianthemum* polifolium Koch
137 p — vulgare Gärtn

Compositae.

138	p	Achillea	ageratifolia	Hook
139	p	—	argentea	Vis
140	p	—	Clavennae	L
141	p	—	Clusiana	Tsch
142	p	—	Millefolium	L f. sude- tica Opiz
143	p	—	nobilis	L
144	p	—	pannonica	Scheele
145	p	—	Ptarmica	L
146	p	—	tanacetifolia	All.
147	p	Achyrophorus	maculatus	Scop.
148	p	—	uniflorus	Bl. et Fing
149	p	Alfredia	cernua	Cass.
150	a	Ambrosia	trifida	L
151	a	Anacyclus	officinarum	Hayne
152	p	Antennaria	dioica	L
153	p	Anthemis	nobilis	L

154	p	—	tinctoria L
155	p	Arnica montana	L
156	p	Aronicum	scorpioides Koch
157	p	Artemisia	Absinthium L
158	p	—	Dracunculus L
159	p	—	maritima L
160	p	—	Mutellina L
161	p	—	spicata Wulf
162	p	Aster alpinus	L
163	p	—	Amellus L
164	p	—	Tripolium L
165	a	Bidens	andicola hort
166	a	—	bipinnata L
167	a	—	cernua L
168	a	—	leucantha Willd
169	a	—	tripartita L
170	p	Bupthalmum	salicifolium L
171	p	Cacalia	suaveolens L
172	a	Calendula	officinalis L
173	b	Carduus	nutans L
174	p	Carlina	acaulis L
175	a	Carthamus	tinctorius L
176	b	Contaurea	Calcitrapa L
177	a	—	cyanus L
178	p	—	macrocephala M.
179	p	—	montana L
180	p	—	rhenana Bor
181	p	—	Scabiosa L
182	a	—	solstitialis L
183	a	—	suaveolens Willd
184	p	Chamaepeuce	diacantha DC

185 p *Chondrilla juncea* L
186 p *Chrysanthemum cinerariifol.* Boce
187 a *Chrysanthemum segetum* L
188 a *Cichorium Endivia* L
189 p — *Intybus* L
190 p *Cirsium acaule* All
191 p — *canum* M. B.
192 p — *eriphorum* Scop
193 p — *erisithales* Scop
194 p — *ferox* DC
195 p — *heterophyllum* All
196 p — *oleraceum* Scop
197 p — *spinosissimum* Scop
198 a *Coreopsis tinctoria* Nutt
199 p *Crepis aurea* Cass
200 p — *blattarioides* Vill
201 p — *praemorsa* Tsch
202 a *Crupina vulgaris* Cass
203 b *Cynara Scolymus* L
204 a *Dimorphoteca pluvialis* Mönch
205 p *Doronicum austriacum* Jacq
206 p — *caucasicum* M. B.
207 p — *Halleri* Tsch
208 p *Echinops Ritro* L
209 p — *sphaerocephalus* L
210 p *Erechtites hieracifolia* Raf
211 p *Erigeron aurantiacus* Rgl
212 a — *canadensis* L
213 p — *uniflorus* L
214 p *Eupatorium cannabinum* L
215 p *Gaillardia aristata* Pursh
216 p — — *var grandiflora*
217 a *Galinsoga parviflora* Cav
218 p *Gnaphalium norvegicum* Gunn
219 a — *silvaticum* L
220 p *Grindelia squarrosa* Dunal
221 a *Guizotia oleifera* DC
222 a *Helianthus annuus* L
223 T p — *tuberosus* L
224 a *Helichrysum angustifolium* DC
225 a *Helminthia echioides* Gärt
226 p *Hieracium alpinum* L
227 p — *aurantiacum* L
228 p — *intybaceum* Jacq
229 p — *magyaricum* N. P.
230 p — *pilosella* L
231 p — *sabaudum* L
232 p — *staticifolium* Vill
233 p — *umbellatum* L
234 p — *villosum* L
235 p *Inula Helenium* L
236 p — *hirta* L
237 p — *salicina* L
238 p *Kentrophyllum lanatum* DC
239 a *Lactuca angustana* All
240 p — *perennis* L
241 a — *scariola* L
242 b — *virosa* L
243 a *Lampsana communis* L
244 b *Lappa tomentosa* Lam
245 p *Leontopodium alpinum* Cass
246 p *Ligularia sibirica* Cass
247 a *Madia sativa* Mol
248 a *Matricaria chamomilla* L
249 p *Mulgedium alpinum* Cass

250 b Onopordon Acanthium L
 251 b — illyricum L
 252 p Petasites niveus Bmg.
 253 p — officinalis Mönch
 254 p Pieris hieracioides L
 255 p Podospermum Jacquinianum
 256 p Prenanthes purpurea L [Koch
 257 p Pulicaria dysenterica Gaert
 258 p Pyrethrum caucasicum Willd
 259 p — Parthenium Sm
 260 p — roseum Bieb
 261 p Rudbeckia laciniata L
 262 p — purpurea L
 263 a Sanvitalia procumbens L
 264 a Scolymus hispanicus L
 265 p Scorzonera hispanica L
 266 p — humilis L
 267 p — purpurea L
 268 p Senecio abrotanifolius L
 269 p — Fuchsii Gm
 270 p — sudeticus DC
 271 p Serratula tinctoria L
 272 p Silphium laciniatum L
 273 p — perfoliatum L
 274 a Silybum Marianum Gärt.
 275 p Solidago canadensis L
 276 p — virga aurea L
 277 a Spilanthus oleracea Jacq
 278 a Tagetes patula L
 279 p Tanacetum Balsamita L
 280 p — corymbosum Schultz
 281 p — vulgare L
 282 b Tragopogon porrifolius L

283 b — pratensis v. orientalis L
 284 a Xanthium italicum Mor
 285 a — spinosum L
 286 a — Strumarium L
 287 a Xeranthemum annuum L
 288 a Zinnia elegans Jacq

Convolvulaceae.

289 a Convolvulus Scammonia L
 290 p — sepium L
 291 a Cuscuta europaea L
 292 p Exogonium purga Wend
 293 p Ipomoea Batatas Lam
 294 a — purpurea Lam
 295 a Quamoclit coccinea Mönch

Crassulaceae.

296 p Sedum album L
 297 p — reflexum L
 298 p — villosum L
 299 p Sempervivum arachnoideum L
 300 — hirtum L
 301 — montanum L
 302 — tectorum L

Cruciferae.

303 a Alliaria officinalis L
 304 p Alyssum montanum L
 305 p — saxatile L
 306 p — Wulfenianum Willd =
 = transsilvanicum Schk
 307 a Anastatica hierochuntica L
 308 p Arabis alpina L
 309 b — bellidifolia Jacq
 310 b — hirsuta Scop
 311 p — procurrens W. et K
 312 b — Turrita L
 313 p Aubrietia graeca Boiss
 314 p Barbarea praecox R Br
 315 p — vulgaris R Br
 316 b Berteroa incana DC
 317 p Biscutella laevigata L
 318 a Brassica nigra Koch
 319 a — Napus L oleifera annua
 Koch

320 a — oleifera annua
 malis Doel
 321 b — — rapifera Metzger
 322 b — — oleracea L acephala DC
 323 b — — botrytis L
 324 b — — capitata L
 325 b — — gemmifera DC
 326 b — — gongylodes L
 327 b — — sabauda L
 328 a — Rapa oleif. annua Koch
 329 b — — — hiemalis Mart
 330 b — — rapifera Metzger

331 a Bunias Erucago L
 332 p — orientalis L
 333 a Camelina sativa Crantz
 334 p Cardamine amara L
 335 a — impatiens L
 336 p — resedifolia L
 337 p — trifolia L
 338 b Cheiranthus Cheiri L
 339 Tp Cochlearia Armoracia L
 340 b — officinalis L
 341 p Crambe maritima L
 342 p Dentaria bulbifera L
 343 p — enneaphyllos L
 344 p — glandulosa W et K
 345 p Diplotaxis tenuifolia DC
 346 p Draba aizoides L
 347 p — stellata Jacq
 348 a Eruca sativa Mill
 349 p Erysimum canescens Roth
 350 b — cheiranthoides L
 351 b—p — odoratum Ehrh

352 b—p Hesperis matronalis L
 353 b — tristis L
 354 a Iberis amara L
 355 a — umbellata L
 356 b Isatis tinctoria L
 357 p Kerneria saxatilis Rechb
 358 b Lepidium campestre R. Br
 359 a — ruderales L
 360 a — sativum L
 361 a Lunaria biennis Mönch
 362 p — rediviva L
 363 a Mathiola incana L
 364 p Nasturtium officinale L
 365 a Neslea paniculata Desv.
 366 p Peltaria alliacea L
 367 p Petrocallis pyrenaica R. Br
 368 a Raphanus sativus L oleiferus
 369 p Roripa amphibia Scop
 370 a Sinapis alba L
 371 a Sisymbrium officinale Scop
 372 p — strictissimum L
 373 a Thlaspi arvense L
 374 p — rotundifolium L
 375 b Turritis glabra L

Cucurbitaceae.

376 p Bryonia alba L
 377 p — dioica L
 378 a Citrullus vulgaris Schrad
 379 a Cucumis Melo L
 380 a — sativus L
 381 a Cucurbita Melopepo L
 382 a Cyclanthera explodens Naud
 383 a — pedata Schrad
 384 a Ecballium Elaterium Rich
 385 a Lagenaria vulgaris Ser
 386 a Luffa cylindrica Roem
 387 a Momordica charantia L

Cyperaceae.

388 p Carex ampullacea Good
 389 p — flava L
 390 p — hirta L
 391 p — humilis Leysser
 392 p — muricata L
 393 p — panicea L
 394 p — paradoxa Willd
 395 p — pulicaris L
 396 p — rupestris All
 397 Tp Cyperus esculentus L
 398 a — flavescens L
 399 p Eriophorum polystachyum L
 400 p Rhynchospora alba Vahl

Dipsaceae.

- 401 p *Cephalaria alpina* Schrad
402 b *Dipsacus fullonum* Mill
403 b — *laciniatus* L
404 b — *silvestris* Mill
405 p *Knautia arvensis* Coult
406 a *Scabiosa atropurpurea* L
407 p — *caucasica* M. B
408 p — *ochrolenca* L
409 p — *stellata* L
410 p — *suaveolens* Desf.
411 p *Succisa pratensis* Mönch

Euphorbiaceae.

- 412 p *Euphorbia amygdaloides* L
413 a — *chamaesyce* L
414 p — *dulcis* L
415 p — *epithymoides* L
416 p — *fragifera* Jan
417 b — *lathyris* L
418 p — *Myrsinites* L
419 p — *palustris* L
420 p — *Paralias* L
421 p — *verrucosa* Lam
422 p — *villosa* W. et K
423 p — *Wulfeni* Hoppe
424 p — *Mercurialis perennis* L
425 a — *Ricinus communis* L

Fumariaceae.

- 426 p *Adlumia cirrhosa* Raf
427 p *Corydalis cava* Wahlb
428 p — *lutea* DC
429 T p *Dicentra spectabilis* Borkh.
430 a *Fumaria officinalis* L
431 a *Hypecoum procumbens* L

Gentianeae.

- 432 a *Erythraea centaurium* Pers
433 p *Gentiana acaulis* L
434 p — *asclepiadea* L
435 p — *bavarica* L
436 p — *cruciata* L

- 437 p *Gentiana germanica* Willd
438 p — *verna* L
439 p *Swertia perennis* L

Geraniaceae.

- 440 a *Erodium gruinum* L
441 p *Geranium argenteum* L
442 p — *macrorrhizum* L
443 p — *phaeum* L
444 p — *pratense* L
445 p — *sanguineum* L
446 p — *silvaticum* L

Globularieae.

- 447 p *Globularia cordifolia* L
448 p — *nudicaulis* L
449 p — *vulgaris* L

Gramineae.

- 450 p *Agrostis alba* L
451 p — *canina* L
452 p *Aira caespitosa* L
453 a *Andropogon cernuus* Kth
454 p — *Gryllus* L
455 a — *halapensis* Brot
456 p — *Ischaemum* L
457 a — *Sorghum* Brot niger
Körn
458 a — *saccharatus* Kth
459 a *Apera spica venti* P. B.
460 p *Anthoxantum odoratum* L
461 p *Arrhenatherum elatius* P. B.
462 p *Avena pubescens* Huds
463 a — *sativa* L
464 a — *sterilis* L
465 p *Bouteloua oligostachya* Torr
466 p *Brachypodium pinnatum* P. B.
467 p *Briza media* L
468 a *Bromus briziformis* Fisch et Mey
469 p — *erectus* Huds
470 p — *inermis* Leyss
471 a — *sterilis* L
472 p *Calamagrostis lanceolata* Roth
473 p *Catabrosa aquatica* P. B.
474 a *Cenchrus tribuloides* L
475 a *Coix lacryma Jobi* L
476 a *Crypsis aculeata* Ait
477 p *Cynodon dactylon* Pers
478 p *Cynosurus cristatus* L
479 a *Eleusine coracana* Gärtn
480 a — *indica* Gärtn
481 p *Elymus arenarius* L
482 a *Eragrostis abessinica* Link
483 p *Festuca pratensis* L
484 p — *rubra* L
485 p — *scoparia* Hackel v. *crinum*
ursi Ram

- 486 p *Festuca sulcata* Hackel
487 p *Holcus lanatus* L
488 a *Hordeum distichum* L
489 a — *hexastichum* L
490 p — *jubatum* L
491 a — *zeocriton* L
492 a *Lagurus ovatus* L
493 p *Lolium multiflorum* Lam
494 p — *perenne* L
495 a — *temulentum* L
496 p *Melica altissima* L
497 a — *ciliata* L
498 p *Molinia coerulea* Moench
499 p *Nardus stricta* L
500 a *Panicum italicum* v. *german.*
501 a — *miliaceum* L [Lam
502 a — *sanguinale* L
503 a *Pennisetum villosum* R. Br
504 p *Phalaris arundinacea* L
505 a — *canariensis* L
506 p *Phleum pratense* L *nodosum*
507 p *Poa bulbosa* L *vivipara*
508 p — *sudetica* Hänke
509 p *Secale montanum* Guss
510 p *Sesleria coerulea* Scop
511 p — *auctumnalis* F. Schultz
512 p *Stipa calamagrostis* Link
513 p — *capillata* L
514 p — *pennata* L
515 p — *tenacissima* L
516 a — *tortilis* Desf.
517 a *Tragus racemosus* Desf.
518 p *Trisetum flavescens* Beauv
519 a *Triticum monococcum* L
520 a — (*Aegilops*) *ovatum* Gren
521 a — *ventricosum* Ces
522 a — *sativum* × *ovatum* A. G.
= *Aegilops triticoides* Req
523 a — *spelta* L
524 a *Zea Mais* L

Hydrocharitaceae (pl. viv.)

Potamogetoneae.

- 525 p *Elodea canadensis* Rich
526 p *Hydrocharis morsus ranae* L
527 p *Potamogeton acutifolius* Link
528 p — *crispus* L
529 p — *pusillus* L

Hydrophyllaceae.

530 a *Phacelia tanacetifolia* Benth

Hypericaceae.

531 p *Hypericum calycinum* L

532 p — *Coris* L

533 p — *montanum* L

534 p — *perforatum* L

Irideae.

535 Tp *Crocus sativus officinalis* L

536 „ *Iris germanica* L

537 „ — *graminea* L

538 „ — *Pseudacorus* L

539 „ — *pumila* L

540 „ — *sibirica* L

541 „ — *Xiphium* L

Juncaceae.

542 p *Juncus squarrosus* L

543 p *Luzula albida* DC

544 p — *silvatica* Gaud

Labiatae.

545 b *Ajuga chamaepitys* Schreb

546 p — *genevensis* L

547 p — *reptans* L

548 p *Ballota nigra* L

549 p *Betonica officinalis* L

550 p *Brunella grandiflora* Jacq

551 p *Calamintha acinos* Clairv

552 p — *alpina* Lam

553 p — *nepetoides* Jord

554 p *Clinopodium vulgare* L

555 p *Dracocephalum altaianse* Lam

556 p — *austriacum* L

557 a — *Moldavica* L

558 a *Galeopsis tetrahit* L

559 a — *ochroleuca* Lam

560 a — *versicolor* Curt

561 p *Horminum pyrenaicum* L

562 p *Hyssopus officinalis* L

563 p *Lamium album* L

564 p — *Orvala* L

565 a *Lallemantia iberica* Fisch. et

566 p *Leonurus Cardiac* L [Mey

567 p *Lycopus europaeus* L

568 p *Marrubium peregrinum* L

569 p — *vulgare* L

570 p *Melissa officinalis* L

571 p *Melittis melissophyllum* L

572 p *Mentha aquatica* L

573 p — *pulegium* L

574 p — *silvestris* L

575 p *Monarda digyma* L

576 p — *fistulosa* L

577 p *Nepeta cataria* L

578 p — *grandiflora* M. B

579 p *Nepeta macrantha* Fisch.

580 a *Ocimum Basilicum* L

581 a *Origanum Majorana* L

582 p — *vulgare* L

583 p *Phlomis tuberosa* L

584 p *Physostegia virginiana* Benth

585 p *Prasium majus* L

586 p *Salvia Aethiopis* L

587 b — *argentea* L

588 p — *austriaca* Jacq

589 p — *azurea* Lam

590 p — *clandestina* L

591 p — *cleistogama* de Bary

592 p — *coccinea* L

593 p — *glutinosa* L

594 p — *grandiflora* Etl

595 p — *Horminum* L

596 p? — *nilotica* Murr

597 p — *officinalis* L

598 p — *pratensis* L

599 p — *silvestris* L

600 p — *splendens* Sellow

601 p — *verticillata* L

602 a *Satureja hortensis* L

603 a — *montana* L

604 p *Scutellaria galericulata* L

605 p — *macrantha* Fisch

606 p *Sideritis montana* L

607 p *Stachys alpina* L

608 p — *germanica* L

609 p — *recta* L

610 Tp — *Sieboldii* Miq = *affinis* Fres

611 p — *silvatica* L

612 a *Teucrium Botrys* L

613 p — *Chamaedrys* L

614 p — *Euganeum* Vis

615 p — *flavum* L

616 p — *Scorodonia* L

Liliaceae.

617 T *Allium ampeloprasum* L

618 T — *ascalonicum* L

619 T — *fistulosum* L

620 — *flavum* L

621 T — *Porrum* L

622 — *sibiricum* L

623 — *Victorialis* L

624 — *vineale* L

625 *Asparagus officinalis* L

626 *Asphodelus albus* Mill

627 — *luteus* L

628 T *Colchicum autumnale* L

629 T *Convallaria majalis* L

630 T *Galtonia candicans* Dec

631 T *Lilium Martagon* L

632 T — *pardalinum* Lindl

633 T — *tigrinum* L

634 T *Leucojum vernal* L

635 T *Ornithogalum umbellatum* L

636 *Paradisica Liliastrum* Bert

637 *Paris quadrifolia* L

638 *Polygonatum multiflorum* All

639 — *officinale* All

640 *Streptopus amplexifolius* De

641 *Veratrum nigrum* L

Lineae.

642 p *Linum alpinum* L

643 p — *flavum* L

644 p — *perenne* L

645 p — *tenuifolium* L

646 a — *usitatissimum* L

647 p — *viscosum* L

Loasaceae, Datisceae.

648 a *Blumenbachia Hieronymi* Urb

649 a *Cajophora lateritia* Presl

650 a *Datisca cannabina* L

651 a *Loasa lateritia* Gill

Malvaceae.

652 a *Abutilon Avicennae* Gärtn

653 p *Althaea cannabina* L

654 p — *officinalis* L

655 b — *rosea* L atropurp.

656 a *Hibiscus esculentus* L

657 a — *palustris* L

658 a — *Trionum* L

659 p *Kitaibelia vitifolia* Willd

660 p *Lavatera thuringiaca* L

661 p *Malva Alcea* L

662 a — *crispa* L

663 p — *moschata* L

664 a — *rotundifolia* L

665 b — *silvestris* L

Oenotheraeae, Lythraceae.

666 p *Circaea lutetiana* L

667 a *Clarkia elegans* Dougl

668 a *Cuphea viscosissima* Jacq

669 p *Epilobium angustifolium* L

670 p — *Dodonaei* Vill

671 p — *hirsutum* L

672 p — *roseum* Schreb

673 p *Lythrum Salicaria* L

674 b *Oenothera biennis* L

675 p — *fruticosa* L

676 p — *missouriensis* Sims

677 p — *pumila* L

678 p — *taraxacifolia* Sweet

Oxalideae.

- 679 T p Oxalis Acetosella L
680 T p — caprina L
681 T p — corniculata
682 T p — tetraphylla Cav
683 T p — valdiviensis Barn.
684 T p — vespertilionis Zucc

Papaveraceae.

- 685 a Argemone grandiflora Sw
686 a — mexicana L
687 p Chelidonium majus L f. laciniata
688 a Eschscholtzia californica Cham
689 a Glaucium corniculatum Curt
690 a — flavum Crantz
691 a Hypecoum procumbens L
692 p Macleya cordata R. Br.
693 p Meconopsis cambrica L
694 p — nepalensis DC
695 p Papaver alpinum L fl. alb.
696 p — — nudicaule L
697 a — argemone L
698 p — caucasicum M. B
699 p — orientale L
700 a — Rhoeas L
701 a — somniferum L
702 p Sanguinaria canadensis L

Papilionaceae.

- 703 p Anthyllis montana Jacq
704 p — vulneraria L
705 p Astragalus baeticus L
706 p — Cicer L
707 p — danicus Retz
708 p — glycyphyllos L
709 a Biserrula Pelecinus L
710 p Colophaca wolgarica Fisch
711 p Caragana arborescens Lam
712 a Cicer arietinum L
713 p Colutea arborescens L
714 p Coronilla Emerus L
715 p — scorpioides Koch
716 p — varia L
717 p Cytisus Laburnum L
718 p — leucanthus W. K.
719 p — nigricans L
720 p — purpureus Scop
721 p — ratisbonensis Schaff
722 a Dolichos Lablab L
723 p Doryenium suffruticosum Jord
724 p Galega officinalis L
725 p Genista germanica L
726 p — radiata Scop
727 p — sagittalis L
728 p — tinctoria L
729 p Glycyrrhiza echinata L
730 p — glabra L
731 p Hedysarum obscurum L
732 p Hippocrepis comosa L
733 p Indigofera Desua Hamilt.

- 734 a Lathyrus Aphaca L
735 p — montanus Bernh
736 a — Nissolia L
737 a — odoratus L
738 p — silvester L
739 p — tuberosus L
740 p — vernus Bernh
741 a Leas esculenta Moench
742 p Lotus corniculatus L
743 a Lupinus angustifolius L
744 a — luteus L
745 p — perennis L
746 p — polyphyllus Lindl
747 a Medicago Echinus DC
748 p — falcata L
749 p — falcata X sativa =
media Pers
750 a — minima Desr
751 p — sativa L
752 a — turbinata Willd
753 b Melilotus officinalis Desr
754 p Onobrychis sativa Lam
755 p Ononis spinosa L
756 a Ornithopus sativus Brot
757 a Phaseolus multiflorus Willd
758 a Pisum arvense L
759 p Sarothamnus scoparius Koch
760 a Scorpiurus vermiculatus L
761 a Soja hispida Moench
762 p Spartium junceum L
763 p Tetragonolobus siliquosus L
764 a Trifolium arvense L
765 b — p Trifolium aureum Poll
766 p Trifolium badiatum Schreb.
767 p — fragiferum L
768 p — hybridum L
769 b — incarnatum L
770 p — medium L
771 a — minus Sm
772 p — montanum L
773 p — ochroleucum L
774 p — repens L
775 p — rubens L
776 b—p — spadiceum L
777 p — stellatum L
778 p — subterraneum L
779 a Trigonella coerulea Ser
780 a — foenum graecum L
781 p Ulex europaeus L
782 a Vicia Faba L
783 a — lutea L
784 a — narbonensis L
785 p — sepium L
786 a Vigna sinensis

Plantagineae.

- 787 p Plantago alpina L
788 p — lanceolata L
789 p — maritima L
790 a — Psyllium L

Plumbagineae.

- 791 p Armeria alpina Willd
792 p — vulgaris Willd
793 p Plumbago europaea L
794 p Statice Limonium L

Polemoniaceae.

- 795 a Cobaea scandens Cav
796 a Collomia coccinea Lehm
797 a — grandiflora Dougl
798 p Phlox paniculata L
799 p Polemonium coeruleum L

Polygoneae.

- 800 a Fagopyrum esculentum Moench
801 p Polygonum amphibium L
802 p — baldschuanicum Regl
803 p — Bistorta L
804 a — Convolvulus L
805 p — cuspidatum L. et Z.
806 a — hydropiper L
807 p — sachalinense Schmidt
808 a — tinctorium Ait
809 a — virginianum L
810 p — viviparum L
811 p Rheum officinale L
812 p — palmatum L
813 p — Rhaponticum L
814 p Rumex Acetosa L
815 p — alpinus L
816 p — crispus L
817 p — Hydrolapathum Huds
818 p — maximus Schreb
819 p — Patientia L
820 p — sanguineus L
821 p — scutatus L

Primulaceae.

- 822 a Anagallis arvensis L
823 a — coerulea Schreb
824 p — grandiflora Andr
825 p Androsace lactea L
826 b — maxima L
827 p — sarmentosa Wall
(stolones)
828 p Cortusa Matthioli L
829 p Lysimachia nummularia L
830 p — punctata L
831 p Naumburgia thyrsiflora Rehb

- 832 p *Primula acaulis* Jacq
- 833 p — *auricula* L
- 834 p — *cortusoides* L
- 835 p — *hirsuta* All
- 836 p — *minima* L
- 837 p — *officinalis* L

Ranunculaceae.

- 838 p *Aconitum Lycoctonum* L
- 839 p — *Napellus* L
- 840 p *Actaea spicata* L
- 841 a *Adonis aestivalis* L
- 842 p — *vernalis* L
- 843 p *Anemone alpina* L
- 844 p — *grandis* Wend
- 845 p — *japonica* Sieb
- 846 p — *narcissiflora* L
- 847 p — *nigricans* Fritsch
- 848 p — *pulsatilla* L
- 849 p — *ranunculoides* L
- 850 p — *silvestris* L
- 851 p — *vernalis* L
- 852 p *Aquilegia atrovioacea* Lall
- 853 p — *vulgaris* L
- 854 p *Atragene alpina* L
- 855 p *Caltha palustris* L
- 856 p *Clematis recta* L
- 857 p — *Viticella* L
- 858 p *Delphinium caucasicum* C. A. M.
- 859 a — *Consolida* L
- 860 p — *elatum* Willd
- 861 p — *Staphysagria* L
- 862 p *Eranthis hiemalis* L
- 863 p *Helleborus foetidus* L
- 864 p — *niger* L
- 865 p — *viridis* L
- 866 p *Isopyrum thalictroides* L
- 867 a *Myosurus minimus* L
- 868 p *Nigella damascena* L
- 869 p — *sativa* L
- 870 p *Paeonia peregrina* Mill
- 871 p *Ranunculus acer* L
- 872 a — *arvensis* L
- 873 p — *auricomus* L
- 874 p — *Ficaria* L
- 875 p — *gramineus* L
- 876 p — *lanuginosus* L
- 877 p — *lingua* L
- 878 p — *platanifolius* L
- 879 p — *polyanthemus* L
- 880 p — *sardous* Crantz
- 881 a — *sceleratus* L
- 882 p *Thalictrum angustifolium* L
- 883 p — *aquilegifolium* L
- 884 p — *flavum* L
- 885 p — *minus* L
- 886 p *Trollius europaeus* L
- 887 p — *Ledebouri* Rehb.

Resedaceae.

- 888 b *Reseda luteola* L
- 889 a — *odorata* L

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
- 891 p *Alchemilla alpina* L
- 892 p — *vulgaris* L
- 893 p *Amelanchier vulgaris* Mönch
- 894 p *Aruncus silvester* Kostel
- 895 p *Comarum palustre* L
- 896 p *Crataegus coccinea* L
- 897 p *Cydonia japonica* Pers
- 898 p *Dryas octopetala* L
- 899 p *Eriobotrya japonica* Lindl
- 900 p *Fragaria elatior* Ehrh
- 901 p *Geum album* Gm
- 902 p — *montanum* L
- 903 p — *intermedium* Ehrh
- 904 p — *rivale* L
- 905 p — *urbanum* L
- 906 p *Pirus baccata* L
- 907 p *Potentilla alba* L
- 908 p — *anserina* L
- 909 p — *argentea* L
- 910 p — *atrosanguinea* Lodd
- 911 p — *aurea* L
- 912 p — *caulescens* L
- 913 p — *Clusiana* L
- 914 p — *pennsylvanica* L
- sanguisorbifolia* A. G.
- 915 p — *rupestris* L
- 916 p *Poterium Sanguisorba* L
- 917 p *Sanguisorba minor* Scop
- 918 p — *officinalis* L
- 919 p *Sorbus Aria* Ehrh
- 920 p — *Aucuparia v. dulcis* A. G.
- 921 p — *torminalis* Crantz
- 922 p *Spiraea Filipendula* L
- 923 p — *Ulmaria* L

Rubiaceae

- 924 p *Asperula cynanchica* L
- 925 p — *odorata* L
- 926 p — *tinctoria* L
- 927 a *Crucianella stylosa* Trin
- 928 a *Galium Aparine* L
- 929 p — *boreale* L
- 930 p — *cruciata* Scop
- 931 a — *tricornis* With
- 932 p — *verum* L
- 933 p *Rubia tinctorum* L
- 934 a *Sherardia arvensis* L

Rutaceae.

- 935 p *Dictamnus albus* L
- 936 p *Ruta graveolens* L

Saxifrageae.

- 937 p *Chrysosplenum alternifolium* L
- 938 p *Mitella pentandra* Hook
- 939 p *Parnassia palustris* L
- 940 p *Ribes alpinum* L
- 941 p — *sanguineum* Pursh
- 942 p *Saxifraga aizoon* L
- 943 p — *Cotyledon* L
- 944 T p — *granulata* L
- 945 p — *rotundifolia* L

**Scrophulariaceae, Bignon., Martyn.,
Pedaliaceae, Orobanchae.**

- 946 a *Alonsoa Warscewiczii* Regl
- 947 a *Antirrhinum majus* L
- 948 p — *Oroanthium* L
- 949 a *Calceolaria scabiosaefolia* Sims
- 950 p *Celsia betonicifolia* Desf
- 951 a *Collinsia bicolor* Benth
- 952 p *Digitalis ambigua* Murr
- 953 p — *ferruginea* L
- 954 b-p — *lanata* Ehrh
- 955 b-p — *lutea* L
- 956 b — *purpurea* L
- 957 a *Hebenstreitia dentata*
- 958 p *Incarvillea Delavayi* Franch
- 959 a *Linaria alpina* Mill
- 960 p — *cymbalaria* Mill
- 961 p — *dalmatica* Mill
- 962 p — *genistifolia* Mill
- 963 a — *spuria* Mill
- 964 p — *vulgaris* Moench
- 965 p *Lophospermum scandens* Don
- 966 a *Martynia proboscidea* L
- 967 b-p *Maurandia Barclayana* Lindl
- 968 a *Mimulus luteus* L
- 969 a *Nycteria capensis* Benth
- 970 p *Pentstemon coeruleus* Nutt
- 971 p — *gentianoides* Lindl
- 972 p — *glaucus* Grah

- 973 a *Salpiglossis sinuata* R. P.
 974 a *Schizantus pinnatus* R. P.
 975 p *Scrophularia nodosa* L
 976 a *Torenia Fournieri* Linden
 977 b *Verbascum Blattaria*
 978 p — *nigrum* L
 979 b — *Olympicum* Boiss
 980 b — *phlomoides* L
 981 b — *phoeniceum* L
 982 b — *speciosum* Schrad
 983 p *Veronica aphylla* L
 984 p — *Beccabunga* L
 985 p — *caucasica* Bieb
 986 p — *chamaedrys* L
 987 p — *crassifolia* Wierzb
 988 p — *fruticulosa* L
 989 p — *gentianoides* Vahl
 990 a — *hederaefolia* L
 991 p — *longifolia* L
 992 p — *lutea* Wettst.
 993 p — *maritima* L
 994 p — *officinalis* L
 995 p — *satureioides* Vis
 996 p — *saxatilis* Scop
 997 p — *Teucrium* L
 998 p — *urticifolia* L

Solaneae.

- 999 p *Atropa Belladonna* L
 1000 a *Capsicum annuum* L
 1001 a — *baccatum* L
 1002 a *Datura Metel* L
 1003 a — *Stramonium* L
 1004 a — — *var Tatula* L
 1005 a *Hyoseyamus niger* L
 1006 a *Nicandra physaloides* Gaertn
 1007 a *Nicotiana affinis* Moore
 1008 a — *rustica* L
 1009 a — *silvestris* Speg
 1010 a — *Tabacum* L
 1011 p *Physalis Alkekengi* L
 1012 a — *peruviana* L
 1013 p *Solanum Dulcamara* L
 1014 a — *guineense* Lam
 1015 a — *Melongoena* L

- 1016 a *Solanum nigrum* L
 1017 a — *rostratum* Dunal

Thymeleae.

- 1018 p *Daphne Laureola* L
 1019 p — *Mezereum* L
 1020 p *Hippophaë rhamnoides* L
 1021 a *Passerina annua* (L)

Umbelliferae.

- 1022 a *Aethusa Cynapium* L
 1023 p *Angelica silvestris* L
 1024 a *Anthriscus Cerefolium* Hoffm
 1025 p *Archangelica officinalis* Hoffm
 1026 p *Astrantia major* L
 1027 p *Athamanta cretensis* L
 1028 p *Bupleurum falcatum* L
 1029 p — *ranunculoides* L
 1030 a — *rotundifolium* L
 1031 b *Carum Bulbocastanum* L
 1032 b — *carvi* L
 1033 p *Chaerophyllum aromaticum* L
 1034 p — *hirsutum* Koch
 1035 b — *temulum* L

- 1036 p *Cicuta virosa*
 1037 b *Conium maculatum* L
 1038 a *Coriandrum sativum* L
 1039 p *Eryngium alpinum*
 1040 p — *Boucardi* Gouan

- 1041 p — *campestre* L
 1042 p — *giganteum* M. B
 1043 p — *planum* L

- 1044 b *Falcaria vulgaris* Bernh
 1045 a *Foeniculum officinale* L
 1046 Tp *Haccuetia Epipactis* De
 1047 p *Heracleum giganteum* Hort
 1048 p *Imperatoria Ostruthium* L
 1049 p *Laserpitium latifolium* L
 1050 p *Levisticum officinale* Koch
 1051 p *Libanotis montana* Crantz
 1052 p *Meum albamanticum* Jacq
 1053 p — *Mutellina* Gaertn
 1054 a *Orlaya grandiflora* Hoffm
 1055 p *Pencedanum alsaticum* L
 1056 p — *Cervaria* Lap
 1057 p — *Oreoselinum* Moench
 1058 a *Pimpinella Anisum* L
 1059 p — *magna* L
 1060 p *Pleurospermum austriacum* Hoffm

- 1061 p *Sanicula europaea* L
 1062 p *Scandix pecten Veneris* L
 1063 p *Selinum Carvifolia* L
 1064 p *Silans pratensis* Bess
 1065 p *Siler trilobum* Crantz
 1066 p *Sium Sisarum* L
 1067 b *Torilis Anthriscus* Gm
 1068 b *Trinia vulgaris* DC

Urticaceae.

- 1069 a *Cannabis sativa* L
 1070 — *Laportea canadensis* Gaud
 1071 p *Parietaria officinalis* L
 1072 p *Urtica cannabina* L
 1073 a — *pilulifera* L

Valerianeae.

- 1074 p *Centranthus ruber* DC
 1075 p *Valeriana officinalis* L
 1076 a *Valerianella olitoria* Moench

Verbenaceae.

- 1077 p *Verbena officinalis* L

Violaceae.

- 1078 p *Viola biflora* L
 1079 p — *lutea* Sm *sudetica* Koch
 1080 p — *mirabilis* L
 1081 p — *Riviniana* Rchb

Zygophylleae.

- 1082 a *Tribulus terrestris* L

E. Tuma

Obmann.

Prof. L. Frank

Gartendirektor.

Index seminum horti botanici Olomucensis pro 1907—1912.



der für den Samenaustausch in den Jahren 1907—1912 bestimmten Arten.

Aizoac., Basellac., Nyctag., Phytolacc., Portulac. vide **Amarantaceae** — Bignoniac., Martyn., Pedal., Orobanch.
vide **Scrophul.** — Datisac. vide **Loasaceae** — Lythrac. vide **Oenother.**

Amarantaceae, Aizoac. Nyctag., Phytol., Portulac. 1 a <i>Amarantus atropurpureus</i> Roxb. 2 a — <i>caudatus</i> L 3 a — <i>paniculatus</i> f. <i>sanguinea</i> L	Balsamineae. 22 a <i>Impatiens glanduligera</i> Lindl 23 a — <i>noli tangere</i> L 24 a — <i>parviflora</i> DC	49 p <i>Campanula persicifolia</i> L 50 p — <i>Portenschlagiana</i> R.S. 51 p — <i>pulla</i> L 52 p — <i>pusilla</i> Hânke 53 p — <i>pyramidalis</i> L 54 p — <i>rapunculoides</i> L
4 a <i>Basella rubra</i> L 5 T <i>Boussingaultia baselloides</i> Kth. 6 a <i>Celosia cristata</i> L 7 a <i>Claytonia perfoliata</i> Donn 8 a <i>Euxolus oleraceus</i> Raf. 9. a <i>Mesembryanthemum cristallinum</i> L 10 p <i>Mirabilis Jalapa</i> L 11 p <i>Phytolacca decandra</i> L 12 p — <i>esculenta</i> v. Hout. 13 a <i>Portulaca oleracea</i> L 14 a — <i>grandiflora</i> Hook 15 a <i>Tetragonia expansa</i> Murr	Boragineae. 25 b <i>Alkanna tinctoria</i> Tsch. 26 b—p <i>Anchusa officinalis</i> L 27 p <i>Arnebia echioides</i> A. DC 28 a <i>Asperugo procumbens</i> L 29 a <i>Borago officinalis</i> L 30 p <i>Cerinthe alpina</i> Kit. 31 a — <i>minor</i> L 32 b <i>Cynoglossum officinale</i> L 33 b <i>Echinosperrnum lappula</i> Lehm 34 b <i>Echium vulgare</i> L 35 p <i>Lithospermum officinale</i> L 36 p — <i>purpureo coerulescens</i> L 37 b <i>Myosotis alpestris</i> Schmidt 38 p <i>Nonnea pulla</i> DC 39 p <i>Pulmonaria obscura</i> Dum 40 p — <i>virginica</i> L 41 p <i>Symphytum caucasicum</i> M. B. 42 p — <i>tuberosum</i> L	55 p — <i>sarmatica</i> Ker 56 p — <i>Scheuchzeri</i> Vill 57 p — <i>sibirica</i> L 58 p — <i>spicata</i> L 59 p — <i>thyrsoidea</i> L 60 p — <i>Trachelium</i> L 61 p — <i>turbinata</i> Schott 62 p <i>Edraianthus tenuifolius</i> DC fl. 63 b <i>Jasione montana</i> L 64 p — <i>perennis</i> Lam 65 b <i>Michauxia campanuloides</i> L'Her 66 p <i>Phyteuma hemisphaericum</i> L 67 p — <i>nigrum</i> Schmidt 68 p — <i>orbiculare</i> L 69 p — <i>spicatum</i> L 70 p <i>Platycodon grandiflorus</i> DC 71 a <i>Specularia speculum</i> DC
Aroideae. 16 Tp <i>Amorphophallus Rivieri</i> Dur 17 Tp <i>Arum maculatum</i> L 18 Tp <i>Richardia albomaculata</i> Hook 19 Tp <i>Sauromatum guttatum</i> Schott	Campanulaceae. 43 p <i>Adenophora liliifolia</i> Ledeb 44 p <i>Campanula barbata</i> L 45 p — <i>carpatica</i> Jacq. 46 p — <i>cervicaria</i> L 47 p — <i>glomerata</i> L 48 p — <i>latifolia</i> L	p Caprifoliaceae. 72 <i>Lonicera Caprifolium</i> L 73 — <i>Xylosteum</i> L 74 <i>Sambucus Ebulus</i> L 75 — <i>racemosa</i> L
Asclepiadeae. 20 p <i>Asclepias syriaca</i> L 21 p <i>Cynanchum Vincetoxicum</i> R. Br.		

Caryophyllaceæ.

- Silene alpestris* Jacq

Chenopodiaceae.

- 133 a *Chenopodium Quinoa* Willd
134 a *Kochia scoparia* Schrad
135 b *Spinacia oleracea* L

Chenopodium
Opulifolium Sc

Cistaceae.

- 136 p Helianthemum polifolium Koch
137 p — vulgare Gärtn

Compositae.

- 185 p *Chondrilla juncea* L
186 p *Chrysanthemum cinerariifol.*
Bocc
187 a *Chrysanthemum segetum* L
188 a *Cichorium Endivia* L
189 p — *Intybus* L
~~190~~ p *Cirsium acaule* All
191 p — *canum* M. B.
192 p — *eriophorum* Scop
193 p — *erisithales* Scop
194 p — *ferox* DC
195 p — *heterophyllum* All
196 p — *oleraceum* Scop
~~197~~ p — *spinosissimum* Scop
198 a *Coreopsis tinctoria* Nutt
~~199~~ p *Crepis aurea* Cass
200 p — *blattarioides* Vill
~~201~~ p — *praemorsa* Tsch
202 a *Crupina vulgaris* Cass
203 b *Cynara Scolymus* L
204 a *Dimorphoteca pluvialis* Mönc
205 p *Doronicum austriacum* Jacq
206 p — *caucasicum* M. B.
~~207~~ p — *Halleri* Tsch
208 p *Echinops Ritro* L
209 p — *sphaerocephalus* L
~~210~~ p *Erechtites hieracifolia* Raf
211 p *Erigeron aurantiacus* Rgl
212 a — *canadensis* L
~~213~~ p — *uniflorus* L
214 p *Eupatorium cannabinum* L
215 p *Gaillardia aristata* Pursh
~~216~~ p — — *var grandiflora*
217 a *Galinsoga parviflora* Cav
~~218~~ p *Gnaphalium norvegicum* Gun
219 a — *silvaticum* L
220 p *Grindelia squarrosa* Dunal
221 a *Guizotia oleifera* DC
222 a *Helianthus annuus* L
223 T p — *tuberosus* L
224 a *Helichrysum angustifolium* D
225 a *Helminthia echioides* Gärt
~~226~~ p *Hieracium alpinum* L
227 p — *aurantiacum* L
~~228~~ p — *intybaceum* Jacq
229 p — *magyaricum* N. P.
230 p — *pilosella* L
231 p — *sabaudum* L
232 p — *staticifolium* Vill
233 p — *umbellatum* L
234 p — *villosum* L
235 p *Inula Helenium* L
~~236~~ p — *hirta* L
237 p — *salicina* L
238 p *Kentrophyllum lanatum* DC
239 a *Lactuca angustana* All
240 p — *perennis* L
241 a — *scariola* L
242 b — *virosa* L
243 a *Lampsana communis* L
~~244~~ b *Lappa tomentosa* Lam
~~245~~ p *Leontopodium alpinum* Cass
246 p *Ligularia sibirica* Cass
247 a *Madia sativa* Mol
~~248~~ a *Matricaria chamomilla* L
249 p *Mulgedium alpinum* Cass

- 250 b Onopordon Acanthium L
 251 b — illyricum L
~~252~~ p Petasites niveus Bmg.
 253 p — officinalis Mönch
 254 p Pieris hieracioides L
 255 p Podospermum Jacquinianum
 256 p Prenanthes purpurea L [Koch]
 257 p Pulicaria dysenterica Gaert
 258 p Pyrethrum caucasicum Willd
 259 p — Parthenium Sm
 260 p — roseum Bieb
 261 p Rudbeckia laciniata L
 262 p — purpurea L
~~263~~ a Sanvitalia procumbens L
~~264~~ a Scolymus hispanicus L
~~265~~ p Scorzonera hispanica L
~~266~~ p — humilis L
 267 p — purpurea L
~~268~~ p Senecio abrotanifolius L
 269 p — Fuchsii Gm
~~270~~ p — sudeticus DC
 271 p Serratula tinctoria L
 272 p Silphium laciniatum L
 273 p — perfoliatum L
 274 a Silybum Marianum Gärt.
 275 p Solidago canadensis L
 276 p — virga aurea L
 277 a Spilanthus oleracea Jacq
 278 a Tagetes patula L
 279 p Tanacetum Balsamita L
 280 p — corymbosum Schultz
 281 p — vulgare L
~~282~~ b Tragopogon perfoliatus L
 283 b — pratensis v. orientalis L
 284 a Xanthium italicum Mor
 285 a — spinosum L
 286 a — Strumarium L
 287 a Xeranthemum annuum L
 288 a Zinnia elegans Jacq

Hieracium silesiacum
Aposeris foetida Le

Convolvulaceae.

- 289 a Convolvulus Scammonia L
~~290~~ p — sepium L
 291 a Cuscuta europaea L
~~292~~ p Exogonium purga Wend
 293 p Ipomoea Batatas Lam
 294 a — purpurea Lam
 295 a Quamoclit coccinea Mönch

Crassulaceae.

- 296 p Sedum album L
 297 p — reflexum L
~~298~~ p — villosum L
 299 p Sempervivum arachnoideum L
 300 — hirtum L
 301 — montanum L
 302 — tectorum L

Cruciferae.

- ~~303~~ a Alliaria officinalis L
 304 p Alyssum montanum L
 305 p — saxatile L
~~306~~ p — Wulfenianum Willd =
 = transsilvanicum Schk
~~307~~ a Anastatica hierochuntica L
 308 p Arabis alpina L
 309 b — bellidifolia Jacq
 310 b — hirsuta Scop
 311 p — procurrens W. et K
 312 b — Turrita L
 313 p Aubrietia graeca Boiss
 314 p Barbarea praecox R Br
 315 p — vulgaris R Br
 316 b Berteroa incana DC
 317 p Biscutella laevigata L
 318 a Brassica nigra Koch
 319 a — Napus L oleifera annua

- 320 a — — L oleifera hie-
 malis Doel
~~321~~ b — — rapifera Metzger
 322 b — — oleracea L acephala DC
 323 b — — botrytis L
 324 b — — capitata L
 325 b — — gemmifera DC
 326 b — — gongylodes L
 327 b — — sabauda L
 328 a — Rapa oleif. annua Koch
 329 b — — — hiemalis Mart
~~330~~ b — — rapifera Metzger
 331 a Bunias Erucago L
 332 p — orientalis L
 333 a Camelina sativa Crantz
~~334~~ p Cardamine amara L
 335 a — — impatiens L
 336 p — — resedifolia L
~~337~~ p — — trifolia L
 338 b Cheiranthus Cheiri L
 339 Tp Cochlearia Armoracia L
 340 b — — officinalis L
 341 p Crambe maritima L
~~342~~ p Dentaria bulbifera L
~~343~~ p — — enneaphyllos L
~~344~~ p — — glandulosa W et K
 345 p Diplotaxis tenuifolia DC
 346 p Draba aizoides L
 347 p — stellata Jacq
 348 a Eruca sativa Mill
 349 p Erysimum canescens Roth
 350 b — — cheiranthoides L
 351 b—p — — odoratum Ehrh

- 352 b—p Hesperis matronalis L
 353 b — — tristis L
 354 a Iberis amara L
 355 a — — umbellata L
 356 b Isatis tinctoria L
 357 p Kerneria saxatilis Rehb
 358 b Lepidium campestre R. Br
 359 a — — ruderales L
 360 a — — sativum L
 361 a Lunaria biennis Mönch
 362 p — — rediviva L
 363 a Mathiola incana L
 364 p Nasturtium officinale L
 365 a Neslea paniculata Desv.
 366 p Peltaria alliacea L
~~367~~ p Petrocallis pyrenaica R. Br
 368 a Raphanus sativus L oleiferus
~~369~~ p Roripa amphibia Scop
 370 a Sinapis alba L
 371 a Sisymbrium officinale Scop
 372 p — — strictissimum L
 373 a Thlaspi arvense L
~~374~~ p — — rotundifolium L
 375 b Turritis glabra L

Arabis pumila Jacq
Coron Oru Ruel III A I

Cucurbitaceae.

- 376 p Bryonia alba L
 377 p — — dioica L
 378 a Citrullus vulgaris Schrad
 379 a Cucumis Melo L
 380 a — — sativus L
 381 a Cucurbita Melopepo L
 382 a Cyclanthera eximilis Naud
 383 a — — pedata Schrad
~~384~~ a Ecballium Elaterium Rich
 385 a Lagenaria vulgaris Ser
~~386~~ a Luffa cylindrica Roem
~~387~~ a Momordica charantia L

Cyperaceae.

- ~~388~~ p Carex ampullacea Good
 389 p — — flava L
~~390~~ p — — hirta L
~~391~~ p — — humilis Leysser
 392 p — — muricata L
 393 p — — panicea L
~~394~~ p — — paradoxa Willd
~~395~~ p — — pulicaris L
~~396~~ p — — rupestris All
 397 Tp Cyperus esculentus L
~~398~~ a — — flavescent L
 399 p Eriophorum polystachyum L
~~400~~ p Rhynchospora alba Vahl

Carex cyperoides L
Carex pilulifera L

Dipsaceae.

- 401 p *Cephalaria alpina* Schrad
 402 b *Dipsacus fullonum* Mill
 403 b — *laciniatus* L
 404 b — *silvestris* Mill
 405 p *Knautia arvensis* Coult
 406 a *Scabiosa atropurpurea* L
 407 p — *caucasica* M. B
 408 p — *ochroleuca* L
 409 p — *stellata* L
 410 p — *suaveolens* Desf.
 411 p *Succisa pratensis* Mönch

Euphorbiaceae.

- 412 p *Euphorbia amygdaloides* L
 413 a — *chamaesyce* L
 414 p — *dulcis* L
 415 p — *epithymoides* L
 416 p — *fragifera* Jan
 417 b — *lathyris* L
 418 p — *Myrsinites* L
 419 p — *palustris* L
 420 p — *Paralias* L
 421 p — *verrucosa* Lam
 422 p — *villosa* W. et K
 423 p — *Wulfeni* Hoppe
 424 p — *Mercurialis perennis* L
 425 a — *Ricinus communis* L

Fumariaceae.

- 426 p *Adlumia cirrhosa* Raf
 427 p *Corydalis cava* Wahlb
 428 p — *lutea* DC
 429 p *Dicentra spectabilis* Borkh.
 430 a *Fumaria officinalis* L
 431 a *Hypecoum procumbens* L

Gentianeae.

- 432 a *Erythraea centaurium* Pers
 433 p *Gentiana acaulis* L
 434 p — *asclepiadea* L
 435 p — *bavarica* L
 436 p — *cruciata* L

- 437 p *Gentiana germanica* Willd
 438 p — *verna* L
 439 p *Swertia perennis* L

Gentiana lutea L
Saponaria L

Geraniaceae.

- 440 a *Erodium gruinum* L
 441 p *Geranium argenteum* L
 442 p — *macrorrhizum* L
 443 p — *phaeum* L
 444 p — *pratense* L
 445 p — *sanguineum* L
 446 p — *silvaticum* L

Globularieae.

- 447 p *Globularia cordifolia* L
 448 p — *nudicaulis* L
 449 p — *vulgaris* L

Gramineae.

- 450 p *Agrostis alba* L
 451 p — *canina* L
 452 p *Aira caespitosa* L
 453 a *Andropogon cernuus* Kth
 454 p — *Gryllus* L
 455 a — *halepensis* Brot
 456 p — *Ischaemum* L
 457 a — *Sorghum* Brot niger
 458 a — *saccharatus* Kth
 459 a *Apera spica venti* P. B.
 460 p *Anthoxanthum odoratum* L
 461 p *Arrhenatherum elatius* P. B.
 462 p *Avena pubescens* Huds
 463 a — *sativa* L
 464 a — *sterilis* L
 465 p *Bouteloua oligostachya* Torr
 466 p *Brachypodium pinnatum* P. B.
 467 p *Briza media* L
 468 a *Bromus briziformis* Fisch et Mey
 469 p — *erectus* Huds
 470 p — *inermis* Leyss
 471 a — *sterilis* L
 472 p *Calamagrostis lanceolata* Roth
 473 p *Catabrosa aquatica* P. B.
 474 a *Cenchrus tribuloides* L
 475 a *Coix lacryma Jobi* L
 476 a *Crypsis aculeata* Ait
 477 p *Cynodon dactylon* Pers
 478 p *Cynosurus cristatus* L
 479 a *Eleusine coracana* Gärtn
 480 a — *indica* Gärtn
 481 p *Elymus arenarius* L
 482 a *Eragrostis abessinica* Link
 483 p *Festuca pratensis* L
 484 p — *rubra* L
 485 p — *scoparia* Hackel v. *crinum*
 ursi Ram

- 486 p *Festuca sulcata* Hackel
 487 p *Holcus lanatus* L
 488 a *Hordeum distichum* L
 489 a — *hexastichum* L
 490 p — *jubatum* L
 491 a — *zeocriton* L
 492 a *Lagurus ovatus* L
 493 p *Lolium multiflorum* Lam
 494 p — *perenne* L
 495 a — *temulentum* L
 496 p *Melica altissima* L
 497 a — *ciliata* L
 498 p *Molinia coerulea* Moench
 499 p *Nardus stricta* L
 500 a *Panicum italicum* v. *german.*
 501 a — *miliaceum* L [Lam
 502 a — *sanguinale* L
 503 a *Pennisetum villosum* R. Br
 504 p *Phalaris arundinacea* L
 505 a — *canariensis* L
 506 p *Phleum pratense* L *nodosum*
 507 p *Poa bulbosa* L *vivipara*
 508 p — *sudetica* Hänke
 509 p *Secale montanum* Guss
 510 p *Sesleria coerulea* Scop
 511 p — *auctumnalis* F. Schultz
 512 p *Stipa calamagrostis* Link
 513 p — *capillata* L
 514 p — *pennata* L
 515 p — *tenacissima* L
 516 a — *tortilis* Desf.
 517 a *Tragus racemosus* Desf.
 518 p *Trisetum flavescens* Beauv
 519 a *Triticum monococcum* L
 520 a — (*Aegilops*) *ovatum* Gren
 521 a — *ventricosum* Ces
 522 a — *sativum* X *ovatum* A. G.
 = *Aegilops triticoides* Req
 523 a — *spelta* L
 524 a *Zea Mais* L

Agrostis nebulosa B.
Avena Orientalis Schr
Briza maxima L
Dechampsia flexuosa L
Milium effusum L
Melica nutans L
Oryza sativa L
Pennicillaria spicata
Setaria italica P. B.

Hydrocharitaceae (pl. viv.)

Potamogetoneae.

- 525 p *Elodea canadensis* Rich
 526 p *Hydrocharis morsus ranae* L
 527 p *Potamogeton acutifolius* Link
 528 p — *crispus* L
 529 p — *pusillus* L

Hydrophyllaceae.

530 a *Phacelia tanacetifolia* Benth

Hypericaceae.

531 p *Hypericum calycinum* L
532 p — *Coris* L
533 p — *montanum* L
534 p — *perforatum* L

Irideae.

~~535~~ Tp *Crocus sativus officinalis* L
536 „ *Iris germanica* L
537 „ — *graminea* L
538 „ — *Pseudacorus* L
539 „ — *pumila* L
540 „ — *sibirica* L
~~541~~ „ — *Xiphium* L

Juncaceae.

542 p *Juncus squarrosus* L
~~543~~ p *Luzula albida* DC
544 p — *silvatica* Gaud

Labiatae.

~~545~~ b *Ajuga chamaepitys* Schreb
546 p — *genevensis* L
547 p — *reptans* L
548 p *Ballota nigra* L
549 p *Betonica officinalis* L
550 p *Brunella grandiflora* Jacq
~~551~~ p *Calamintha acinos* Clairv
~~552~~ p — *alpina* Lam
553 p — *nepetoides* Jord
~~554~~ p *Clinopodium vulgare* L
~~555~~ p *Dracocephalum altaianse* Lam
556 p — *austriacum* L
557 a — *Moldavica* L
558 a *Galeopsis tetrahit* L
~~559~~ a — *ochroleuca* Lam
560 a — *versicolor* Curt
561 p *Horminum pyrenaicum* L
562 p *Hyssopus officinalis* L
563 p *Lamium album* L
~~564~~ p — *Orvala* L
565 a *Lallemantia iberica* Fisch. et
566 p *Leonurus Cardiaea* L [Mey
567 p *Lycopus europaeus* L
~~568~~ p *Marrubium peregrinum* L
569 p — *vulgare* L
570 p *Melissa officinalis* L
571 p *Melittis melissophyllum* L
~~572~~ p *Mentha aquatica* L
573 p — *pulegium* L
574 p — *silvestris* L
575 p *Monarda digyma* L
576 p — *fistulosa* L
577 p *Nepeta cataria* L
578 p — *grandiflora* M. B

579 p *Nepeta macrantha* Fisch.
580 a *Ocimum Basilicum* L
581 a *Origanum Majorana* L
582 p — *vulgare* L
583 p *Phlomis tuberosa* L
584 p *Physostegia virginiana* Benth.
~~585~~ p *Prasium majus* L
586 p *Salvia Aethiopis* L
587 b — *argentea* L
588 p — *austriaca* Jacq
~~589~~ p — *azurea* Lam
590 p — *clandestina* L
591 p — *cleistogama* de Bary
592 p — *coccinea* L
593 p — *glutinosa* L
~~594~~ p — *grandiflora* Etl
595 p — *Horminum* L
596 p? — *nilotica* Murr
597 p — *officinalis* L
598 p — *pratensis* L
599 p — *silvestris* L
~~600~~ p — *splendens* Sellow
601 p — *verticillata* L
602 a *Satureja hortensis* L
603 a — *montana* L
604 p *Scutellaria galericulata* L
605 p — *macrantha* Fisch
~~606~~ p *Sideritis montana* L
607 p *Stachys alpina* L
608 p — *germanica* L
609 p — *recta* L
610 Tp — *Sieboldii* Miq = *affinis* Fres
611 p — *silvatica* L
612 a *Teucrium Botrys* L
613 p — *Chamaedrys* L
614 p — *Euganeum* Vis
615 p — *flavum* L
616 p — *Scorodonia* L

Liliaceae.

617 T *Allium ampeloprasum* L
618 T — *ascalonicum* L
619 T — *fistulosum* L
620 — *flavum* L
621 T — *Porrum* L
622 — *sibiricum* L
623 — *Victorialis* L
624 — *vineale* L
625 *Asparagus officinalis* L
~~626~~ *Asphodelus albus* Mill
627 — *luteus* L
628 T *Colechicum autumnale* L
629 T *Convallaria majalis* L
630 T *Galtonia candicans* Dec
631 T *Lilium Martagon* L
632 T — *pardalinum* Lindl
633 T — *tigrinum* L
634 T *Leucojum vernum* L

635 T *Ornithogalum umbellatum* L
636 *Paradisua Liliastrum* Bert
637 *Paris quadrifolia* L
638 *Polygonatum multiflorum* All
639 — *officinale* All
~~640~~ *Streptopus amplexifolius* Dc
641 *Veratrum nigrum* L

Lineae.

~~642~~ p *Linum alpinum* L
643 p — *flavum* L
644 p — *perenne* L
~~645~~ p — *tenuifolium* L
646 a — *usitatissimum* L
~~647~~ p — *viscosum* L

Loasaceae, Datisceae.

~~648~~ a *Blumenbachia Hieronymi* Urb
~~649~~ a *Cajophora lateritia* Presl
650 a *Datisca cannabina* L
651 a *Loasa lateritia* Gill

Malvaceae.

652 a *Abutilon Avicennae* Gärtn
653 p *Althaea cannabina* L
654 p — *officinalis* L
~~655~~ b — *rosea* L atropurp.
656 a *Hibiscus esculentus* L
657 a — *palustris* L
658 a — *Trionum* L
659 p *Kitaibelia vitifolia* Willd
660 p *Lavatera thuringiaca* L
661 p *Malva Alcea* L
662 a — *crispa* L
~~663~~ p — *moschata* L
664 a — *rotundifolia* L
665 b — *silvestris* L

Oenotheraeae, Lythraceae.

~~666~~ p *Circaea lutetiana* L
667 a *Clarkia elegans* Dougl
668 a *Cuphea viscosissima* Jacq
669 p *Epilobium angustifolium* L
670 p — *Dodonaei* Vill
671 p — *hirsutum* L
~~672~~ p — *roseum* Schreb
673 p *Lythrum Salicaria* L
674 b *Oenothera biennis* L
675 p — *fruticosa* L
~~676~~ p — *missouriensis* Sims
~~677~~ p — *pumila* L
~~678~~ p — *taraxacifolia* Sweet

Oxalideae.

- 679 Tp Oxalis Acetosella L
680 Tp — caprina L
681 Tp — corniculata
682 Tp — tetraphylla Cav
~~683~~ Tp — valdiviensis Barn.
684 Tp — vespertilionis Zucc

Papaveraceae.

- 685 a Argemone grandiflora Sw
686 a — mexicana L
687 p Chelidonium majus L f. laciniata
688 a Eschscholtzia californica Cham
689 a Glaucium corniculatum Curt
690 a — flavum Crantz
~~691~~ a Hypecoum procumbens L
~~692~~ p Macleya cordata R. Br.
693 p Meconopsis cambrica L
~~694~~ p — nepalensis DC
695 p Papaver alpinum L fl. alb.
696 p — — nudicaule L
697 a — argemone L
~~698~~ p — caucasicum M. B
699 p — orientale L
700 a — Rhoeas L
701 a — somniferum L
~~702~~ p Sanguinaria canadensis L

Papilionaceae.

- ~~703~~ p Anthyllis montana Jacq
704 p — vulneraria L
705 p Astragalus baeticus L
706 p — Cicer L
~~707~~ p — danicus Retz
708 p — glycyphyllos L
~~709~~ a Biserrula Pelecinus L
710 p Colophaca wolgarica Fisch
711 p Caragana arborescens Lam
712 a Cicer arietinum L
713 p Colutea arborescens L
~~714~~ p Coronilla Emerus L
~~715~~ p — scorpioides Koch
716 p — varia L
717 p Cytisus Laburnum L
~~718~~ p — leucanthus W. K.
~~719~~ p — nigricans L
~~720~~ p — purpureus Scop
721 p — ratisbonensis Schaff
722 a Dolichos Lablab L
723 p Dorycnium suffruticosum Jord
724 p Galega officinalis L
~~725~~ p Genista germanica L
~~726~~ p — radiata Scop
727 p — sagittalis L
728 p — tinctoria L
729 p Glycyrrhiza echinata L
730 p — glabra L
731 p Hedysarum obscurum L
~~732~~ p Hippocrepis comosa L
~~733~~ p Indigofera Dosua Hamilt.

- 734 a Lathyrus Aphaca L
735 p — montanus Bernh
736 a — Nissolia L
737 a — odoratus L
738 p — silvester L
739 p — tuberosus L
740 p — vernus Bernh
741 a Le. s esculenta Moench
742 p Lotus corniculatus L
743 a Lupinus angustifolius L
744 a — luteus L
745 p — perennis L
746 p — polyphyllus Lindl
747 a Medicago Echinus DC
~~748~~ p — falcata L
~~749~~ p — falcata X sativa =
media Pers
750 a — minima Desr
751 p — sativa L
752 a — turbinata Willd
753 b Melilotus officinalis Desr
754 p Onobrychis sativa Lam
755 p Ononis spinosa L
756 a Ornithopus sativus Brot
757 a Phaseolus multiflorus Willd
~~758~~ a Pisum arvense L
759 p Sarothamnus scoparius Koch
760 a Scorpiurus vermiculatus L
761 a Soja hispida Moench
762 p Spartium junceum L
763 p Tetragonolobus siliquosus L
~~764~~ a Trifolium arvense L

- ~~765~~ b — p Trifolium aureum Toll
766 p Trifolium badium Schreb.
767 p — fragiferum L
768 p — hybridum L
769 b — incarnatum L
~~770~~ p — medium L
~~771~~ a — minus Sm
772 p — montanum L
773 p — ochroleucum L
774 p — repens L
775 p — rubens L
776 b—p — spadiceum L
777 p — stellatum L
778 p — subterraneum L
779 a Trigonella coerulea Ser
780 a — foenum graecum L
~~781~~ p Ulex europaeus L
782 a Vicia Faba L
783 a — lutea L
784 a — narbonensis L
785 p — sepium L
~~786~~ a Vigna sinensis

Trifolium alpestre L

Plantagineae.

- 787 p Plantago alpina L
788 p — lanceolata L
789 p — maritima L
790 a — Psyllium L

Plantago major L

Plumbagineae.

- 791 p Armeria alpina Willd
792 p — vulgaris Willd
793 p Plumbago europaea L
794 p Statice Limonium L

Polemoniaceae.

- 795 a Cobaea scandens Cav
796 a Collomia coccinea Lehm
797 a — grandiflora Dougl
~~798~~ p Phlox paniculata L
799 p Polemonium coeruleum L

Polygoneae.

- 800 a Fagopyrum esculentum Moench
~~801~~ p Polygonum amphibium L
~~802~~ p — baldschuanicum Regl
803 p — Bistorta L
804 a — Convolvulus L
~~805~~ p — cuspidatum L. et Z.
~~806~~ a — hydropiper L
~~807~~ p — sachalinense Schmidt
~~808~~ a — tinctorium Ait
~~809~~ a — virginianum L
810 p — viviparum L
811 p Rheum officinale L
~~812~~ p — palmatum L
813 p — Rhaponticum L
814 p Rumex Acetosa L
815 p — alpinus L
816 p — crispus L
817 p — Hydrolapathum Huds
818 p — maximus Schreb
819 p — Patientia L
820 p — sanguineus L
821 p — scutatus L

Primulaceae.

- 822 a Anagallis arvensis L
~~823~~ a — coerulea Schreb
~~824~~ p — grandiflora Andr
825 p Androsace lactea L
826 b — maxima L
827 p — sarmentosa Wall
(stolones)
~~828~~ p Cortusa Matthioli L
829 p Lysimachia nummularia L
830 p — punctata L
831 p Naumburgia thyrsoiflora Rehb

- 832 p *Primula acaulis* Jacq
833 p — *auricula* L
834 p — *cortusoides* L
~~835~~ p — *hirsuta* All
~~836~~ p — *minima* L
837 p — *officinalis* L

Glaux maritima L

Ranunculaceae.

- 838 p *Aconitum Lycoctonum* L
839 p — *Napellus* L
840 p *Actaea spicata* L
~~841~~ a *Adonis aestivalis* L
842 p — *vernalis* L
~~843~~ p *Anemone alpina* L
844 p — *grandis* Wend
~~845~~ p — *japonica* Sieb
846 p — *narcissiflora* L
847 p — *nigricans* Fritsch
848 p — *pulsatilla* L
849 p — *ranunculoides* L
850 p — *silvestris* L
~~851~~ p — *vernalis* L
852 p *Aquilegia atrovioacea* Lall
853 p — *vulgaris* L
854 p *Atragene alpina* L
~~855~~ p *Caltha palustris* L
856 p *Clematis recta* L
857 p — *Viticella* L
858 p *Delphinium caucasicum* C. A. M.
859 a — *Consolida* L
860 p — *elatum* Willd
861 p — *Staphysagria* L
862 p *Eranthis hiemalis* L
~~863~~ p *Helleborus foetidus* L
864 p — *niger* L
~~865~~ p — *viridis* L
866 p *Isopyrum thalictroides* L
~~867~~ a *Myosurus minimus* L
868 p *Nigella damascena* L
869 p — *sativa* L
870 p *Paeonia peregrina* Mill
871 p *Ranunculus acer* L
872 a — *arvensis* L
~~873~~ p — *auricomus* L
874 p — *Ficaria* L
875 p — *gramineus* L
~~876~~ p — *lanuginosus* L
~~877~~ p — *lingua* L
878 p — *platanifolius* L
~~879~~ p — *polyanthemus* L
~~880~~ p — *sardous* Crantz
881 a — *sceleratus* L
882 p *Thalictrum angustifolium* L
883 p — *aquilegifolium* L
884 p — *flavum* L
885 p — *minus* L
886 p *Trollius europaeus* L
~~887~~ p — *Ledebouri* Rehb.

Aquilegia macedonica

Resedaceae.

- ~~888~~ b *Reseda luteola* L
889 a — *odorata* L

Reseda lutea L

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
891 p *Alchemilla alpina* L
892 p — *vulgaris* L
893 p *Amelanchier vulgaris* Mönch
~~894~~ p *Aruncus silvester* Kostel
~~895~~ p *Comarum palustre* L
896 p *Crataegus coccinea* L
897 p *Cydonia japonica* Pers
898 p *Dryas octopetala* L
~~899~~ p *Eriobotrya japonica* Lindl
~~900~~ p *Fragaria elatior* Ehrh
901 p *Geum album* Gm
902 p — *montanum* L
903 p — *intermedium* Ehrh
904 p — *rivale* L
905 p — *urbanum* L
906 p *Pirus baccata* L
907 p *Potentilla alba* L
908 p — *anserina* L
909 p — *argentea* L
910 p — *atrosanguinea* Lodd
911 p — *aurea* L
~~912~~ p — *caulescens* L
~~913~~ p — *Clusiana* L
914 p — *pennsylvanica* L
 sanguisorbifolia A. G.
915 p — *rupestris* L
916 p *Poterium Sanguisorba* L
917 p *Sanguisorba minor* Scop
918 p — *officinalis* L
919 p *Sorbus Aria* Ehrh
920 p — *Aucuparia v. dulcis* A. G.
921 p — *terminalis* Crantz
922 p *Spiraea Filipendula* L
923 p — *Ulmaria* L

Potentilla supina L
multifida

Rubiaceae

- 924 p *Asperula cynanchica* L
~~925~~ p — *odorata* L
926 p — *tinctoria* L
927 a *Crucianella stylosa* Trin
928 a *Galium Aparine* L
~~929~~ p — *boreale* L
~~930~~ p — *cruciata* Scop
931 a — *tricornis* With
932 p — *verum* L
933 p *Rubia tinctorum* L
~~934~~ a *Sherardia arvensis* L

Galium Molugo L

Rutaceae.

- 935 p *Dictamnus albus* L
936 p *Ruta graveolens* L

Saxifrageae.

- 937 p *Chrysosplenium alternifolium* L
938 p *Mitella pentandra* Hook
~~939~~ p *Parnassia palustris* L
940 p *Ribes alpinum* L
941 p — *sanguineum* Pursh
942 p *Saxifraga aizoon* L
943 p — *Cotyledon* L
~~944~~ T p — *granulata* L
945 p — *rotundifolia* L

Scrophularieae, Bignon., Martyn.,
Pedaliaceae, Orobanchaeae.

- 946 a *Alonzoa Warscewiczii* Regl
947 a *Antirrhinum majus* L
948 p — *Orontium* L
949 a *Calceolaria scabiosaefolia* Sims
950 p *Celsia betonicifolia* Desf
951 a *Collinsia bicolor* Benth
952 p *Digitalis ambigua* Murr
953 p — *ferruginea* L
954 b-p — *lanata* Ehrh
955 b-p — *lutea* L
956 b — *purpurea* L
~~957~~ a *Hebenstreitia dentata*
958 p *Incarvillea Delavayi* Franch
~~959~~ a *Linaria alpina* Mill
960 p — *cymbalaria* Mill
~~961~~ p — *dalmatica* Mill
962 p — *genistifolia* Mill
~~963~~ a — *spuria* Mill
964 p — *vulgaris* Moench
965 p *Lophospermum scandens* Don
966 a *Martynia proboscidea* L
967 b-p *Maurandia Barclayana* Lindl
968 a *Mimulus luteus* L
969 a *Nycteria capensis* Benth
~~970~~ p *Pentstemon coeruleus* Nutt
~~971~~ p — *gentianoides* Lindl
~~972~~ p — *glaucus* Grah

- ~~973~~ a Salpiglossis sinuata R. P.
 974 a Schizantus pinnatus R. P.
 975 p Scrophularia nodosa L
~~976~~ a Torenia Fournieri Linden
 977 b Verbascum Blattaria
 978 p — nigrum L
 979 b — Olympicum Boiss
 980 b — phlomoides L
 981 b — phoeniceum L
 982 b — speciosum Schrad
 983 p Veronica aphylla L
~~984~~ p — Beccabunga L
 985 p — caucasica Bieb
 986 p — chamaedrys L
 987 p — crassifolia Wierzb
 988 p — fruticulosa L
 989 p — gentianoides Vahl
 990 a — hederifolia L
 991 p — longifolia L
 992 p — lutea Wettst.
~~993~~ p — maritima L
 994 p — officinalis L
 995 p — satureioides Vis
~~996~~ p — saxatilis Scop
~~997~~ p — Teucrium L
 998 p — urticifolia L

Bartschia alpina L
 Verbascum Thapsus L
 Verbascum Lychnitis L

Solaneae.

- 999 p Atropa Belladonna L
 1000 a Capsicum annuum L
 1001 a — baccatum L
 1002 a Datura Metel L
 1003 a — Stramonium L
 1004 a — — var Tatula L
 1005 a Hyoscyamus niger L
 1006 a Nicandra physaloides Gaertn
 1007 a Nicotiana affinis Moore
 1008 a — rustica L
 1009 a — silvestris Speg
 1010 a — Tabacum L
 1011 p Physalis Alkekengi L
 1012 a — peruviana L
 1013 p Solanum Dulcamara L
~~1014~~ a — guineense Lam
 1015 a — Melongena L

E. Tuma
 Obmann.

- 1016 a Solanum nigrum L
 1017 a — rostratum Dunal
 Nicotiana Sanderæ

Thymeleae.

- 1018 p Daphne Laureola L
~~1019~~ p — Mezereum L
~~1020~~ p Hippophaë rhamnoides L
~~1021~~ a Passerina annua (L)

Umbelliferae.

- 1022 a Aethusa Cynapium L
~~1023~~ p Angelica silvestris L
 1024 a Anthriscus Cerefolium Hoffm
 1025 p Archangelica officinalis Hoffm
 1026 p Astrantia major L
 1027 p Athamanta cretensis L
~~1028~~ p Bupleurum falcatum L
 1029 p — ranunculoides L
 1030 a — rotundifolium L
~~1031~~ b Carum Bulbocastanum L
 1032 b — carvi L
 1033 p Chaerophyllum aromaticum L
 1034 p — hirsutum Koch
 1035 b — temulum L
 1036 p Cicuta virosa
 1037 b Conium maculatum L
 1038 a Coriandrum sativum L

- 1039 p Eryngium alpinum
~~1040~~ p — Bourgati Gouan
 1041 p — campestre L
~~1042~~ p — giganteum M. B
 1043 p — planum L
 1044 b Falcaria vulgaris Bernh
 1045 a Foeniculum officinale L
~~1046~~ Tp Hacquetia Epipactis De
 1047 p Heracleum giganteum Hort
 1048 p Imperatoria Ostruthium L
 1049 p Laserpitium latifolium L
~~1050~~ p Levisticum officinale Koch
 1051 p Libanotis montana Crantz
 1052 p Meum albananticum Jacq
~~1053~~ p — Mutellina Gaertn
 1054 a Orlaya grandiflora Hoffm
 1055 p Peucedanum alsaticum L
 1056 p — Cervaria Lap
~~1057~~ p — Oreoselinum Moench
 1058 a Pimpinella Anisum L
 1059 p — magna L
~~1060~~ p Pleurospermum austriacum Hoffm

- ~~1061~~ p Sanicula europaea L
 1062 p Scandix pecten Veneris L
~~1063~~ p Selinum Carvifolia L
 1064 p Silaus pratensis Bess
~~1065~~ p Siler trilobum Crantz
 1066 p Sium Sisarum L
 1067 b Torilis Anthriscus Gm
 1068 b Trinia vulgaris DC

Archangelica purpurea

Laserpitium

Archangelica W
 Myrrhis odorata Scp

Urticaceae.

- 1069 a Cannabis sativa L
~~1070~~ Laportea canadensis Gaud
 1071 p Parietaria officinalis L
 1072 p Urtica cannabina L
 1073 a — pilulifera L

Valerianeae.

- 1074 p Centranthus ruber DC
 1075 p Valeriana officinalis L
 1076 a Valerianella olitoria Moench

Verbenaceae.

- 1077 p Verbena officinalis L
 Verbena hybrida Hort

Violaceae.

- 1078 p Viola biflora L
 1079 p — lutea Sm sudetica Koch
~~1080~~ p — mirabilis L
~~1081~~ p — Riviniana Rehb

Zygophylleae.

- 1082 a Tribulus terrestris L

Prof. K. Zelenka
 Prof. L. Frank
 Gartendirektor.

Index seminum horti botanici Olomucensis pro 1907—1912.



Seminibus non praesentibus numerus deletus est. — Die gestrichenen Nummern bedeuten, daß die betreffenden Samen nicht abgegeben werden können.

Aizoac., Basellac., Nyctag., Phytolacc., Portulacc. vide **Amarantaceae** — Bignoniac., Martyn., Pedal., Orobach.
vide **Scrophul.** — Datisac. vide **Loasaceae** — Lythrac. vide **Oenother.**

72 Lobocera Caprifolium L
73 — Xylosteum L
~~74 Sambucus Ebulus L~~
75 — racemosa L

Caryophylleae.

- 76 a *Agrostemma Githago* L
 77 p *Alsine juniperina* Wahlenb.
~~78~~ p — *verna* Bartl
~~79~~ p *Arenaria ciliata* L
 80 p — *grandiflora* All
 81 a *Cerastium arvense* L
 82 p *Cucubalus baccifer* L
 83 p *Dianthus alpinus* L
 84 p — *Armeria* L
 85 p — *barbatus* L
 86 p — *caesius* Sm.
 87 p — *carthusianorum* L
 88 p — *deltoides* L
 89 p — *plumarius* L
~~90~~ p — *speciosus* Rehb.
 91 p — *superbus* L
~~92~~ p *Drypis spinosa* L
 93 a *Gypsophila muralis* L
 94 p — *paniculata* L
 95 p — *repens* L fl. alb.
 et ros.
 96 p *Heliosperma alpestre* (Jacq.)
 97 p — *quadrifidum* (L)
 98 p *Lychnis alpina* L
~~99~~ b — *coronaria* Lam
 100 p — *flos cuculi* L
 101 p — *flos Jovis* Lam
 102 p *Malachium aquaticum* L
 103 b *Melandrium album* Garcke
 104 p — *rubrum* Garcke
~~105~~ p *Moehringia muscosa* L
 106 p *Saponaria ocymoides* L
 107 p — *officinalis* L

- 109 a — *gallica* L
 110 p? — *nemoralis* W. et K.
 111 p — *nutans* L
 112 p — *Otites* Sm.
~~113~~ p — *pumilio*
 114 p — *saxifraga* L
 115 p — *vulgaris* Garcke
~~116~~ a *Spergula arvensis* L
~~117~~ p *Stellaria holostea* L
 118 p *Tunica saxifraga* Scop.
 119 a *Vaccaria parviflora* Mönch
 120 p *Viscaria vulgaris* Röhl

Chenopodiaceae.

- 121 a *Atriplex hortensis* L
 122 a — *nitens* Schk.
~~123~~ b *Beta maritima* L
 124 b — *vulgaris* Cicla L
 125 b — — *rapa altissima* L
 126 b — — *rubra* L
 127 a *Chenopodium album* L
~~128~~ a — *ambrosioides* L
 129 p — *Bonus Henricus* L
 130 a — *capitatum* Asch
 131 a — *fiefolium* Sm.
 132 a — *foliosum* Mönch

- 133 a *Chenopodium Quinoa* Willd
 134 a *Kochia scoparia* Schrad
 135 b *Spinacia oleracea* L

Cistaceae.

- 136 p *Helianthemum polifolium* Koch
 137 p — *vulgare* Gärtn

Compositae.

- 138 p *Achillea ageratifolia* Hook
 139 p — *argentea* Vis
 140 p — *Clavennae* L
~~141~~ p — *Clusiana* Tsch
 142 p — *Millefolium* L f. sude-
 tica Opiz
 143 p — *nobilis* L
~~144~~ p — *pannonica* Scheele
 145 p — *Ptarmica* L
~~146~~ p — *tanacetifolia* All.
~~147~~ p *Achyrophorus maculatus* Scop.
~~148~~ p — *uniflorus* Bl. et
 Fing

- 149 p *Alfredia cernua* Cass.
 150 a *Ambrosia trifida* L
 151 a *Anacyclus officinarum* Hayne
 152 p *Antennaria dioica* L
 153 p *Anthem. nobilis* L

- 154 p — *tinctoria* L
 155 p *Arnica montana* L
~~156~~ p *Aronicum scorpioides* Koch
 157 p *Artemisia Absinthium* L
~~158~~ p — *Dracunculus* L
~~159~~ p — *maritima* L
 160 p — *Mutellina* L
~~161~~ p — *spicata* Wulf

- 162 p *Aster alpinus* L
 163 p — *Amellus* L
 164 p — *Tripolium* L
~~165~~ a *Bidens andicola* hort
~~166~~ a — *bipinnata* L
 167 a — *cernua* L
~~168~~ a — *leucantha* Willd
 169 a — *tripartita* L

- 170 p *Bupthalmum salicifolium* L
 171 p *Cacalia suaveolens* L
 172 a *Calendula officinalis* L
~~173~~ b *Carduus nutans* L
 174 p *Carlina acaulis* L
 175 a *Carthamus tinctorius* L
~~176~~ b *Contaurea Calcitrapa* L
 177 a — *cyanus* L
 178 p — *macrocephala* M. B
 179 p — *montana* L
 180 p — *rhenana* Bor
 181 p — *Scabiosa* L
~~182~~ a — *solstitialis* L
 183 a — *suaveolens* Willd
 184 p *Chamaepeuce diacantha* DC

- 185 p *Chondrilla juncea* L
 186 p *Chrysanthemum cinerariifol.*
 Boce

- 187 a *Chrysanthemum segetum* L
 188 a *Cichorium Endivia* L
 189 p — *Intybus* L
 190 p *Cirsium acaule* All
 191 p — *canum* M. B.
~~192~~ p — *eriophorum* Scop
 193 p — *erisithales* Scop
 194 p — *ferox* DC
 195 p — *heterophyllum* All
 196 p — *oleraceum* Scop
~~197~~ p — *spinosissimum* Scop
 198 a *Coreopsis tinctoria* Nutt
 199 p *Crepis aurea* Cass
~~200~~ p — *blattarioides* Vill
~~201~~ p — *praemorsa* Tsch
 202 a *Crupina vulgaris* Cass
 203 b *Cynara Scolymus* L
 204 a *Dimorphoteca pluvialis* Mönch
 205 p *Doronicum austriacum* Jacq
 206 p — *caucasicum* M. B.
~~207~~ p — *Halleri* Tsch
 208 p *Echinops Ritro* L
 209 p — *sphaerocephalus* L
~~210~~ p *Erechtites hieracifolia* Raf
 211 p *Erigeron aurantiacus* Rgl
 212 a — *canadensis* L
 213 p — *uniflorus* L
 214 p *Eupatorium cannabinum* L
 215 p *Gaillardia aristata* Pursh
 216 p — — *var grandiflora*
 217 a *Galinsoga parviflora* L
 218 p *Gnaphalium* n

- 219 a — *silvaticum* L
 220 p *Grindelia squarrosa* Dunal
 221 a *Guizotia oleifera* DC
 222 a *Helianthus annuus* L
 223 T p — *tuberosus* L
 224 a *Helichrysum angustifolium* DC
 225 a *Helminthia echioides* Gärt
~~226~~ p *Hieracium alpinum* L
 227 p — *aurantiacum* L
 228 p — *intybaceum* Jacq
 229 p — *magyaricum* N. P.
 230 p — *pilosella* L
~~231~~ p — *sabaudum* L
~~232~~ p — *staticifolium* Vill
 233 p — *umbellatum* L
 234 p — *villosum* L
 235 p *Inula Helenium* L
~~236~~ p — *hirta* L
 237 p — *salicina* L
~~238~~ p *Kentrophyllum lanatum* DC
 239 a *Lactuca angustana* All
 240 p — *perennis* L
 241 a — *scariola* L
 242 b — *virosa* L
 243 a *Lampsana communis* L
 244 b *Lappa tomentosa* Lam
 245 p *Leontopodium alpinum* Cass
 246 p *Ligularia sibirica* Cass
 247 a *Madia sativa* Mol
 248 a *Matricaria chamomilla* L
 249 p *Mulgedium alpinum* Cass

250 b Onopordon Acanthium L
~~251~~ b — illyricum L
~~252~~ p Petasites niveus Bmg.
253 p — officinalis Mönch
254 p Pieris hieracioides L
255 p Podospermum Jacquinianum
256 p Prenanthes purpurea L [Koch
257 p Pulicaria dysenterica Gaert
258 p Pyrethrum caucasicum Willd
259 p — Parthenium Sm
260 p — roseum Bieb
261 p Rudbeckia laciniata L
262 p — purpurea L
263 a Sanvitalia procumbens L
264 a Scolymus hispanicus L
265 p Scorzonera hispanica L
~~266~~ p — humilis L
~~267~~ p — purpurea L
268 p Senecio abrotanifolius L
~~269~~ p — Fuchsii Gm
~~270~~ p — sudeticus DC
271 p Serratula tinctoria L
272 p Silphium laciniatum L
273 p — perfoliatum L
274 a Silybum Marianum Gärt.
275 p Solidago canadensis L
276 p — virga aurea L
277 a Spilanthus oleracea Jacq
278 a Tagetes patula L
279 p Tanacetum Balsamita L
280 p — corymbosum Schultz
281 p — vulgare L
282 b Tragopogon porrifolius L
283 b — pratensis v. orientalis L
284 a Xanthoxylum italicum Mör
285 a — spinosum L
~~286~~ a — Strumarium L
287 a Xeranthemum annuum L
288 a Zinnia elegans Jacq

Convolvulaceae.

289 a Convolvulus Scammonia L
~~290~~ p — sepium L
~~291~~ a Cuscuta europaea L
~~292~~ p Exogonium purga Wend
~~293~~ p Ipomoea Batatas Lam
294 a — purpurea Lam
295 a Quamoclit coccinea Mönch

Crassulaceae.

296 p Sedum album L
297 p — reflexum L
~~298~~ p — villosum L
299 p Sempervivum arachnoideum L
300 — hirtum L
301 — montanum L
302 — tectorum L

Cruciferae.

303 a Alliaria officinalis L
304 p Alyssum montanum L
~~305~~ p — saxatile L
~~306~~ p — Wulfenianum Willd =
= transsilvanicum Schk
~~307~~ a Anastatica hierochuntica L
308 p Arabis alpina L
309 b — bellidifolia Jacq
310 b — hirsuta Scop
311 p — procurrens W. et K
312 b — Turrita L
~~313~~ p Aubrietia graeca Boiss
314 p Barbarea praecox R Br
315 p — vulgaris R Br
316 b Berteroa incana DC
~~317~~ p Biscutella laevigata L
318 a Brassica nigra Koch
319 a — Napus L oleifera annua
Koch

320 a — — } L oleifera hie-
malis Boel
321 b — — rapifera Metzger
322 b — oleracea L acephala DC
323 b — botrytis L
324 b — capitata L
325 b — gemmifera DC
326 b — gongylodes L
~~327~~ b — sabauda L
~~328~~ a — Rapa oleif. annua Koch
~~329~~ b — — hiemalis Mart
~~330~~ b — — rapifera Metzger

~~331~~ a Bunias Erucago L
~~332~~ p — orientalis L
333 a Camelina sativa Crantz
~~334~~ p Cardamine amara L
335 a — impatiens L
~~336~~ p — resedifolia L
~~337~~ p — trifolia L
338 b Cheiranthus Cheiri L
339 Tp Cochlearia Armoracia L
340 b — officinalis L
341 p Crambe maritima L
~~342~~ p Dentaria bulbifera L
~~343~~ p — enneaphyllos L
~~344~~ p — glandulosa W et K
345 p Diplotaxis tenuifolia DC
346 p Draba aizoides L
347 p — stellata Jacq
348 a Eruca sativa Mill
349 p Erysimum canescens Roth
350 b — cheiranthoides L
351 b—p — odoratum Ehrh

352 b—p Hesperis matronalis L
353 b — tristis L
354 a Iberis amara L
355 a — umbellata L
356 b Isatis tinctoria L
357 p Kerneria saxatilis Rehb
358 b Lepidium campestre R. Br
359 a — ruderales L
360 a — sativum L
361 a Lunaria biennis Mönch
362 p — rediviva L
363 a Mathiola incana L
364 p Nasturtium officinale L
365 a Neslea paniculata Desv.
366 p Peltaria alliacea L
~~367~~ p Petrocallis pyrenaica R. Br
368 a Raphanus sativus L oleiferus
369 p Roripa amphibia Scop
370 a Sinapis alba L
371 a Sisymbrium officinale Scop
~~372~~ p — strictissimum L
373 a Thlaspi arvense L
374 p — rotundifolium L
375 b Turritis glabra L

Cucurbitaceae.

376 p Bryonia alba L
377 p — dioica L
378 a Citrullus vulgaris Schrad
379 a Cucumis Melo L
380 a — sativus L
381 a Cucurbita Melopepo L
382 a Cyclanthera explodens Naud
383 a — pedata Schrad
384 a Ecballium Elaterium Rich
385 a Lagenaria vulgaris Ser
386 a Luffa cylindrica Roem
387 a Momordica charantia L

Cyperaceae.

~~388~~ p Carex ampullacea Good
389 p — flava L
~~390~~ p — hirta L
~~391~~ p — humilis Leysser
392 p — muricata L
~~393~~ p — panicea L
~~394~~ p — paradoxa Willd
~~395~~ p — pulicaris L
~~396~~ p — rupestris All
397 Tp Cyperus esculentus L
398 a — flavescens L
399 p Eriophorum polystachyum L
400 p Rhynchospora alba Vahl

Dipsacaceae.

- 401 p *Cephalaria alpina* Schrad
402 b *Dipsacus fullonum* Mill
403 b — *laciniatus* L
404 b — *silvestris* Mill
~~405~~ p *Knautia arvensis* Coult
406 a *Scabiosa atropurpurea* L
407 p — *caucasica* M. B
~~408~~ p — *ochroleuca* L
409 p — *stellata* L
410 p — *suaveolens* Desf.
~~411~~ p *Succisa pratensis* Mönch

Euphorbiaceae.

- ~~412~~ p *Euphorbia amygdaloides* L
~~413~~ a — *chamaesyce* L
~~414~~ p — *dulcis* L
~~415~~ p — *epithymoides* L
~~416~~ p — *fragifera* Jan
417 b — *lathyris* L
418 p — *Myrsinites* L
~~419~~ p — *palustris* L
~~420~~ p — *Paralias* L
~~421~~ p — *verrucosa* Lam
~~422~~ p — *villosa* W. et K
~~423~~ p — *Wulfeni* Hoppe
424 p — *Mercurialis perennis* L
425 a — *Ricinus communis* L

Fumariaceae.

- 426 p *Adlumia cirrhosa* Raf
~~427~~ p *Corydalis cava* Wahlb
~~428~~ p — *lutea* DC
~~429~~ T p *Dicentra spectabilis* Borkh.
430 a *Fumaria officinalis* L
~~431~~ a *Hypecoum procumbens* L

Gentianeae.

- 432 a *Erythraea centaurium* Pers
433 p *Gentiana acaulis* L
434 p — *asclepiadea* L
~~435~~ p — *bavarica* L
436 p — *cruciata* L

- ~~437~~ p *Gentiana germanica* Willd
~~438~~ p — *verna* L
439 p *Swertia perennis* L

Geraniaceae.

- 440 a *Erodium gruinum* L
~~441~~ p *Geranium argenteum* L
~~442~~ p — *macrorrhizum* L
443 p — *phaeum* L
444 p — *pratense* L
445 p — *sanguineum* L
446 p — *silvaticum* L

Globularieae.

- ~~447~~ p *Globularia cordifolia* L
~~448~~ p — *nudicaulis* L
449 p — *vulgaris* L

Gramineae.

- 450 p *Agrostis alba* L
451 p — *canina* L
452 p *Aira caespitosa* L
453 a *Andropogon cernuus* Kth
~~454~~ p — *Gryllus* L
~~455~~ a — *balepensis* Brot
~~456~~ p — *Ischaemum* L
457 a — *Sorghum Brot niger* Körn
458 a — *saccharatus* Kth
~~459~~ a *Apera spica venti* P. B.
460 p *Anthoxantum odoratum* L
461 p *Arrhenatherum elatius* P. B.
462 p *Avena pubescens* Huds
463 a — *sativa* L
464 a — *sterilis* L
465 p *Bouteloua oligostachya* Torr
~~466~~ p *Brachypodium pinnatum* P. B.
467 p *Briza media* L
468 a *Bromus briziformis* Fisch et Mey
469 p — *erectus* Huds
470 p — *inermis* Leyss
471 a — *sterilis* L
~~472~~ p *Calamagrostis lanceolata* Roth
~~473~~ p *Catabrosa aquatica* P. B.
474 a *Cenchrus tribuloides* L
475 a *Coix lacryma Jobi* L
476 a *Crypsis aculeata* Ait
477 p *Cynodon dactylon* Pers
478 p *Cynosurus cristatus* L
479 a *Eleusine coracana* Gärtn
~~480~~ a — *indica* Gärtn
481 p *Elymus arenarius* L
482 a *Eragrostis abessinica* Link
483 p *Festuca pratensis* L
484 p — *rubra* L
~~485~~ p — *scoparia* Hackel v. *crinum* ursi Ram

- 486 p *Festuca sulcata* Hackel
487 p *Holcus lanatus* L
488 a *Hordeum distichum* L
~~489~~ a — *hexastichum* L
490 p — *jubatum* L
~~491~~ a — *zeocriton* L
492 a *Lagurus ovatus* L
493 p *Lolium multiflorum* Lam
494 p — *perenne* L
495 a — *temulentum* L
496 p *Melica altissima* L
497 a — *ciliata* L
~~498~~ p *Molinia coerulea* Moench
~~499~~ p *Nardus stricta* L
500 a *Panicum italicum* v. *german.*
501 a — *miliaceum* L [Lam
502 a — *sanguinale* L
503 a *Pennisetum villosum* R. Br
~~504~~ p *Phalaris arundinacea* L
505 a — *canariensis* L
506 p *Phleum pratense* L *nodosum*
507 p *Poa bulbosa* L *vivipara*
~~508~~ p — *sudetica* Hänke
509 p *Secale montanum* Guss
~~510~~ p *Sesleria coerulea* Scop
~~511~~ p — *auctumnalis* F. Schultz
512 p *Stipa calamagrostis* Link
513 p — *capillata* L
514 p — *pennata* L
~~515~~ p — *tenacissima* L
516 a — *tortilis* Desf.
517 a *Tragus racemosus* Desf.
518 p *Trisetum flavescens* Beauv
519 a *Triticum montoccum* L
520 a — *(Aegilo) ovatum* Gren
~~521~~ a — — *ventricosum* Ces
~~522~~ a — *sativum* X *ovatum* A. G.
= *Aegilops triticoides* Req
523 a — *spelta* L
524 a *Zea Mais* L

Hydrocharitaceae (pl. viv.)

Potamogetoneae.

- 525 p *Elodea canadensis* Rich
526 p *Hydrocharis morsus ranae* L
~~527~~ p *Potamogeton acutifolius* Link
~~528~~ p — *crispus* L
~~529~~ p — *pusillus* L

Hydrophyllaceae.

530 a *Phacelia tanacetifolia* Benth

Hypericaceae.

~~531~~ p *Hypericum calycinum* L
~~532~~ p — *Coris* L
 533 p — *montanum* L
 534 p — *perforatum* L

Irideae.

535 Tp *Crocus sativus officinalis* L
 536 „ *Iris germanica* L
 537 „ — *graminea* L
 538 „ — *Pseudacorus* L
 539 „ — *pumila* L
 540 „ — *sibirica* L
~~541~~ „ — *Xiphium* L

Juncaceae.

~~542~~ p *Juncus squarrosus* L
~~543~~ p *Luzula albida* DC
 544 p — *silvatica* Gaud

Labiatae.

~~545~~ b *Ajuga chamaepitys* Schreb
~~546~~ p — *genevensis* L
~~547~~ p — *leptandrus* L
 548 p *Ballota nigra* L
 549 p *Betonica officinalis* L
 550 p *Brunella grandiflora* Jacq
 551 p *Calamintha acinos* Clairv
~~552~~ p — *alpina* Lam
 553 p — *nepetoides* Jord
 554 p *Clinopodium vulgare* L
 555 p *Dracocephalum altaianse* Lam
 556 p — *austriacum* L
 557 a — *Moldavica* L
 558 a *Galeopsis tetrahit* L
~~559~~ a — *ochroleuca* Lam
 560 a — *versicolor* Curt
 561 p *Horminum pyrenaicum* L
 562 p *Hyssopus officinalis* L
 563 p *Lamium album* L
~~564~~ p — *Orvala* L
 565 a *Lallemantia iberica* Fisch. et
 566 p *Leonurus Cardiaea* L [Mey
 567 p *Lycopus europaeus* L
 568 p *Marrubium peregrinum* L
 569 p — *vulgare* L
 570 p *Melissa officinalis* L
 571 p *Melittis melissophyllum* L
~~572~~ p *Mentha aquatica* L
 573 p — *pulegium* L
 574 p — *silvestris* L
 575 p *Monarda digyma* L
 576 p — *fistulosa* L
 577 p *Nepeta cataria* L
 578 p — *grandiflora* M. B

579 p *Nepeta macrantha* Fisch.
 580 a *Ocimum Basilicum* L
 581 a *Origanum Majorana* L
 582 p — *vulgare* L
 583 p *Phlomis tuberosa* L
 584 p *Physostegia virginiana* Benth
~~585~~ p *Prasium majus* L
 586 p *Salvia Aethiopis* L
~~587~~ b — *argentea* L
 588 p — *austriaca* Jacq
~~589~~ p — *azurea* Lam
~~590~~ p — *clandestina* L
 591 p — *cleistogama* de Bary
 592 p — *coccinea* L
 593 p — *glutinosa* L
~~594~~ p — *grandiflora* Etl
 595 p — *Horminum* L
~~596~~ p? — *nilotica* Murr
 597 p — *officinalis* L
 598 p — *pratensis* L
 599 p — *silvestris* L
 600 p — *splendens* Sellow
 601 p — *verticillata* L
 602 a *Satureja hortensis* L
 603 a — *montana* L
 604 p *Scutellaria galericulata* L
~~605~~ p — *macrantha* Fisch
 606 p *Sideritis montana* L
~~607~~ p *Stachys alpina* L
 608 p — *germanica* L
 609 p — *recta* L
 610 Tp — *Sieboldii* Miq = *affinis* Fres
 611 p — *silvatica* L

612 a *Teucrium Botrys* L
 613 p — *Chamaedrys* L
~~614~~ p — *Euganeum* Vis
~~615~~ p — *flavum* L
 616 p — *Scorodonia* L

Liliaceae.

617 T *Allium ampeloprasum* L
 618 T — *ascalonium* L
 619 T — *fistulosum* L
 620 — *flavum* L
 621 T — *Porrum* L
 622 — *sibiricum* L
 623 — *Victorialis* L
 624 — *vineale* L
 625 *Asparagus officinalis* L
~~626~~ *Asphodelus albus* Mill
~~627~~ — *luteus* L
 628 T *Colchicum autumnale* L
 629 T *Convallaria majalis* L
 630 T *Galtonia candicans* Dec
 631 T *Lilium Martagon* L
 632 T — *pardalinum* Lindl
 633 T — *tigrinum* L
 634 T *Leucojum vernum* L

635 T *Ornithogalum umbellatum* L
 636 *Paradisia Liliastrium* Bert
 637 *Paris quadrifolia* L
 638 *Polygonatum multiflorum* All
 639 — *officinale* All
~~640~~ *Streptopus amplexifolius* De
 641 *Veratrum nigrum* L

Lineae.

~~642~~ p *Linum alpinum* L
 643 p — *flavum* L
 644 p — *perenne* L
~~645~~ p — *tenuifolium* L
 646 a — *usitatissimum* L
~~647~~ p — *viscosum* L

Loasaceae, Datisceae.

648 a *Blumenbachia Hieronymi* Urb
~~649~~ a *Cajophora lateritia* Presl
~~650~~ a *Datisca cannabina* L
 651 a *Loasa lateritia* Gill

Malvaceae.

652 a *Abutilon Avicennae* Gärtn
 653 p *Althaea cannabina* L
 654 p — *officinalis* L
 655 b — *rosea* L atropurp.
~~656~~ a *Hibiscus esculentus* L
 657 a — *palustris* L
 658 a — *Trionum* L
 659 p *Kitaibelia vitifolia* Willd
~~660~~ p *Lavatera thuringiaca* L
 661 p *Malva Alcea* L
 662 a — *crispa* L
~~663~~ p — *moschata* L
 664 a — *rotundifolia* L
 665 b — *silvestris* L

Oenotheraeae, Lythraceae.

~~666~~ p *Circaea lutetiana* L
 667 a *Clarkia elegans* Dougl
 668 a *Cuphea viscosissima* Jacq
 669 p *Epilobium angustifolium* L
 670 p — *Dodonaei* Vill
 671 p — *hirsutum* L
~~672~~ p — *roseum* Schreb
 673 p *Lythrum Salicaria* L
 674 b *Oenothera biennis* L
 675 p — *fruticosa* L
~~676~~ p — *missouriensis* Sims
~~677~~ p — *pumila* L
~~678~~ p — *taraxacifolia* Sweet

Oxalideae.

- | | | | |
|----------------|-----|--------|---------------------|
| 679 | T p | Oxalis | Acetosella L |
| ~~680~~ | T p | — | caprina L |
| 681 | T p | — | corniculata |
| 682 | T p | — | tetraphylla Cav |
| ~~683~~ | T p | — | valdiviensis Barn. |
| ~~684~~ | T p | — | vespertilionis Zucc |

Papaveraceae.

- ~~685~~ a Argemone grandiflora Sw
 686 a — mexicana L
 687 p Chelidonium majus L f. laciniata
 688 a Eschscholtzia californica Cham
 689 a Glaucium corniculatum Curt
 690 a — flavum Crantz
~~691~~ a Hypecoum procumbens L
~~692~~ p Macleya cordata R. Br.
~~693~~ p Meconopsis cambrica L
~~694~~ p — nepalensis DC
~~695~~ p Papaver alpinum L fl. alb.
 696 p — — nudicaule L
 697 a — argemone L
~~698~~ p — caucasicum M. B
 699 p — orientale L
 700 a — Rhoëas L
 701 a — somniferum L
~~702~~ p Sanguinaria canadensis L

Гарнітажене:

- ~~703~~ p Anthyllis montana Jacq
704 p — vulneraria L
705 p Astragalus baeticus L
706 p — Cicer L
~~707~~ p — danicus Retz
708 p — glycyphyllos L
~~709~~ a Biserrula Pelecinus L
~~710~~ p Colophaca wolgarica Fisch
711 p Caragana arborescens Lam
712 a Cicer arietinum L
713 p Colutea arborescens L
~~714~~ p Coronilla Emerus L
~~715~~ p — scorpioides Koch
716 p — varia L
717 p Cytisus Laburnum L
~~718~~ p — leucanthus W. K.
719 p — nigricans L
~~720~~ p — purpureus Scop
721 p — ratisbonensis Schöff
722 a Dolichos Lablab L
~~723~~ p Dorycnium suffruticosum Jord
724 p Galega officinalis L
~~725~~ p Genista germanica L
~~726~~ p — radiata Scop
~~727~~ p — sagittalis L
728 p — tinctoria L
729 p Glycyrrhiza echinata L
730 p — glabra L
731 p Hedysarum obscurum L
~~732~~ p Hippocrepis comosa L
733 p Indigofera Dosua Hamilt.

- | | | | | |
|----------------|-----|----------------|----------------|------------|
| 734 | a | Lathyrus | Aphaca | L |
| ~~735~~ | p | — | montanus | Bernh |
| ~~736~~ | a | — | Nissolia | L |
| 737 | a | — | odoratus | L |
| 738 | p | — | silvester | L |
| 739 | p | — | tuberosus | L |
| 740 | p | — | vernus | Bernh |
| 741 | a | Le. s | esculenta | Moench |
| 742 | p | Lotus | corniculatus | L |
| 743 | a | Lupinus | angustifolius | L |
| ~~744~~ | a | — | luteus | L |
| 745 | p | — | perennis | L |
| 746 | p | — | polyphyllus | Lindl |
| ~~747~~ | a | Medicago | Echinus | DC |
| 748 | p | — | falcata | L |
| ~~749~~ | p | — | falcata | × sativa = |
| | | | media | Pers |
| 750 | a | — | minima | Desr |
| 751 | p | — | sativa | L |
| 752 | a | — | turbinata | Willd |
| 753 | b | Melilotus | officinalis | Desr |
| 754 | p | Onobrychis | sativa | Lam |
| 755 | p | Ononis | spinosa | L |
| 756 | a | Ornithopus | sativus | Brot |
| 757 | a | Phaseolus | multiflorus | Willd |
| ~~758~~ | a | Pisum | arvense | L |
| 759 | p | Sarothamnus | scoparius | Koch |
| 760 | a | Scorpiurus | vermiculatus | L |
| 761 | a | Soja | hispida | Moench |
| 762 | p | Spartium | junceum | L |
| 763 | p | Tetragonolobus | siliquosus | L |
| ~~764~~ | a | Trifolium | arvense | L |
| ~~765~~ | b—p | Trifolium | aureum | Poll |
| 766 | p | Trifolium | badium | Schreb. |
| ~~767~~ | p | — | fragnerum | L |
| 768 | p | — | hybridum | L |
| 769 | b | — | incarnatum | L |
| ~~770~~ | p | — | medium | L |
| ~~771~~ | a | — | minus | Sm |
| 772 | p | — | montanum | L |
| 773 | p | — | ochroleucum | L |
| ~~774~~ | p | — | repens | L |
| 775 | p | — | rubens | L |
| 776 | b—p | — | spadiceum | L |
| 777 | p | — | stellatum | L |
| 778 | p | — | subterraneum | L |
| 779 | a | Trigonella | coerulea | Ser |
| 780 | a | — | foenum graecum | L |
| ~~781~~ | p | Ulex | europaeus | L |
| 782 | a | Vicia | Faba | L |
| ~~783~~ | a | — | lutea | L |
| 784 | a | — | narbonensis | L |
| ~~785~~ | p | — | sepium | L |
| ~~786~~ | a | Vigna | sinensis | |

Plantagineae.

- 787 p *Plantago alpina* L
788 p — *lanceolata* L
789 p — *maritima* L
790 a — *Psyllium* L

Plumbagineae.

- 791 p *Armeria alpina* Willd
792 p — *vulgaris* Willd
793 p *Plumbago europaea* L
794 p *Statice Limonium* L

Polemoniaceae.

- 795 a *Cobaea scandens* Cav
~~796~~ a *Collomia coccinea* Lehm
 797 a — *grandiflora* Dougl
~~798~~ p *Phlox paniculata* L
 799 p *Polemonium coeruleum* L

Polygoneae.

- | | | | | |
|----------------|---|-----------|----------------|----------|
| 800 | a | Fagopyrum | esculentum | Moench |
| ~~801~~ | p | Polygonum | amphibium | L |
| ~~802~~ | p | — | baldschuanicum | Regl |
| 803 | p | — | Bistorta | L |
| 804 | a | — | Convolvulus | L |
| ~~805~~ | p | — | cuspidatum | L. et Z. |
| ~~806~~ | a | — | hydropiper | L |
| ~~807~~ | p | — | sachalinense | Schmidt |
| ~~808~~ | a | — | tinctum | Ait |
| ~~809~~ | a | — | virginianum | L |
| 810 | p | — | viviparum | L |
| 811 | p | Rheum | officinale | L |
| ~~812~~ | p | — | palmatum | L |
| 813 | p | — | Rhaponticum | L |
| 814 | p | Rumex | Acetosa | L |
| 815 | p | — | alpinus | L |
| 816 | p | — | crispus | L |
| 817 | p | — | Hydrolapathum | Huds |
| 818 | p | — | maximus | Schreb |
| 819 | p | — | Patientia | L |
| ~~820~~ | p | — | sanguineus | L |
| 821 | p | — | scutatus | L |

Primulaceae.

- ~~822~~ a *Anagallis arvensis* L
823 a — *coerulea* Schreb
~~824~~ p — *grandiflora* Andr
825 p *Androsace lactea* L
826 b — *maxima* L
827 p — *sarmentosa* Wall
(stolones)
828 p *Cortusa Matthioli* L
829 p *Lysimachia nummularia* L
830 p — *punctata* L
~~831~~ p *Naumburgia thyrsiflora* Rehb

- 832 p *Primula acaulis* Jacq
~~833~~ p — *auricula* L
~~834~~ p — *cortusoides* L
~~835~~ p — *hirsuta* All
~~836~~ p — *minima* L
~~837~~ p — *officinalis* L

Ranunculaceae.

- ~~838~~ p *Aconitum Lycoctonum* L
~~839~~ p — *Napellus* L
~~840~~ p *Actaea spicata* L
~~841~~ a *Adonis aestivalis* L
~~842~~ p — *vernalis* L
~~843~~ p *Anemone alpina* L
~~844~~ p — *grandis* Wend
~~845~~ p — *japonica* Sieb
~~846~~ p — *narcissiflora* L
~~847~~ p — *nigricans* Fritsch
~~848~~ p — *pulsatilla* L
~~849~~ p — *ranunculoides* L
~~850~~ p — *silvestris* L
~~851~~ p — *vernalis* L
~~852~~ p *Aquilegia atroviolacea* Lall
~~853~~ p — *vulgaris* L
~~854~~ p *Atragene alpina* L
~~855~~ p *Caltha palustris* L
~~856~~ p *Clematis recta* L
~~857~~ p *Vicia L.*
~~858~~ p *Delphinium caucasicum* C. A. M.
~~859~~ a — *Consolida* L
~~860~~ p — *elatum* Willd
~~861~~ p — *Staphysagria* L
~~862~~ p *Eranthis hiemalis* L
~~863~~ p *Helleborus foetidus* L
~~864~~ p — *niger* L
~~865~~ p — *viridis* L
~~866~~ p *Isopyrum thalictroides* L
~~867~~ a *Myosurus minimus* L
~~868~~ p *Nigella damascena* L
~~869~~ p — *sativa* L
~~870~~ p *Paeonia peregrina* Mill
~~871~~ p *Ranunculus acer* L
~~872~~ a — *arvensis* L
~~873~~ p — *auricomus* L
~~874~~ p — *Ficaria* L
~~875~~ p — *gramineus* L
~~876~~ p — *lanuginosus* L
~~877~~ p — *lingua* L
~~878~~ p — *platanifolius* L
~~879~~ p — *polyanthemus* L
~~880~~ p — *sardous* Crantz
~~881~~ a — *sceleratus* L
~~882~~ p *Thalictrum angustifolium* L
~~883~~ p — *aquilegifolium* L
~~884~~ p — *flavum* L
~~885~~ p — *minus* L
~~886~~ p *Trollius europaeus* L
~~887~~ p — *Ledebouri* Rehb.

Resedaceae.

- 888 b *Reseda luteola* L
~~889~~ a — *odorata* L

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
~~891~~ p *Alchemilla alpina* L
~~892~~ p — *vulgaris* L
~~893~~ p *Amelanchier vulgaris* Mönch
~~894~~ p *Aruncus silvester* Kostel
~~895~~ p *Comarum palustre* L
~~896~~ p *Crataegus coccinea* L
~~897~~ p *Cydonia japonica* Pers
~~898~~ p *Dryas octopetala* L
~~899~~ p *Eriobotrya japonica* Lindl
~~900~~ p *Fragaria elatior* Ehrh
~~901~~ p *Geum album* Gm
~~902~~ p — *montanum* L
~~903~~ p — *intermedium* Ehrh
~~904~~ p — *rivale* L
~~905~~ p — *urbanum* L
~~906~~ p *Pirus baccata* L
~~907~~ p *Potentilla alba* L
~~908~~ p — *anserina* L
~~909~~ p — *argentea* L
~~910~~ p — *atrosanguinea* Lodd
~~911~~ p — *aurea* L
~~912~~ p — *caulescens* L
~~913~~ p — *Clusiana* L
~~914~~ p — *pennsylvanica* L
~~915~~ p — *sanguisorbifolia* A. G
~~916~~ p — *rupestris* L
~~917~~ p *Poterium Sanguisorba* L
~~918~~ p *Sanguisorba minor* Scop
~~919~~ p — *officinalis* L
~~920~~ p *Sorbus Aria* Ehrh
~~921~~ p — *Aucuparia v. dulcis* A. G.
~~922~~ p — *torminalis* Crantz
~~923~~ p *Spiraea Filipendula* L
~~924~~ p — *Ulmaria* L

Rublaceae

- ~~924~~ p *Asperula cynanchica* L
~~925~~ p — *odorata* L
~~926~~ p — *tinctoria* L
~~927~~ a *Crucianella stylosa* Trin
~~928~~ a *Galium Aparine* L
~~929~~ p — *boreale* L
~~930~~ p — *cruciata* Scop
~~931~~ a — *tricornis* With
~~932~~ p — *verum* L
~~933~~ p *Rubia tinctorum* L
~~934~~ a *Sherardia arvensis* L

Rutaceae.

- 935 p *Dictamnus albus* L
~~936~~ p *Ruta graveolens* L

Saxifrageae.

- 937 p *Chrysosplenum alternifolium* L
~~938~~ p *Mitella pentandra* Hook
~~939~~ p *Parnassia palustris* L
~~940~~ p *Ribes alpinum* L
~~941~~ p — *sanguineum* Pursh
~~942~~ p *Saxifraga aizoon* L
~~943~~ p — *Cotyledon* L
~~944~~ T p — *granulata* L
~~945~~ p — *rotundifolia* L

Scrophulariaceae, Bignon., Martyn.,
 Pedaliaceae, Orobanchae.

- 946 a *Alonzoa Warscewiczii* Regl
~~947~~ a *Antirrhinum majus* L
~~948~~ p — *Orontium* L
~~949~~ a *Calceolaria scabiosaefolia* Sims
~~950~~ p *Celsia betonicifolia* Desf
~~951~~ a *Collinsia bicolor* Benth
~~952~~ p *Digitalis ambigua* Murr
~~953~~ p — *ferruginea* L
~~954~~ b-p — *lanata* Ehrh
~~955~~ b-p — *lutea* L
~~956~~ b — *purpurea* L
~~957~~ a *Hebenstreitia dentata*
~~958~~ p *Incarvillea Delavayi* Franch
~~959~~ a *Linaria alpina* Mill
~~960~~ p — *cymbalaria* Mill
~~961~~ p — *dalmatica* Mill
~~962~~ p — *genistifolia* Mill
~~963~~ a — *spuria* Mill
~~964~~ p — *vulgaris* Moench
~~965~~ p *Lophospermum scandens* Don
~~966~~ a *Martynia proboscidea* L
~~967~~ b-p *Maurandia Barclayana* Lindl
~~968~~ a *Mimulus luteus* L
~~969~~ a *Nycterinia capensis* Benth
~~970~~ p *Pentstemon coeruleus* Nutt
~~971~~ p — *gentianoides* Lindl
~~972~~ p — *glaucus* Grah

- 973 a *Salpiglossis sinuata* R. P.
 974 a *Schizantus pinnatus* R. P.
 975 p *Scrophularia nodosa* L
~~976~~ a *Torenia Fournieri* Linden
 977 b *Verbascum Blattaria*
 978 p — *nigrum* L
~~979~~ b — *Olympicum* Boiss
~~980~~ b — *phlomoides* L
 981 b — *phoeniceum* L
~~982~~ b — *speciosum* Schrad
~~983~~ p *Veronica aphylla* L
~~984~~ p — *Beccabunga* L
~~985~~ p — *caucasica* Bieb
~~986~~ p — *chamaedrys* L
 987 p — *crassifolia* Wierzb
~~988~~ p — *fruticulosa* L
 989 p — *gentianoides* Vahl
~~990~~ a — *hederaefolia* L
 991 p — *longifolia* L
~~992~~ p — *lutea* Wettst.
~~993~~ p — *maritima* L
 994 p — *officinalis* L
~~995~~ p — *satureioides* Vis
~~996~~ p — *saxatilis* Scop
~~997~~ p — *Teucrium* L
~~998~~ p — *urticifolia* L

Solaneae.

- 999 p *Atropa Belladonna* L
 1000 a *Capsicum annuum* L
 1001 a — *baccatum* L
 1002 a *Datura Metel* L
 1003 a — *Stramonium* L
 1004 a — — *var Tatula* L
 1005 a *Hyoscyamus niger* L
 1006 a *Nicandra physaloides* Gaertn
 1007 a *Nicotiana affinis* Moore
 1008 a — *rustica* L
~~1009~~ a — *silvestris* Speg
 1010 a — *Tabacum* L
 1011 p *Physalis Alkekengi* L
 1012 a — *peruviana* L
 1013 p *Solanum Dulcamara* L
 1014 a — *guineense* Lam
 1015 a — *Melongena* L

- 1016 a *Solanum nigrum* L
 1017 a — *rostratum* Dunal

Thymeleae.

- 1018 p *Daphne Laureola* L
~~1019~~ p — *Mezereum* L
~~1020~~ p *Hippophaë rhamnoides* L
~~1021~~ a *Passerina annua* (L)

Umbelliferae.

- 1022 a *Aethusa Cynapium* L
 1023 p *Angelica silvestris* L
 1024 a *Anthriscus Cerefolium* Hoffm
 1025 p *Archangelica officinalis* Hoffm
 1026 p *Astrantia major* L
 1027 p *Athamanta cretensis* L
~~1028~~ p *Bupleurum falcatum* L
~~1029~~ p — *ranunculoides* L
 1030 a — *rotundifolium* L
~~1031~~ b *Carum Bulbocastantum* L
 1032 b — *carvi* L
 1033 p *Chaerophyllum aromaticum* L
 1034 p — *hirsutum* Koch
 1035 b — *temulum* L
 1036 p *Cicuta virosa*
 1037 b *Conium maculatum* L
 1038 a *Coriandrum sativum* L
~~1039~~ p *Eryngium alpinum*
 1040 p — *Bourgati* Gonan
 1041 p — *campestre* L
~~1042~~ p — *giganteum* M. B
 1043 p — *planum* L
 1044 b *Falcaria vulgaris* Bernh
 1045 a *Foeniculum officinale* L
~~1046~~ Tp *Hacquetia Epipactis* De
 1047 p *Heracleum giganteum* Hort
 1048 p *Imperatoria Ostruthium* L
~~1049~~ p *Laserpitium latifolium* L
 1050 p *Levisticum officinale* Koch
 1051 p *Libanotis montana* Crantz
 1052 p *Meum albamanticum* Jacq
 1053 p — *Mutellina* Gaertn
~~1054~~ a *Orlaya grandiflora* Hoffm
~~1055~~ p *Peucedanum alsaticum* L
 1056 p — *Cervaria* Lap
~~1057~~ p — *Oreoselinum* Moench
 1058 a *Pimpinella Anisum* L
 1059 p — *magna* L
~~1060~~ p *Pleurospermum austriacum*
 Hoffm

- 1061 p *Sanicula europaea* L
 1062 p *Scandix pecten Veneris* L
 1063 p *Selinum Carvifolia* L
 1064 p *Silau pratensis* Bess
~~1065~~ p *Siler trilobum* Crantz
 1066 p *Sium Sisarum* L
~~1067~~ b *Torilis Anthriscus* Gm
 1068 b *Trinia vulgaris* DC

Urticaceae.

- 1069 a *Cannabis sativa* L
~~1070~~ *Laportea canadensis* Gaud
 1071 p *Parietaria officinalis* L
 1072 p *Urtica cannabina* L
 1073 a — *pilulifera* L

Valerianeae.

- 1074 p *Centranthus ruber* DC
 1075 p *Valeriana officinalis* L
 1076 a *Valerianella olitoria* Moench

Verbenaceae.

- 1077 p *Verbena officinalis* L

Violaceae.

- 1078 p *Viola biflora* L
~~1079~~ p — *lutea* Sm sudetica Koch
~~1080~~ p — *mirabilis* L
~~1081~~ p — *Riviniana* Rehb

Zygophyllae.

- 1082 a *Tribulus terrestris* L

E. Tuma
 Obmann.

Prof. L. Frank
 Gartendirektor.

Ergänzungs-Liste für

Acanthaceae. Thunbergia alata Bojer Amarantaceae. Gomphrena globosa L Amaryllideae. Amaryllis formosissima L Bignoniaceae. Eccremocarpus scaber R. et. P. Incarvillea grandiflora Spr. Campanulaceae. Campanula alliariifolia Willd " medium L " rotundifolia Phyteuma Scheuchzeri All Symphyandra Hofmanni Pant. Caryophyllaeae. Cerastium lanatum Lam. Lychnis coeli rosa Desv. Silene armeria L " cucupula L " viscosa Pers Chenopodiaceae. Atriplex tartaricum L Chenopodium botrys L Kochia arenaria Roth Salsola Kali L Compositae. Achillea macrophylla L " setacea W. et. K. Anacyclus pyrethrum DC Bellidiastrum Michellii Cass Crepis paludosa Mönch " Jacquini Tsch " grandiflora Tsch " biennis L Carduus defloratus L Catananche coerulea L Centaurea jacea L " pseudophrygia Mey Cnicus benedictus L Cosmos bipinatus Cav Eupatorium aromaticum L Filago arvensis L Helichrysum arenarium DC Hieracium bupleuroides Gmel " glaucum All " glabratum	Hieracium humile Jacq " murorum L " saxatile Jacq " setigerum Fsch Crassulaceae. Sedum dasphyllum L Cruciferae. Aethionema saxatile R. Br. Camelina microcarpa Andr. Draba affinis Host Lepidium Draba L Malcolmia maritima R. Br. Rhaphanus Rhaphanistrum L Sisymbrium Sophia L Thlaspi ceratocarpum Murr Cucurbitaceae. Cucurbita Pepo L " verrucosa L Luffa acutangula Ser Cuscutaceae. Cuscuta epilinum Weih Cyperaceae. Carex atrata L " hordeistichos Vill Scirpus maritimus L Dipsaceae. Cephalaria pilosa Gren Scabiosa graminifolia L Gentianeae. Gentiana Pneumonanthe L Geraniaceae. Erodium cicutarium L'Herit Geranium dissectum L Gramineae. Avena versicolor Vill Bromus mollis L " patulus M. u. K. " tectorum L Festuca vaginata W. u. K. Corynephorus canescens P. B. Eragrostis major Host Koeleria cristata Pers Phleum alpinum L Poa alpina L " pratensis L Zizania aquatica L	Irideae. Gladiolus communis L " imbricatus L Iris spuria L Sisyrinchium Bermudianum Tournef Juncaceae. Luzula campestris DC. " multiflora Dsf. Labiatae. Molucella laevis L Thymus angustifolius Pers Liliaceae. Anthericum Liliago L Allium montanum Schmidt Bowiea volubilis Harvey Eremurus robustus Rgl " turkestanicus Rgl Fritillaria Meleagris L Muscari comosum Mill Ornithogalum nutans L Polygonatum verticillatum All Veratrum album L. Lineae. Linum austriacum L " grandiflorum Desf. Malvaceae. Anoda hastata Cav Lavatera trimestris L Oenotheraeae. Lythrum virgatum L Lopezia coronata Andr Papilionaceae. Astragalus echinatus " falcatus Lam Medicago hispida macrocarpa " scorpioides Plantagineae. Plantago arenaria W. u. K " argentea Chaix " coronopus L Plumbagineae. Acantholimon glumaceum Bois Statice serbica Nym
--	--	--

Polemoniaceae.

Phlox Drummondii Hook

Primulaceae.

Androsace Laggeri Huet
" chamaejasme Hst
Primula elatior Jacq
" pannonica Kern
" rosea Royle
Samolus Valerandi L.

Ranunculaceae.

Anemone hortensis L
Ranunculus Steveni Andr

Rosaceae.

Dryas Drummondii Rich
Potentilla minima Schleich
" nivea L

Potentilla pulcherrima Lehm.
" villosa Pall
Sibbaldia cuneata Hornem

Saxifragineae.

Bergenia cordifolia A. Br.
" crassifolia Engl
Saxifraga crustata Vest
" cuneifolia L
" moschata Wulf
" Rocheliana Sternb
" sancta Grsb
" umbrosa L

Scrophularineae.

Erinus alpinus L
Gratiola officinalis L
Linaria macrocana hort
" minor Desf
Scrophularia vernalis L

Veronica latifolia L
" spicata L

Solaneae.

Scopolia carniolica Jaquin
Solanum Lycopersicum L

Tropaeolaceae.

Tropaeolum majus L
" peregrinum

Umbelliferae.

Anethum graveolens L
Bupleurum longifolium L
Daucus Carota L
Seseli annuum L
" glaucum Mch

Valerianeae.

Valeriana montana L

Generalliste

der für den Samenaustausch in den Jahren 1907—1912 bestimmten Arten.

Seminibus non praesentibus numerus deletus est. — Die gestrichenen Nummern bedeuten, daß die betreffenden Samen nicht abgegeben werden können.

Communicationem desideratorum ante Kalendas Febr. rogamus.

Wir bitten um Bekanntgabe der gewünschten Samen bis 1. März.

T = tubera, bulbi, etc. (Bulbs), a = plantae annuae, b = pl. biennes, p = pl. perennes vel lignosae.

Aizoac., Basellac., Nyctag., Phytolacc., Portulac. vide Amarantaceae — Bignoniac., Martyn., Pedal., Orobanch. vide Scrophul. — Datisac. vide Loasaceae — Lythrac. vide Oenother.

Amarantaceae, Aizoac. Nyctag., Phytol., Portulac.		Balsamineae.		49 p Campanula persicifolia L	
1 a	Amarantus atropurpureus Roxb.	22 a	Impatiens glanduligera Lindl	~~50~~ p	— Portenschlagiana R.S.
~~2~~ a	— caudatus L	23 a	— noli tangere L	~~51~~ p	— pulla L
3 a	— paniculatus f. sanguinea L	24 a	— parviflora DC	52 p	— pusilla Hänke
			<i>Impatiens tricornis L.</i>	53 p	— pyramidalis L
4 a	Basella rubra L			54 p	— rapunculoides L
~~5~~ a	~~Basella rubra L~~			~~55~~ p	— sarmatica Ker
28 a	Celosia cristata L			~~56~~ p	— Schrenkii Vill
7 a	Claytonia perfoliata Donn	25 b	Alkanna tinctoria Tsch.	57 p	— sibirica L
8 a	Euxolus oleraceus Raf.	26 b—p	Anchusa officinalis L	58 p	— spicata L
~~9~~ a	Mesembryanthemum cristallinum L	27 p	Arnebia echioides A. DC	59 p	— thyrsoides L
10 p	Mirabilis Jalapa L	28 a	Asperugo procumbens L	60 p	— Trachelium L
11 p	Phytolacca decandra L	29 a	Borago officinalis L	~~61~~ p	— turbinata Schott
12 p	— esculenta v. Hout.	~~30~~ p	Cerithe alpina Kit.	~~62~~ p	Edraianthus tenuifolius DC fil.
13 a	Portulaca oleracea L	31 a	— minor L	~~63~~ b	Jasione montana L
14 a	— grandiflora Hook	32 b	Cynoglossum officinale L	~~64~~ p	— perennis Lam
15 a	Tetragonia expansa Murr	33 b	Echinosperrum lappula Lehm	65 b	Michauxia campanuloides L'Her
		34 b	Echium vulgare L	66 p	Phyteuma hemisphaericum L
		~~35~~ p	Lithospermum officinale L	~~67~~ p	— nigrum Schmidt
		~~36~~ p	— purpureo coeruleum L	68 p	— orbiculare L
				69 p	— spicatum L
		37 b	Myosotis alpestris Schmidt	70 p	Platycodon grandiflorus DC
		~~38~~ p	Nonnea pulla DC		Mariesii
		~~39~~ p	Pulmonaria obscura Dum	71 a	Specularia speculum DC
		~~40~~ p	— virginica L		<i>Campanula rapunculus L.</i>
		~~41~~ p	Symphytum caucasicum M. B.		<i>Campanula patula L.</i>
		~~42~~ p	— tuberosum L		
			<i>Cerithe majus L.</i>		
			<i>Lycopsis arvensis L.</i>		
Aroideae.		Campanulaceae.		p Caprifoliaceae.	
16 Tp	Amorphophallus Rivieri Dur	43 p	Adenophora liliifolia Ledeb	72	Lonicera Caprifolium L
17 Tp	Arum maculatum L	44 p	Campanula barbata L	73	— Xylosteum L
18 Tp	Richardia albomaculata Hook	45 p	— carpatica Jacq.	74	Sambucus Ebulus L
19 Tp	Sauromatum guttatum Schott	~~46~~ p	— cervicaria L	75	— racemosa L
		47 p	— glomerata L		
		48 p	— latifolia L		
Asclepiadeae.					
20 p	Asclepias syriaca L				
21 p	Cynanchum Vincetoxicum R. Br.				

210

Caryophyllaeae.

- 76 a Agrostemma Githago L
77 p Alsine juniperina Wahlenb.
~~78~~ p — verna Bartl
79 p Arenaria ciliata L
80 p — grandiflora All
81 a Cerastium arvense L
~~82~~ p Cucubalus baccifer L
~~83~~ p Dianthus alpinus L
84 p — Armeria L
85 p — barbatus L
86 p — caesius Sm.
87 p — carthusianorum L
~~88~~ p — deltoides L
89 p — plumarius L
~~90~~ p — speciosus Rehb.
~~91~~ p — superbus L
~~92~~ p Drypis spinosa L
~~93~~ a Gypsophila muralis L
94 p — paniculata L
95 p — repens L fl. alb.
et ros.
96 p Heliosperma alpestre (Jacq.)
97 p — quadrifidum (L)
98 p Lychnis alpina L
99 b — coronaria Lam
100 p — flos cuculi L
101 p — flos Jovis Lam
~~102~~ p Malachium aquaticum L
103 b Melandrium album Garcke
104 p — rubrum Garcke
~~105~~ p Moehringia muscosa L
106 p Saponaria ocymoides L
107 p — officinalis L
~~108~~ p Silene acaulis L
109 a — gallica L
110 p? — nemoralis W. et K.
111 p — nutans L
112 p — Otites Sm.
~~113~~ p — pumilio
114 p — saxifraga L
115 p — vulgaris Garcke
116 a Spargula arvensis L
117 p Stellaria holostea L
118 p Tunica saxifraga Scop.
119 a Vaccaria parviflora Mönch
120 p Viscaria vulgaris Röhl

Arenaria serpyllifolia L.
Cerastium chloraefolium Fisch.
et Mey.

Dianthus chinensis L.

Chenopodiaceae.

- 121 a Atriplex hortensis L
122 a — nitens Schk.
123 b Beta maritima L
124 b — vulgaris Cica L
125 b — — rapa altissima L
126 b — — rubra L
127 a Chenopodium album L
128 a — ambrosioides L
129 p — Bonus Henricus L
130 a — capitatum Asch
131 a — ficifolium Sm.
132 a — foliosum Mönch

- 133 a Chenopodium Quinoa Willd
134 a Kochia scoparia Schrad
135 b Spinacia oleracea L

Atriplex tataricum L.

Kochia arenaria All.

Kochia trichophylla Stapf.

Cistaceae.

- 136 p Helianthemum polifolium Koch
137 p — vulgare Gärtn

Helianthemum alatum Pohl.

Compositae.

- ~~138~~ p Achillea ageratifolia Hook
~~139~~ p — argentea Vis
~~140~~ p — Clavennae L
~~141~~ p — Clusiana Tsch
~~142~~ p — Millefolium L f. sude-
tica Opiz
143 p — nobilis L
~~144~~ p — paannonica Scheele
145 p — Ptarmica L
146 p — tanacetifolia All.
147 p Achyrophorus maculatus Scop.
148 p — uniflorus Bl. et
Fing

- 149 p Alfredia cernua Cass.
150 a Ambrosia trifida L
151 a Anacyclus officinarum Hayne
~~152~~ p Antennaria dioica L
153 p Anthemis nobilis L
154 p — tinctoria L
155 p Arnica montana L
156 p Aronicum scorpioides Koch
157 p Artemisia Absinthium L
~~158~~ p — Dracunculus L
~~159~~ p — maritima L
~~160~~ p — Mutellina L
~~161~~ p — spicata Wulf

- 162 p Aster alpinus L
163 p — Amellus L
164 p — Tripolium L
165 a Bidens andicola hort
166 a — bipinnata L
167 a — cernua L
168 a — leucantha Willd
169 a — tripartita L
170 p Bupthalmum salicifolium L
171 p Cacalia suaveolens L
172 a Calendula officinalis L
173 b Carduus nutans L
~~174~~ p Carlina acaulis L
175 a Carthamus tinctorius L
176 b Contaurea Calcitrapa L
177 a — cyanus L
178 p — macrocephala M. B
179 p — montana L
180 p — rhenana Bor
181 p — Scabiosa L
182 a — solstitialis L
183 a — suaveolens Willd
184 p Chamaepeuce diacantha DC

- 185 p Chondrilla juncea L
186 p Chrysanthemum cinerariifol.
Boce

- 187 a Chrysanthemum segetum L
188 a Cichorium Endivia L
189 p — Intybus L
~~190~~ p Cirsium acaule All
191 p — canum M. B.
~~192~~ p — eriophorum Scop
193 p — erisithales Scop
194 p — ferox DC
195 p — heterophyllum All
196 p — oleraceum Scop
~~197~~ p — spinosissimum Scop
198 a Coreopsis tinctoria Nutt
199 p Crepis aurea Cass
200 p — blattarioides Vill
~~201~~ p — praemorsa Tsch
202 a Crupina vulgaris Cass
203 b Cynara Scolymus L
204 a Dimorphoteca pluvialis Mönch
205 p Doronicum austriacum Jacq
206 p — caucasicum M. B.
~~207~~ p — Halleri Tsch
208 p Echinops Ritro L
209 p — sphaerocephalus L
~~210~~ p Erechites hieracifolia Raf
~~211~~ p Erigeron aurantiacus Rgl
212 a — canadensis L
~~213~~ p — uniflorus L
214 p Eupatorium cannabinum L
~~215~~ p Gaillardia aristata Pursh
~~216~~ p — — var grandiflora
217 a Galinsoga parviflora Cav
218 p Gnaphalium norvegicum Gu
~~219~~ a — silvaticum L
220 p Grindelia squarrosa Dunal
221 a Guizotia oleifera DC
222 a Helianthus annuus L
223 T p — tuberosus L
224 a Helichrysum angustifolium DC
225 a Helminthia echioides Gärt
226 p Hieracium alpinum L
227 p — aurantiacum L
228 p — intybaceum Jacq
229 p — magyricum N. P.
230 p — pilosella L
231 p — sabaudum L
~~232~~ p — staticifolium Vill
233 p — umbellatum L
234 p — villosum L
235 p Inula Helenium L
236 p — hirta L
237 p — salicina L
~~238~~ p Kentrophyllum lanatum DC
239 a Lactuca angustana All
240 p — perennis L
241 a — scariola L
242 b — virosa L
243 a Lampsana communis L
~~244~~ b Lappa tomentosa Lam
245 p Leontopodium alpinum Cass
246 p Ligularia sibirica Cass
247 a Madia sativa Mol
248 a Matricaria chamomilla L
249 p Mulgedium alpinum Cass

250 b Onopordon Acanthium L
 251 b — illyricum L
~~252~~ p Petasites niveus Bmg.
 253 p — officinalis Mönch
~~254~~ p Picris hieracioides L
 255 p Podospermum Jacquinianum
 256 p Prenanthes purpurea L [Koch
 257 p Pulicaria dysenterica Gaert
 258 p Pyrethrum caucasicum Willd
 259 p — Parthenium Sm
 260 p — roseum Bieb
 261 p Rudbeckia laciniata L
~~262~~ p — purpurea L
 263 a Sanvitalia procumbens L
 264 a Scolymus hispanicus L
 265 p Scorzonera hispanica L
~~266~~ p — humilis L
~~267~~ p — purpurea L
 268 p Senecio abrotanifolius L
 269 p — Fuchsii Gm
~~270~~ p — sudeticus DC
 271 p Serratula tinctoria L
 272 p Silphium laciniatum L
~~273~~ p — perfoliatum L
 274 a Silybum Marianum Gärt.
 275 p Solidago canadensis L
 276 p — virga aurea L
~~277~~ a Spilanthus oleracea Jacq
 278 a Tagetes patula L
 279 p Tanacetum Balsamita L
 280 p — corymbosum Schultz
 281 p — vulgare L
 282 b Tragopogon porrifolius L

283 b — pratensis v. orientalis L
 284 a Xanthium italicum Mor
 285 a — spinosum L
 286 a — Strumarium L
 287 a Xeranthemum annuum L
 288 a Zinnia elegans Jacq

Convolvulaceae.

289 a Convolvulus Scammonia L
~~290~~ p — sepium L
 291 a Cuscuta europaea L
~~292~~ p Exogonium purga Wend
~~293~~ p Ipomoea Batatas Lam
 294 a — purpurea Lam
 295 a Quamoclit coccinea Mönch

Crassulaceae.

296 p Sedum album L
 297 p — reflexum L
~~298~~ p — villosum L
 299 p Sempervivum arachnoideum L
 300 — hirtum L
 301 — montanum L
 302 — tectorum L

Cruciferae.

303 a Alliaria officinalis L
 304 p Alyssum montanum L
 305 p — saxatile L
 306 p — Wulfenianum Willd =
 = transsilvanicum Schk
 307 a Anastatica hierochuntica L
 308 p Arabis alpina L
 309 b — bellidifolia Jacq
 310 b — hirsuta Scop
 311 p — procurrens W. et K
~~312~~ b — Turrita L
~~313~~ p Aubrietia graeca Boiss
 314 p Barbarea praecox R Br
 315 p — vulgaris R Br
 316 b Berteroa incana DC
 317 p Biscutella laevigata L
 318 a Brassica nigra Koch
 319 a — Napus L oleifera annua

320 a — — L oleifera hie-
 malis Doel
 321 b — — rapifera Metzger
 322 b — oleracea L acephala DC
 323 b — — botrytis L
 324 b — — capitata L
 325 b — — gemmifera DC
 326 b — — gongylodes L
 327 b — — sabauda L
 328 a — Rapa oleif. annua Koch
 329 b — — — hiemalis Mart
 330 b — — rapifera Metzger
 331 a Bunias Erucago L
 332 p — orientalis L
 333 a Camelina sativa Crantz
~~334~~ p Cardamine amara L
 335 a — impatiens L
 336 p — resedifolia L
~~337~~ p — trifolia L
 338 b Cheiranthus Cheiri L
 339 Tp Cochlearia Armoracia L
 340 b — officinalis L
 341 p Crambe maritima L
~~342~~ p Dentaria bulbifera L
~~343~~ p — enneaphyllos L
~~344~~ p — glandulosa W et K
 345 p Diolotaxis tenuifolia DC
~~346~~ p Draba aizoides L
~~347~~ p — stellata Jacq
 348 a Eruca sativa Mill
 349 p Erysimum canescens Roth
 350 b — cheiranthoides L
 351 b—p — odoratum Ehrh

352 b—p Hesperis matronalis L
 353 b — tristis L
 354 a Iberis amara L
~~355~~ a — umbellata L
 356 b Isatis tinctoria L
~~357~~ p Kerneria saxatilis Rehb
 358 b Lepidium campestre R. Br
 359 a — ruderales L
 360 a — sativum L
 361 a Lunaria biennis Mönch
 362 p — rediviva L
 363 a Mathiola incana L
~~364~~ p Nasturtium officinale L
 365 a Neslea paniculata Desv.
~~366~~ p Peltaria alliacea L
 367 p Petrocallis pyrenaica R. Br
 368 a Raphanus sativus L oleiferus
~~369~~ p Roripa amphibia Scop
 370 a Sinapis alba L
 371 a Sisymbrium officinale Scop
 372 p — strictissimum L
 373 a Thlaspi arvense L
~~374~~ p — rotundifolium L
 375 b Turritis glabra L

Cucurbitaceae.

376 p Bryonia alba L
 377 p — dioica L
 378 a Citrullus vulgaris Schrad
 379 a Cucumis Melo L
 380 a — sativus L
 381 a Cucurbita Melopepo L
 382 a Cyclanthera explodens Naud
 383 a — pedata Schrad
 384 a Ecballium Elaterium Rich
 385 a Lagenaria vulgaris Ser
~~386~~ a Luffa cylindrica Roem
 387 a Momordica charantia L

Cyperaceae.

~~388~~ p Carex ampullacea Good
 389 p — flava L
~~390~~ p — hirta L
~~391~~ p — humilis Leysser
 392 p — muricata L
 393 p — panicea L
 394 p — paradoxa Willd
 395 p — pulicaris L
~~396~~ p — rupestris All
 397 Tp Cyperus esculentus L
~~398~~ a — flavescens L
 399 p Eriophorum polystachyum L
~~400~~ p Rhynchospora alba Vahl

- ~~437~~ p *Gentiana germanica* Willd
~~438~~ p — *verna* L
439 p *Swertia perennis* L

Dipsaceae.

- 401 p *Cephalaria alpina* Schrad
402 b *Dipsacus fullonum* Mill
403 b — *laciniatus* L
404 b — *silvestris* Mill
405 p *Knautia arvensis* Coult
406 a *Scabiosa atropurpurea* L
407 p — *caucasica* M. B
408 p — *ochrolenca* L
409 p — *stellata* L
410 p — *suaveolens* Desf.
411 p *Succisa pratensis* Mönch

Euphorbiaceae.

- ~~412~~ p *Euphorbia amygdaloides* L
413 a — *chamaesyce* L
414 p — *dulcis* L
~~415~~ p — *epithymoides* L
~~416~~ p — *fragifera* Jan
~~417~~ b — *lathyris* L
418 p — *Myrsinites* L
~~419~~ p — *palustris* L
420 p — *Paralias* L
~~421~~ p — *verrucosa* Lam
422 p — *villosa* W. et K
423 p — *Wulfeni* Hoppe
424 p — *Mercurialis perennis* L
425 a — *Ricinus communis* L

Fumariaceae.

- ~~426~~ p *Adlumia cirrhosa* Raf
~~427~~ p *Corydalis cava* Wahlb
428 p — *lutea* DC
429 Tp *Dicentra spectabilis* Borkh.
430 a *Fumaria officinalis* L
~~431~~ a *Hypecoum procumbens* L

Gentianeae.

- 432 a *Erythraea centaurium* Pers
433 p *Gentiana acaulis* L
434 p — *asclepiadea* L
~~435~~ p — *bavarica* L
436 p — *cruciata* L

Geraniaceae.

- 440 a *Erodium gruinum* L
~~441~~ p *Geranium argenteum* L
~~442~~ p — *macrorrhizum* L
443 p — *phaeum* L
444 p — *pratense* L
445 p — *sanguineum* L
446 p — *silvaticum* L

Globularieae.

- ~~447~~ p *Globularia cordifolia* L
~~448~~ p — *nudicaulis* L
449 p — *vulgaris* L

Gramineae.

- ~~450~~ p *Agrostis alba* L
451 p — *canina* L
452 p *Aira caespitosa* L
453 a *Andropogon cernuus* Kth
~~454~~ p — *Gryllus* L
455 a — *halepensis* Brot
456 p — *Ischaemum* L
457 a — *Sorghum* Brot niger
Körn
458 a — *saccharatus* Kth
459 a *Apera spica venti* P. B.
460 p *Anthoxantum odoratum* L
461 p *Arrhenatherum elatius* P. B.
462 p *Avena pubescens* Huds
463 a — *sativa* L
464 a — *sterilis* L
465 p *Bouteloua oligostachya* Torr
466 p *Brachypodium pinnatum* P. B.
467 p *Briza media* L
468 a *Bromus briziformis* Fisch et Mey
469 p — *erectus* Huds
~~470~~ p — *inermis* Leyss
471 a — *sterilis* L
~~472~~ p *Calamagrostis lanceolata* Roth
~~473~~ p *Catabrosa aquatica* P. B.
474 a *Cenchrus tribuloides* L
475 a *Coix laeryma Jobi* L
476 a *Crypsis aculeata* Ait
477 p *Cynodon dactylon* Pers
478 p *Cynosurus cristatus* L
479 a *Eleusine coracana* Gärtn
480 a — *indica* Gärtn
481 p *Elymus arenarius* L
482 a *Eragrostis abessinica* Link
483 p *Festuca pratensis* L
~~484~~ p — *rubra* L
485 p — *scoparia* Hackel v. *crinum*
ursi Ram

- 486 p *Festuca sulcata* Hackel
487 p *Holcus lanatus* L
488 a *Hordeum distichum* L
489 a — *hexastichum* L
490 p — *jubatum* L
491 a — *zeocriton* L
492 a *Lagurus ovatus* L
~~493~~ p *Lolium multiflorum* Lam
494 p — *perenne* L
495 a — *temulentum* L
496 p *Melica altissima* L
497 a — *ciliata* L
498 p *Molinia coerulea* Moench
~~499~~ p *Nardus stricta* L
500 a *Panicum italicum* v. *german.*
501 a — *miliaceum* L [Lam
502 a — *sanguinale* L
~~503~~ a *Pennisetum villosum* R. Br
504 p *Phalaris arundinacea* L
505 a — *canariensis* L
506 p *Phleum pratense* L *nodosum*
~~507~~ p *Poa bulbosa* L *vivipara*
~~508~~ p — *sudetica* Hänke
509 p *Secale montanum* Guss
~~510~~ p *Sesleria coerulea* Scop
511 p — *auctumnalis* F. Schultz
512 p *Stipa calamagrostis* Link
513 p — *capillata* L
514 p — *pennata* L
~~515~~ p — *tenacissima* L
516 a — *tortilis* Desf.
517 a *Tragus racemosus* Desf.
518 p *Trisetum flavescens* Beauv
519 a *Triticum monococcum* L
~~520~~ a — (*Aegilops*) *ovatum* Gren
~~521~~ a — — *ventricosum* Ces
~~522~~ a — *sativum* X *ovatum* A. G.
= *Aegilops triticoides* Req
523 a — *spelta* L
524 a *Zea Mais* L

Hydrocharitaceae (pl. viv.)

Potamogetoneae.

- 525 p *Elodea canadensis* Rich
526 p *Hydrocharis morsus ranae* L
~~527~~ p *Potamogeton acutifolius* Link
~~528~~ p — *crispus* L
~~529~~ p — *pusillus* L

Hydrophyllaceae.

530 a *Phacelia tanacetifolia* Benth

Hypericaceae.

531 p *Hypericum calycinum* L
~~532~~ p — *Coris* L
 533 p — *montanum* L
 534 p — *perforatum* L

Irideae.

~~535~~ Tp *Crocus sativus officinalis* L
 536 „ *Iris germanica* L
 537 „ — *graminea* L
~~538~~ „ — *Pseudacorus* L
 539 „ — *pumila* L
 540 „ — *sibirica* L
~~541~~ „ — *Xiphium* L

Juncaceae.

~~542~~ p *Juncus squarrosus* L
~~543~~ p *Luzula albida* DC
 544 p — *silvatica* Gaud

Labiatae.

~~545~~ b *Ainga chamaenitvs* Schreb
 546 p — *genevensis* L
 547 p — *reptans* L
 548 p *Ballota nigra* L
 549 p *Betonica officinalis* L
 550 p *Brunella grandiflora* Jacq
~~551~~ p *Calamintha acinos* Clairv
 552 p — *alpina* Lam
 553 p — *nepetoides* Jord
~~554~~ p *Clinopodium vulgare* L
~~555~~ p *Dracocephalum altaianse* Lam
 556 p — *austriacum* L
 557 a — *Moldavica* L
 558 a *Galeopsis tetrahit* L
~~559~~ a — *ochroleuca* Lam
 560 a — *versicolor* Curt
 561 p *Horminum pyrenaicum* L
 562 p *Hyssopus officinalis* L
~~563~~ p *Lamium album* L
~~564~~ p — *Orvala* L
 565 a *Lallemantia iberica* Fisch. et
 566 p *Leonurus Cardiacs* L [Mey
 567 p *Lycopus europaeus* L
 568 p *Marrubium peregrinum* L
 569 p — *vulgare* L
 570 p *Melissa officinalis* L
 571 p *Melittis melissophyllum* L
~~572~~ p *Mentha aquatica* L
 573 p — *pulegium* L
~~574~~ p — *silvestris* L
 575 p *Monarda digyma* L
 576 p — *fistulosa* L
 577 p *Nepeta cataria* L
 578 p — *grandiflora* M. B

579 p *Nepeta macrantha* Fisch.
 580 a *Ocimum Basilicum* L
 581 a *Origanum Majorana* L
 582 p — *vulgare* L
 583 p *Phlomis tuberosa* L
 584 p *Physostegia virginiana* Benth
~~585~~ p *Prasium majus* L
 586 p *Salvia Aethiopis* L
 587 b — *argentea* L
 588 p — *austriaca* Jacq
 589 p — *azurea* Lam
 590 p — *clandestina* L
 591 p — *cleistogama* de Bary
 592 p — *coccinea* L
 593 p — *glutinosa* L
~~594~~ p — *grandiflora* Etl
 595 p — *Horminum* L
 596 p? — *nilotica* Murr
 597 p — *officinalis* L
 598 p — *pratensis* L
 599 p — *silvestris* L
 600 p — *splendens* Sellow
 601 p — *verticillata* L
 602 a *Satureja hortensis* L
 603 a — *montana* L
 604 p *Scutellaria galericulata* L
 605 p — *macrantha* Fisch
 606 p *Sideritis montana* L
~~607~~ p *Stachys alpina* L
 608 p — *germanica* L
 609 p — *recta* L
 610 Tp — *Sieboldii* Miq = *affinis* Fres
 611 p — *silvatica* L
 612 a *Teucrium Botrys* L
 613 p — *Chamaedrys* L
~~614~~ p — *Euganeum* Vis
~~615~~ p — *flavum* L
 616 p — *Scorodonia* L

Liliaceae.

617 T *Allium ampeloprasum* L
~~618~~ T — *ascalonicum* L
~~619~~ T — *fistulosum* L
~~620~~ — *flavum* L
 621 T — *Porrum* L
 622 — *sibiricum* L
~~623~~ — *Victorialis* L
 624 — *vineale* L
 625 *Asparagus officinalis* L
~~626~~ *Asphodelus albus* Mill
 627 — *luteus* L
~~628~~ T *Colchicum autumnale* L
 629 T *Convallaria majalis* L
 630 T *Galtonia candicans* Dec
 631 T *Lilium Martagon* L
 632 T — *pardalinum* Lindl
 633 T — *tigrinum* L
 634 T *Leucojum vernum* L

635 T *Ornithogalum umbellatum* L
 636 *Paradisica Liliastrum* Bert
 637 *Paris quadrifolia* L
 638 *Polygonatum multiflorum* All
 639 — *officinale* All
~~640~~ *Streptopus amplexifolius* De
 641 *Veratrum nigrum* L

Lineae.

~~642~~ p *Linum alpinum* L
 643 p — *flavum* L
 644 p — *perenne* L
~~645~~ p — *tenuifolium* L
 646 a — *usitatissimum* L
~~647~~ p — *viscosum* L

Loasaceae, Datisceae.

648 a *Blumenbachia Hieronymi* Urb
~~649~~ a *Cajophora lateritia* Presl
 650 a *Datisca cannabina* L
 651 a *Loasa lateritia* Gill

Malvaceae.

652 a *Abutilon Avicennae* Gärtn
~~653~~ p *Althaea cannabina* L
 654 p — *officinalis* L
 655 b — *rosea* L atropurp.
 656 a *Hibiscus esculentus* L
~~657~~ a — *palustris* L
 658 a — *Trionum* L
 659 p *Kitaibelia vitifolia* Willd
~~660~~ p *Lavatera thuringiaca* L
 661 p *Malva Alcea* L
 662 a — *crispa* L
 663 p — *moschata* L
~~664~~ a — *rotundifolia* L
 665 b — *silvestris* L

Oenotherae, Lythraceae.

666 p *Circaea lutetiana* L
 667 a *Clarkia elegans* Dougl
 668 a *Cuphea viscosissima* Jacq
 669 p *Epilobium angustifolium* L
 670 p — *Dodonaei* Vill
 671 p — *hirsutum* L
~~672~~ p — *roseum* Schreb
 673 p *Lythrum Salicaria* L
 674 b *Oenothera biennis* L
 675 p — *fruticosa* L
 676 p — *missouriensis* Sims
~~677~~ p — *pumila* L
~~678~~ p — *taraxacifolia* Sweet

Oxalideae.

- | | | | |
|----------------|-----|--------|---------------------|
| 679 | T p | Oxalis | Acetosella L |
| ~~680~~ | T p | — | caprina L |
| 681 | T p | — | corniculata |
| 682 | T p | — | tetraphylla Cav |
| ~~683~~ | T p | — | valdiviensis Barn. |
| 684 | T p | — | vespertilionis Zucc |

Papaveraceae.

- 685 a Argemone grandiflora Sw
686 a — mexicana L
687 p Chelidonium majus L f. laciniata
688 a Eschscholtzia californica Cham
689 a Glaucium corniculatum Curt
690 a — flavum Crantz
~~691~~ a Hypecoum procumbens L
~~692~~ p Macleya cordata R. Br.
693 p Meconopsis cambrica L
694 p — nepalensis DC
~~695~~ p Papaver alpinum L fl. alb.
696 p — — nudicaule L
697 a — argemone L
698 p — caucasicum M. B
699 p — orientale L
700 a — Rhoëas L
701 a — somniferum L
~~702~~ p Sanguinaria canadensis L

Papilionaceae.

- ~~703~~ p Anthyllis montana Jacq
 704 p — vulneraria L
 705 p Astragalus baeticus L
 706 p — Cicer L
~~707~~ p — danicus Retz
 708 p — glycyphyllos L
 709 a Biserrula Pelecinus L
 710 p Colophaca wolgarica Fisch
 711 p Caragana arborescens Lam
 712 a Cicer arietinum L
 713 p Colutea arborescens L
~~714~~ p Coronilla Emerus L
~~715~~ p — scorpioides Koch
 716 p — varia L
 717 p Cytisus Laburnum L
~~718~~ p — leucanthus W. K.
~~719~~ p — nigricans L
~~720~~ p — purpureus Scop
 721 p — ratisbonensis Schaff
 722 a Dolichos Lablab L
 723 p Dorycnium suffruticosum Jord
 724 p Galega officinalis L
 725 p Genista germanica L
~~726~~ p — radiata Scop
~~727~~ p — sagittalis L
 728 p — tinctoria L
 729 p Glycyrrhiza echinata L
~~730~~ p — glabra L
 731 p Hedysarum obscurum L
~~732~~ p Hippocrepis comosa L
 733 p Indigofera Dosua Hamilt.

- | | | | | |
|----------------|-----|----------------|------------------|--------------------------|
| 734 | a | Lathyrus | Aphaca | L |
| 735 | p | — | montanus | Bernh |
| 736 | a | — | Nissolia | L |
| 737 | a | — | odoratus | L |
| 738 | p | — | silvester | L |
| 739 | p | — | tuberosus | L |
| 740 | p | — | vernus | Bernh |
| 741 | a | Le. s | esculenta | Moench |
| 742 | p | Lotus | corniculatus | L |
| 743 | a | Lupinus | angustifolius | L |
| ~~744~~ | a | — | luteus | L |
| 745 | p | — | perennis | L |
| 746 | p | — | polyphyllus | Lindl |
| ~~747~~ | a | Medicago | Echinus | DC |
| ~~748~~ | p | — | falcata | L |
| 749 | p | — | falcata | × sativa =
media Pers |
| 750 | a | — | minima | Desr |
| 751 | p | — | sativa | L |
| ~~752~~ | a | — | turbinata | Willd |
| 753 | b | Melilotus | officinalis | Desr |
| 754 | p | Onobrychis | sativa | Lam |
| 755 | p | Ononis | spinosa | L |
| 756 | a | Ornithopus | sativus | Brot |
| 757 | a | Phaseolus | multiflorus | Willd |
| 758 | a | Pisum | arvense | L |
| 759 | p | Sarothamnus | scoparius | Koch |
| ~~760~~ | a | Scorpiurus | vermiculatus | L |
| 761 | a | Soja | hispida | Moench |
| 762 | p | Spartium | junceum | L |
| 763 | p | Tetragonolobus | siliquosus | L |
| ~~764~~ | a | Trifolium | arvense | L |
| ~~765~~ | b | — p | Trifolium aureum | Poll |
| 766 | p | Trifolium | badium | Schreb. |
| 767 | p | — | fragiferum | L |
| 768 | p | — | hybridum | L |
| 769 | b | — | incarnatum | L |
| ~~770~~ | p | — | medium | L |
| ~~771~~ | a | — | minus | Sm |
| 772 | p | — | montanum | L |
| 773 | p | — | ochroleucum | L |
| 774 | p | — | repens | L |
| 775 | p | — | rubens | L |
| 776 | b—p | — | spadiceum | L |
| 777 | p | — | stellatum | L |
| 778 | p | — | subterraneum | L |
| 779 | a | Trigonella | coerulea | Ser |
| 780 | a | — | foenum graecum | L |
| ~~781~~ | p | Ulex | europaens | L |
| 782 | a | Vicia | Faba | L |
| ~~783~~ | a | — | lutea | L |
| 784 | a | — | narbonensis | L |
| ~~785~~ | p | — | sepium | L |
| 786 | a | Vigna | sinensis | |

Plantagineae.

- 787 p *Plantago alpina* L
788 p — *lanceolata* L
~~789~~ p — *maritima* L
790 a — *Psyllium* L

Plumbagineae.

- 791 p *Armeria alpina* Willd
792 p — *vulgaris* Willd
793 p *Plumbago europaea* L
794 p *Statice Limonium* L

Polemoniaceae.

- ~~795~~ a *Cobaea scandens* Cav
~~796~~ a *Collomia coccinea* Lehm
~~797~~ a — *grandiflora* Dougl
~~798~~ p *Phlox paniculata* L
799 p *Polemonium coeruleum* L

Polygoneae.

- | | | | | |
|----------------|---|------------------|-----------------------|----------|
| 800 | a | <i>Fagopyrum</i> | <i>esculentum</i> | Moench |
| ~~801~~ | p | <i>Polygonum</i> | <i>amphibium</i> | L |
| ~~802~~ | p | — | <i>baldschuanicum</i> | Regl |
| 803 | p | — | <i>Bistorta</i> | L |
| 804 | a | — | <i>Convolvulus</i> | L |
| ~~805~~ | p | — | <i>cuspidatum</i> | L. et Z. |
| ~~806~~ | a | — | <i>hydropiper</i> | L |
| ~~807~~ | p | — | <i>sachalinense</i> | Schmidt |
| 808 | a | — | <i>tinctorium</i> | Ait |
| ~~809~~ | a | — | <i>virginianum</i> | L |
| 810 | p | — | <i>viviparum</i> | L |
| 811 | p | <i>Rheum</i> | <i>officinale</i> | L |
| ~~812~~ | p | — | <i>palmatum</i> | L |
| 813 | p | — | <i>Rhaponticum</i> | L |
| 814 | p | <i>Rumex</i> | <i>Acetosa</i> | L |
| 815 | p | — | <i>alpinus</i> | L |
| 816 | p | — | <i>crispus</i> | L |
| 817 | p | — | <i>Hydrolapathum</i> | Huds |
| 818 | p | — | <i>maximus</i> | Schreb |
| 819 | p | — | <i>Patientia</i> | L |
| 820 | p | — | <i>sanguineus</i> | L |
| 821 | p | — | <i>scutatus</i> | L |

Primulaceae.

- ~~822~~ a *Anagallis arvensis* L
~~823~~ a — *coerulea* Schreb.
~~824~~ p — *grandiflora* Andr
~~825~~ p *Androsace lactea* L
826 b — *maxima* L
827 p — *sarmentosa* Wall
(stolones)
~~828~~ p *Cortusa Matthioli* L
829 p *Lysimachia nummularia* L
830 p — *punctata* L
~~831~~ p *Naumburgia thyrsiflora* Rehb

- 832 p *Primula acaulis* Jacq
~~833~~ p — *auricula* L
 834 p — *cortusoides* L
~~835~~ p — *hirsuta* All
~~836~~ p — *minima* L
 837 p — *officinalis* L

Ranunculaceae.

- 838 p *Aconitum Lycoctonum* L
 839 p — *Napellus* L
 840 p *Actaea spicata* L
 841 a *Adonis aestivalis* L
 842 p — *vernalis* L
~~843~~ p *Anemone alpina* L
 844 p — *grandis* Wend
~~845~~ p — *japonica* Sieb
 846 p — *narcissiflora* L
 847 p — *nigricans* Fritsch
 848 p — *pulsatilla* L
 849 p — *ranunculoides* L
 850 p — *silvestris* L
~~851~~ p — *vernalis* L
 852 p *Aquilegia atrovioacea* Lall
 853 p — *vulgaris* L
 854 p *Atragene alpina* L
 855 p *Caltha palustris* L

- 857 p — *Viticella* L
 858 p *Delphinium caucasicum* C. A. M.
 859 a — *Consolida* L
 860 p — *elatum* Willd
 861 p — *Staphysagria* L
 862 p *Eranthis hiemalis* L
 863 p *Helleborus foetidus* L
~~864~~ p — *niger* L
~~865~~ p — *viridis* L
~~866~~ p *Isopyrum thalictroides* L
 867 a *Myosurus minimus* L
 868 p *Nigella damascena* L
 869 p — *sativa* L
 870 p *Paeonia peregrina* Mill
 871 p *Ranunculus acer* L
 872 a — *arvensis* L
 873 p — *auricomus* L
 874 p — *Ficaria* L
 875 p — *gramineus* L
 876 p — *lanuginosus* L
~~877~~ p — *lingua* L
 878 p — *platanifolius* L
~~879~~ p — *polyanthemus* L
~~880~~ p — *sardous* Crantz
 881 a — *sceleratus* L
 882 p *Thalictrum angustifolium* L
 883 p — *aquilegifolium* L
 884 p — *flavum* L
 885 p — *minus* L
 886 p *Trollius europaeus* L
 887 p — *Ledebouri* Rehb.

Resedaceae.

- 888 b *Reseda luteola* L
 889 a — *odorata* L

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
~~891~~ p *Alchemilla alpina* L
 892 p — *vulgaris* L
 893 p *Amelanchier vulgaris* Mönch
~~894~~ p *Aruncus silvester* Kostel
 895 p *Comarum palustre* L
 896 p *Crataegus coccinea* L
~~897~~ p *Cydonia japonica* Pers
 898 p *Dryas octopetala* L
~~899~~ p *Eriobotrya japonica* Lindl
 900 p *Fragaria elatior* Ehrh
~~901~~ p *Geum album* Gm
 902 p — *montanum* L
 903 p — *intermedium* Ehrh
 904 p — *rivale* L
 905 p — *rubra* L
 906 p *Pirus baccata* L
 907 p *Potentilla alba* L
 908 p — *anserina* L
~~909~~ p — *argentea* L
 910 p — *atrosanguinea* Lodd
 911 p — *aurea* L
~~912~~ p — *caulescens* L
~~913~~ p — *Clusiana* L
 914 p — *pennsylvanica* L
 — *sanguisorbifolia* A. G
 915 p — *rupestris* L
 916 p *Poterium Sanguisorba* L
 917 p *Sanguisorba minor* Scop
 918 p — *officinalis* L
 919 p *Sorbus Aria* Ehrh
 920 p — *Aucuparia v. dulcis* A. G.
 921 p — *torminalis* Crantz
 922 p *Spiraea Filipendula* L
 923 p — *Ulmaria* L

Rubiaceae

- ~~924~~ p *Asperula cynanchica* L
 925 p — *odorata* L
 926 p — *tinctoria* L
~~927~~ a *Crucianella stylosa* Trin
 928 a *Galium Aparine* L
~~929~~ p — *boreale* L
 930 p — *cruciata* Scop
 931 a — *tricornis* With
 932 p — *verum* L
 933 p *Rubia tinctorum* L
~~934~~ a *Sherardia arvensis* L

Rutaceae.

- 935 p *Dictamnus albus* L
 936 p *Ruta graveolens* L

Saxifrageae.

- 937 p *Chrysosplenum alternifolium* L
 938 p *Mitella pentandra* Hook
~~939~~ p *Parnassia palustris* L
~~940~~ p *Ribes alpinum* L
~~941~~ p — *sanguineum* Pursh
 942 p *Saxifraga aizoon* L
 943 p — *Cotyledon* L
 944 T p — *granulata* L
 945 p — *rotundifolia* L

Scrophulariaceae, Bignon., Martyn.,
 Pedaliaceae, Orobanchaeae.

- 946 a *Alonzoa Warscewiczii* Regl
 947 a *Antirrhinum majus* L
 948 p — *Orontium* L
 949 a *Calceolaria scabiosaefolia* Sims
 950 p *Celsia betonicifolia* Desf
~~951~~ a *Collinsia bicolor* Benth
 952 p *Digitalis ambigua* Murr
 953 p — *ferruginea* L
 954 b-p — *lanata* Ehrh
 955 b-p — *lutea* L
 956 b — *purpurea* L
 957 a *Hebenstreitia dentata*
 958 p *Incarvillea Delavayi* Franch
~~959~~ a *Linaria alpina* Mill
 960 p — *cymbalaria* Mill
~~961~~ p — *dalmatica* Mill
 962 p — *genistifolia* Mill
~~963~~ a — *spuria* Mill
~~964~~ p — *vulgaris* Moench
~~965~~ p *Lophospermum scandens* Don
 966 a *Martynia proboscidea* L
~~967~~ b-p *Maurandia Barclayana* Lindl
 968 a *Mimulus luteus* L
 969 a *Nycteria capensis* Benth
 970 p *Pentstemon coeruleus* Nutt
~~971~~ p — *gentianoides* Lindl
~~972~~ p — *glaucus* Grah

- ~~973~~ a Salpiglossis sinuata R. P.
 974 a Schizantus pinnatus R. P.
 975 p Scrophularia nodosa L
 976 a Torenia Fournieri Linden
 977 b Verbascum Blattaria
 978 p — nigrum L
 979 b — Olympicum Boiss
 980 b — phlomoides L
 981 b — phoeniceum L
 982 b — speciosum Schrad
 983 p Veronica aphylla L
~~984~~ p — Beccabunga L
 985 p — caucasica Bieb
 986 p — chamaedrys L
 987 p — crassifolia Wierzb
 988 p — fruticulosa L
 989 p — gentianoides Vahl
 990 a — hederaefolia L
 991 p — longifolia L
~~992~~ p — lutea Wettst.
~~993~~ p — maritima L
~~994~~ p — officinalis L
 995 p — satureioides Vis
 996 p — saxatilis Scop
 997 p — Teucrium L
 998 p — urticifolia L

Solaneae.

- 999 p Atropa Belladonna L
 1000 a Capsicum annuum L
 1001 a — baccatum L
 1002 a Datura Metel L
 1003 a — Stramonium L
 1004 a — — var Tatula L
 1005 a Hyoscyamus niger L
 1006 a Nicandra physaloides Gaertn
 1007 a Nicotiana affinis Moore
 1008 a — rustica L
 1009 a — silvestris Speg
 1010 a — Tabacum L
 1011 p Physalis Alkekengi L
 1012 a — peruviana L
 1013 p Solanum Dulcamara L
 1014 a — guineense Lam
 1015 a — Melongena L

E. Tuma

Obmann.

- ~~1016~~ a Solanum nigrum L
 1017 a — rostratum Dunal

Thymeleae.

- ~~1018~~ p Daphne Laureola L
~~1019~~ p — Mezereum L
 1020 p Hippophaë rhamnoides L
~~1021~~ a Passerina annua (L)

Umbelliferae.

- 1022 a Aethusa Cynapium L
~~1023~~ p Angelica silvestris L
 1024 a Anthriscus Cerefolium Hoffm
 1025 p Archangelica officinalis Hoffm
 1026 p Astrantia major L
 1027 p Athamanta cretensis L
 1028 p Bupleurum falcatum L
~~1029~~ p — ranunculoides L
 1030 a — rotundifolium L
~~1031~~ b Carum Bulbocastanum L
 1032 b — carvi L
 1033 p Chaerophyllum aromaticum L
~~1034~~ p — hirsutum Koch
 1035 b — temulum L
 1036 p Cicuta virosa
 1037 b Conium maculatum L
 1038 a Coriandrum sativum L
 1039 p Eryngium alpinum

- 1040 p — Bourgain Gouan
 1041 p — campestre L
 1042 p — giganteum M. B
 1043 p — planum L

- 1044 b Falcaria vulgaris Bernh
 1045 a Foeniculum officinale L
~~1046~~ Tp Hacquetia Epipactis De
~~1047~~ p Heracleum giganteum Hort
 1048 p Imperatoria Ostruthium L
 1049 p Laserpitium latifolium L
~~1050~~ p Levisticum officinale Koch
 1051 p Libanotis montana Crantz
 1052 p Meum alhamanticum Jacq
~~1053~~ p — Mutellina Gaertn
 1054 a Orlaya grandiflora Hoffm
 1055 p Peucedanum alsaticum L
 1056 p — Cervaria Lap
 1057 p — Oreoselinum Moench
 1058 a Pimpinella Anisum L
 1059 p — magna L
~~1060~~ p Pleurospermum austriacum Hoffm

- 1061 p Sanicula europaea L
 1062 p Scandix pecten Veneris L
~~1063~~ p Selinum Carvifolia L
 1064 p Silaus pratensis Bess
~~1065~~ p Siler trilobum Crantz
 1066 p Sium Sisarum L
 1067 b Torilis Anthriscus Gm
 1068 b Trinia vulgaris DC

Urticaceae.

- 1069 a Cannabis sativa L
~~1070~~ Laportea canadensis Gaud
 1071 p Parietaria officinalis L
 1072 p Urtica cannabina L
 1073 a — pilulifera L

Valerianeae.

- 1074 p Centranthus ruber DC
 1075 p Valeriana officinalis L
 1076 a Valerianella olitoria Moench

Verbenaceae.

- 1077 p Verbena officinalis L

Violaceae.

- 1078 p Viola biflora L
~~1079~~ p — lutea Sm sudetica Koch
 1080 p — mirabilis L
~~1081~~ p — Riviniana Rehb

Zygophylleae.

- 1082 a Tribulus terrestris L

Prof. L. Frank

Prof. L. Frank

Gartendirektor.

Index seminum horti botanici Olomucensis pro 1907—1912.

1912.

der für den Samenaustausch in den Jahren 1907—1912 bestimmten Arten.

Communicationem desideratorum ante Kalendas Febr. rogamus.

T = tubera, bulbi, etc. (Bulbs), a = plantae annuae, b = pl. biennes. p = pl. perennes vel lignosae.

Aizoac., Basellac., Nyctag., Phytolacc., Portulacc. vide **Amarantaceae** — Bignoniac., Martyn., Pedal., Orobanch.
vide **Scrophul.** — Datisac. vide **Loasaceae** — Lythrac. vide **Oenother.**

Balsamineae.

- 22 a *Impatiens glanduligera* Lindl
23 a — *noli tangere* L
24 a — *parviflora* DC

Boragineae.

- 25 b *Alkanna tinctoria* Tsch.
26 b — *Anchusa officinalis* L
~~27~~ p *Arnebia echioides* A. DC
~~28~~ a *Asperugo procumbens* L
29 a *Borago officinalis* L
~~30~~ p *Cerinth alpeina* Kit.
31 a — *minor* L
32 b *Cynoglossum officinale* L
33 b *Echinospermum lappula* Lehm
34 b *Echium vulgare* L
35 p *Lithospermum officinale* L
~~36~~ p — *purpureo coeruleum* L
37 b *Myosotis alpestris* Schmidt
38 p *Nonnea pulla* DC
~~39~~ p *Pulmonaria obscura* Dum
~~40~~ p — *virginica* L
~~41~~ p *Symphytum caucasicum* M. B.
42 p — *tuberosum* L

Aroideae.

- 16 T p *Amorphophallus* Rivieri Dur
~~17~~ T p *Arum maculatum* L
 18 T p *Richardia albomaculata* Hook
 19 T p *Sauromatum guttatum* Schott

Asclepiadeae.

- 20 p *Asclepias syriaca* L
21 p *Cynanchum Vincetoxicum* R. Br.

Campanulaceae.

- 43 p *Adenophora liliifolia* Ledeb
~~44~~ p *Campanula barbata* L
 45 p — *carpatica* Jacq.
 46 p — *cervicaria* L
 47 p — *glomerata* L
 48 p — *latifolia* L

- | | | | | |
|----|---|-------------|------------------|---------|
| 49 | p | Campanula | persicifolia | L |
| 50 | p | — | Portenschlagiana | R.S. |
| 51 | p | — | pulla | L |
| 52 | p | — | pusilla | Hänke |
| 53 | p | — | pyramidalis | L |
| 54 | p | — | rapunculoides | L |
| 55 | p | — | sarmatica | Ker |
| 56 | p | — | Scheuchzeri | Vill |
| 57 | p | — | sibirica | L |
| 58 | p | — | spicata | L |
| 59 | p | — | thyrsoides | L |
| 60 | p | — | Trachelium | L |
| 61 | p | — | turbinata | Schott |
| 62 | p | Edraianthus | tenuifolius | DC fl. |
| 63 | b | Jasione | montana | L |
| 64 | p | — | perennis | Lam |
| 65 | b | Michauxia | campanuloides | L'Her |
| 66 | p | Phyteuma | hemisphaericum | L |
| 67 | p | — | nigrum | Schmidt |
| 68 | p | — | orbiculare | L |
| 69 | p | — | spicatum | L |
| 70 | p | Platycodon | grandiflorus | DC |
| | | | Mariesii | |
| 71 | a | Specularia | speculum | DC |

p Caprifoliaceae.

- 72 *Lonicera Caprifolium* L
73 — *Xylosteum* L
74 *Sambucus Ebulus* L
75 — *racemosa* L

Caryophylleae.

- 76 a *Agrostemma Githago* L
 77 p *Alsine juniperina* Wahlenb.
~~78~~ p — *verna* Bartl
~~79~~ p *Arenaria ciliata* L
 80 p — *grandiflora* All
~~81~~ a *Cerastium arvense* L
~~82~~ p *Cucubalus baccifer* L
 83 p *Dianthus alpinus* L
 84 p — *Armeria* L
 85 p — *barbatus* L
 86 p — *caesius* Sm.
 87 p — *carthusianorum* L
 88 p — *deltoides* L
 89 p — *plumarius* L
 90 p — *speciosus* Rehb.
 91 p — *superbus* L
 92 p *Drypis spinosa* L
 93 a *Gypsophila muralis* L
 94 p — *paniculata* L
~~95~~ p — *repens* L fl. alb.
 et ros.
 96 p *Heliosperma alpestre* (Jacq.)
~~97~~ p — *quadrifidum* (L)
 98 p *Lychnis alpina* L
 99 b — *coronaria* Lam
 100 p — *flos cuculi* L
 101 p — *flos Jovis* Lam
~~102~~ p *Malachium aquaticum* L
 103 b *Melandrium album* Gareke
 104 p — *rubrum* Gareke
~~105~~ p *Moehringia muscosa* L
~~106~~ p *Saponaria ocymoides* L
 107 p — *officinalis* L
~~108~~ p *Silene acaulis* L
 109 a — *gallica* L
 110 p? — *nemoralis* W. et K.
 111 p — *nutans* L
 112 p — *Otites* Sm.
~~113~~ p — *pumilio*
 114 p — *saxifraga* L
 115 p — *vulgaris* Gareke
 116 a *Spergula arvensis* L
 117 p *Stellaria holostea* L
 118 p *Tunica saxifraga* Scop.
 119 a *Vaccaria parviflora* Mönch
 120 p *Viscaria vulgaris* Röhl

Chenopodiaceae.

- 121 a *Atriplex hortensis* L
 122 a — *nitens* Schk.
 123 b *Beta maritima* L
 124 b — *vulgaris Cicla* L
 125 b — — *rapa altissima* L
 126 b — — *rubra* L
 127 a *Chenopodium album* L
 128 a — *ambrosioides* L
 129 p — *Bonus Henricus* L
 130 a — *capitatum* Asch
 131 a — *ficifolium* Sm.
 132 a — *foliosum* Mönch

- 133 a *Chenopodium Quinoa* Willd
 134 a *Kochia scoparia* Schrad
 135 b *Spinacia oleracea* L

Cistaceae.

- 136 p *Helianthemum polifolium* Koch
 137 p — *vulgare* Gärtn

Compositae.

- 138 p *Achillea ageratifolia* Hook
 139 p — *argentea* Vis
 140 p — *Clavennae* L
~~141~~ p — *Clusiana* Tsch
~~142~~ p — *Millefolium* L f. sude-
 tica Opiz
 143 p — *nobilis* L
~~144~~ p — *pannonica* Scheele
 145 p — *Ptarmica* L
 146 p — *tanacetifolia* All.
 147 p *Achyrophorus maculatus* Scop.
 148 p — *uniflorus* Bl. et
 Fing
 149 p *Alfredia cernua* Cass.
 150 a *Ambrosia trifida* L
 151 a *Anacyclus officinarum* Hayne
 152 p *Antennaria dioica* L
~~153~~ p *Anthemis nobilis* L
 154 p — *tinctoria* L
 155 p *Arnica montana* L
~~156~~ p *Aronicum scorpioides* Koch
 157 p *Artemisia Absinthium* L
 158 p — *Dracunculus* L
~~159~~ p — *maritima* L
 160 p — *Mutellina* L
~~161~~ p — *spicata* Wulf
 162 p *Aster alpinus* L
 163 p — *Amellus* L
 164 p — *Tripolium* L
 165 a *Bidens andicola* hort
~~166~~ a — *bipinnata* L
 167 a — *cernua* L
 168 a — *leucantha* Willd
 169 a — *tripartita* L
 170 p *Bupthalmum salicifolium* L
 171 p *Cacalia suaveolens* L
 172 a *Calendula officinalis* L
 173 b *Carduus nutans* L
~~174~~ p *Carlina acaulis* L
 175 a *Carthamus tinctorius* L
 176 b *Contaurea Calcitrapa* L
 177 a — *cyanus* L
 178 p — *macrocephala* M. B
 179 p — *montana* L
 180 p — *rhenana* Bor
 181 p — *Scabiosa* L
 182 a — *solstitialis* L
 183 a — *suaveolens* Willd
 184 p *Chamaepeuce diacantha* DC

- 185 p *Chondrilla juncea* L
 186 p *Chrysanthemum cinerariifol.*
 Bocc

- 187 a *Chrysanthemum segetum* L
 188 a *Cichorium Endivia* L
 189 p — *Intybus* L
~~190~~ p *Cirsium acaule* All
 191 p — *canum* M. B.
 192 p — *eriphorum* Scop
 193 p — *erisithales* Scop
 194 p — *ferox* DC
 195 p — *heterophyllum* All
 196 p — *oleraceum* Scop
~~197~~ p — *spinosissimum* Scop
 198 a *Coreopsis tinctoria* Nutt
~~199~~ p *Crepis aurea* Cass
~~200~~ p — *blattarioides* Vill
~~201~~ p — *praemorsa* Tsch
 202 a *Crupina vulgaris* Cass
 203 b *Cynara Scolymus* L
 204 a *Dimorphoteca pluvialis* Mönch
 205 p *Doronicum austriacum* Jacq
~~206~~ p — *caucasicum* M. B.
~~207~~ p — *Halleri* Tsch
 208 p *Echinops Ritro* L
 209 p — *sphaerocephalus* L
~~210~~ p *Erechtites hieracifolia* Raf
~~211~~ p *Erigeron aurantiacus* Rgl
 212 a — *canadensis* L
 213 p — *uniflorus* L
 214 p *Eupatorium cannabinum* L
 215 p *Gaillardia aristata* Pursh
~~216~~ p — *var grandiflora*
 217 a *Galinsoga parviflora* Cav
~~218~~ p *Gasphalium norvegicum* Gunn
~~219~~ a — *silvaticum* L
 220 p *Grindelia squarrosa* Dunal
 221 a *Guizotia oleifera* DC
 222 a *Helianthus annuus* L
 223 T p — *tuberosus* L
 224 a *Helichrysum angustifolium* DC
 225 a *Helminthia echioides* Gärt
~~226~~ p *Hieracium alpinum* L
 227 p — *aurantiacum* L
 228 p — *intybaceum* Jacq
 229 p — *magyaricum* N. P.
 230 p — *pilosella* L
 231 p — *sabaudum* L
~~232~~ p — *staticifolium* Vill
 233 p — *umbellatum* L
 234 p — *villosum* L
 235 p *Inula Helenium* L
~~236~~ p — *hirta* L
 237 p — *salicina* L
 238 p *Kentrophyllum lanatum* DC
 239 a *Lactuca angustana* All
 240 p — *perennis* L
 241 a — *scariola* L
 242 b — *virosa* L
 243 a *Lampsana communis* L
~~244~~ b *Lappa tomentosa* Lam
 245 p *Leontopodium alpinum* Cass
 246 p *Ligularia sibirica* Cass
 247 a *Madia sativa* Mol
 248 a *Matricaria chamomilla* L
 249 p *Mulgedium alpinum* Cass

- 250 b Onopordon Acanthium L
251 b — illyricum L
252 p Petasites niveus Bmg.
253 p — officinalis Mönch
254 p Picris hieracioides L
255 p Podospermum Jacquinianum
256 p Prenanthes purpurea L [Koch]
257 p Pulicaria dysenterica Gaert
258 p Pyrethrum caucasicum Willd
259 p — Parthenium Sm
260 p — roseum Bieb
261 p Rudbeckia laciniata L
262 p — purpurea L
~~263~~ a Sanvitalia procumbens L
264 a Scolymus hispanicus L
265 p Scorzonera hispanica L
~~266~~ p — humilis L
~~267~~ p — purpurea L
268 p Senecio abrotanifolius L
269 p — Fuchsii Gm
~~270~~ p — sudeticus DC
271 p Serratula tinctoria L
272 p Silphium laciniatum L
~~273~~ p — perfoliatum L
274 a Silybum Marianum Gärt.
275 p Solidago canadensis L
276 p — virga aurea L
277 a Spilanthus oleracea Jacq
278 a Tagetes patula L
279 p Tanacetum Balsamita L
280 p — corymbosum Schultz
281 p — vulgare L
282 b Tragopogon porrifolius L
283 b — pratensis v. orientalis L
284 a Xanthium italicum Mor
285 a — spinosum L
~~286~~ a — Strumarium L
287 a Xeranthemum annuum L
288 a Zinnia elegans Jacq

Arnica longifolia

Aster californicus

Aster Nov/ Belgii L.

Hieracium praecoxum Willd.

Hieracium silesiacum Krse.

Inula coniza D.C.

Lecanodon hispidus L.

Lappa major Gaertn.

Senecio Jacobaea L.

Tussilago Farfara L.

Convolvulaceae.

- ~~289~~ a Convolvulus Scammonia L
~~290~~ p — sepium L
291 a Cuscuta europaea L
~~292~~ p Exogonium purga Wend
~~293~~ p Ipomoea Batatas Lam
294 a — purpurea Lam
295 a Quamoclit coccinea Mönch

Convolvulus sicularis

Crassulaceae.

- 296 p Sedum album L
297 p — reflexum L
~~298~~ p — villosum L
299 p Sempervivum arachnoideum L
300 — hirtum L
301 — montanum L
302 — tectorum L

Cruciferae.

- 303 a Alliaria officinalis L
304 p Alyssum montanum L
305 p — saxatile L
306 p — Wulfenianum Willd =
= transsilvanicum Schk
~~307~~ a Anastatica hierochuntica L
308 p Arabis alpina L
309 b — bellidifolia Jacq
310 b — hirsuta Scop
311 p — procurrens W. et K
~~312~~ b — Turrita L
~~313~~ p Aubrietia graeca Boiss
314 p Barbarea praecox R Br
315 p — vulgaris R Br
316 b Berteroa incana DC
317 p Biscutella laevigata L
318 a Brassica nigra Koch
319 a — Napus L oleifera annua
Koch

- ~~320~~ a — — L oleifera hie-
malis Doel
321 b — — rapifera Metzger
322 b — oleracea L acephala DC
323 b — — botrytis L
324 b — — capitata L
325 b — — gemmifera DC
326 b — — gongylodes L
327 b — — sabauda L
~~328~~ a — Rapa oleif. annua Koch
329 b — — hiemalis Mart
~~330~~ b — — rapifera Metzger

- 331 a Bunias Erucago L
332 p — orientalis L
333 a Camelina sativa Crantz
~~334~~ p Cardamine amara L
335 a — impatiens L
336 p — resedifolia L
~~337~~ p — trifolia L

- 338 b Cheiranthus Cheiri L
339 Tp Cochlearia Armoracia L
340 b — officinalis L
341 p Crambe maritima L
~~342~~ p Dentaria bulbifera L.
~~343~~ p — enneaphyllos L
~~344~~ p — glandulosa W et K
~~345~~ p Diplotaxis tenuifolia DC
346 p Draba aizoides L
~~347~~ p — stellata Jacq
348 a Eruca sativa Mill
349 p Erysimum canescens Roth
350 b — cheiranthoides L
351 b—p — odoratum Ehrh

- 352 b—p Hesperis matronalis L
353 b — tristis L
354 a Iberis amara L
355 a — umbellata L
356 b Isatis tinctoria L
357 p Kerneria saxatilis Rehb
358 b Lepidium campestre R. Br
359 a — ruderales L
360 a — sativum L
361 a Lunaria biennis Mönch
362 p — rediviva L
363 a Mathiola incana L
~~364~~ p Nasturtium officinale L
365 a Neslea paniculata Desv.
366 p Peltaria alliacea L
~~367~~ p Petrocallis pyrenaica R. Br
368 a Raphanus sativus L oleiferus
~~369~~ p Roripa amphibia Scop
370 a Sinapis alba L
371 a Sisymbrium officinale Scop
372 p — strictissimum L
373 a Thlaspi arvense L
374 p — rotundifolium L
375 b Turritis glabra L

Alyssum argenteum All.

Sinapis arvensis L.

Thlaspi montanum L.

Thlaspi praecox Wulf.

Cucurbitaceae.

- 376 p Bryonia alba L
377 p — dioica L
378 a Citrullus vulgaris Schrad
379 a Cucumis Melo L
380 a — sativus L
381 a Cucurbita Melopepo L
382 a Cyclanthera explodens Naud
383 a — pedata Schrad
384 a Ecballium Elaterium Rich
385 a Lagenaria vulgaris Ser
386 a Luffa cylindrica Roem
387 a Momordica charantia L

Momordica Balsamina L.

Sicyos edulis Jacq.

Cyperaceae.

- ~~388~~ p Carex ampullacea Good
389 p — flava L
~~390~~ p — hirta L
~~391~~ p — humilis Leysser
392 p — muricata L
393 p — panicea L
394 p — paradoxa Willd
395 p — pulicaris L
~~396~~ p — rupestris All
397 Tp Cyperus esculentus L
~~398~~ a — flavescens L
~~399~~ p Eriophorum polystachyum L
~~400~~ p Rhynchospora alba Vahl

Carex curvula All.

Carex cyperoides L.

Carex ferruginea L.

Carex paniculata L.

Dipsaceae.

- 401 p *Cephalaria alpina* Schrad
402 b *Dipsacus fullonum* Mill
403 b — *laciniatus* L
404 b — *silvestris* Mill
405 p *Knautia arvensis* Coult
406 a *Scabiosa atropurpurea* L
407 p — *caucasica* M. B
408 p — *ochroleuca* L
409 p — *stellata* L
410 p — *suaveolens* Desf.
411 p *Succisa pratensis* Mönch

Scabiosa lucida Vill.

Euphorbiaceae.

- ~~412~~ p *Euphorbia amygdaloides* L
413 a — *chamaesyce* L
414 p — *dulcis* L
~~415~~ p — *epithymoides* L
~~416~~ p — *fragifera* Jan
417 b — *lathyris* L
418 p — *Myrsinites* L
~~419~~ p — *palustris* L
~~420~~ p — *Paralias* L
~~421~~ p — *verrucosa* Lam
422 p — *villosa* W. et K
~~423~~ p — *Wulfeni* Hoppe
~~424~~ p — *Mercurialis perennis* L
425 a — *Ricinus communis* L

Euphorbia Cyparissias L.

Euphorbia helioscopia L.

Fumariaceae.

- 426 p *Adlumia cirrhosa* Raf
~~427~~ p *Corydalis cava* Wahlb
428 p — *lutea* DC
~~429~~ T p *Dicentra spectabilis* Borkh.
430 a *Fumaria officinalis* L
~~431~~ a *Hypecoum procumbens* L

Gentianeae.

- ~~432~~ a *Erythraea centaurium* Pers
433 p *Gentiana acaulis* L
434 p — *asclepiadea* L
~~435~~ p — *bavarica* L
436 p — *cruciata* L

~~437~~ p *Gentiana germanica* Willd

~~438~~ p — *verna* L

439 p *Swertia perennis* L

Geraniaceae.

- 440 a *Erodium gruinum* L
~~441~~ p *Geranium argenteum* L
442 p — *macrorrhizum* L
443 p — *phaeum* L
444 p — *pratense* L
445 p — *sanguineum* L
446 p — *silvaticum* L

Globularieae.

- ~~447~~ p *Globularia cordifolia* L
~~448~~ p — *nudicaulis* L
449 p — *vulgaris* L

Gramineae.

- ~~450~~ p *Agrostis alba* L
~~451~~ p — *canina* L
452 p *Aira caespitosa* L
453 a *Andropogon cernuus* Kth
~~454~~ p — *Gryllus* L
~~455~~ a — *halepensis* Brot
456 p — *Ischaemum* L
457 a — *Sorghum Brot niger* Körn
458 a — *saccharatus* Kth
459 a *Apera spica venti* P. B.
460 p *Anthoxantum odoratum* L
461 p *Arrhenatherum elatius* P. B.
462 p *Avena pubescens* Huds
463 a — *sativa* L
464 a — *sterilis* L
465 p *Bouteloua oligostachya* Torr
466 p *Brachypodium pinnatum* P. B.
467 p *Briza media* L
468 a *Bromus briziformis* Fisch et Mey
~~469~~ p — *erectus* Huds
470 p — *inermis* Leyss
471 a — *sterilis* L
~~472~~ p *Calamagrostis lanceolata* Roth
~~473~~ p *Catabrosa aquatica* P. B.
474 a *Cenchrus tribuloides* L
475 a *Coix lacryma Jobi* L
476 a *Crypsis aculeata* Ait
477 p *Cynodon dactylon* Pers
478 p *Cynosurus cristatus* L
479 a *Eleusine coracana* Gärtn
480 a — *indica* Gärtn
481 p *Elymus arenarius* L
482 a *Eragrostis abessinica* Link
~~483~~ p *Festuca pratensis* L
484 p — *rubra* L
485 p — *scoparia* Hackel v. *crinum* ursi Ram

486 p *Festuca sulcata* Hackel

487 p *Holcus lanatus* L

488 a *Hordeum distichum* L

489 a — *hexastichum* L

490 p — *jubatum* L

491 a — *zeocriton* L

492 a *Lagurus ovatus* L

493 p *Lolium multiflorum* Lam

~~494~~ p — *perenne* L

495 a — *temulentum* L

496 p *Melica altissima* L

497 a — *ciliata* L

~~498~~ p *Molinia coerulea* Moench

499 p *Nardus stricta* L

500 a *Panicum italicum* v. *german.*

501 a — *miliaceum* L [Lam

502 a — *sanguinale* L

503 a *Pennisetum villosum* R. Br

504 p *Phalaris arundinacea* L

505 a — *canariensis* L

506 p *Phleum pratense* L *nodosum*

507 p *Poa bulbosa* L *vivipara*

~~508~~ p — *sudetica* Hänke

509 p *Secale montanum* Guss

510 p *Sesleria coerulea* Scop

511 p — *auctumnalis* F. Schultz

~~512~~ p *Stupa calamagrostis* Link

513 p — *capillata* L

514 p — *pennata* L

~~515~~ p — *tenacissima* L

516 a — *tortilis* Desf.

517 a *Tragus racemosus* Desf.

518 p *Trisetum flavescens* Beauv

519 a *Triticum monococcum* L

520 a — (*Aegilops*) *ovatum* Gren

~~521~~ a — *ventricosum* Ces.

522 a — *sativum* × *ovatum* A. G.

= *Aegilops triticoides* Req

523 a — *spelta* L

524 a *Zea Mais* L

Agrostis nebulosa Bois.

Avena pratensis L.

Avenastrum planiculmis Schrd.

Briza maxima L.

Bromus secalinus L.

Dactylis glomerata L.

Hordeum murinum L.

Oryza sativa Lin.

Panicum Crus galli L.

Setaria italica PB.

Hydrocharitaceae (pl. viv.)

Potamogetoneae.

- 525 p *Elodea canadensis* Rich
526 p *Hydrocharis morsus ranae* L
~~527~~ p *Potamogeton acutifolius* Link
~~528~~ p — *crispus* L
~~529~~ p — *pusillus* L
Alisma plantago L.

Hydrophyllaceae.

530 a Phacelia tanacetifolia Benth

Hypericaceae.

531 p Hypericum calycinum L
532 p — Coris L
533 p — montanum L
534 p — perforatum L

Hypericum hirsutum L.

Irideae.

~~535~~ Tp Crocus sativus officinalis L
536 „ Iris germanica L
537 „ — graminea L
538 „ — Pseudacorus L
539 „ — pumila L
540 „ — sibirica L
~~541~~ „ — Xiphium L

Iris lutea

Juncaceae.

~~542~~ p Juncus squarrosus L
543 p Luzula albida DC
544 p — silvatica Gaud

Luzula nivea DC.

Luzula pilosa Willd.

Labiatae.

~~545~~ b Ajuga chamaepitys Schreb
~~546~~ p — genevensis L
547 p — reptans L
548 p Ballota nigra L
549 p Betonica officinalis L
550 p Brunella grandiflora Jacq
551 p Calamintha acinos Clairv
552 p — alpina Lam
553 p — nepetoides Jord
554 p Clinopodium vulgare L
555 p Dracocephalum altaense Lam
556 p — austriacum L
557 a — Moldavica L
558 a Galeopsis tetrahit L
~~559~~ a — ochroleuca Lam
560 a — versicolor Curt
561 p Horminum pyrenaicum L
562 p Hyssopus officinalis L
563 p Lamium album L
~~564~~ p — Orvala L
565 a Lallelantia iberica Fisch. et
566 p Leonurus Cardiaea L [Mey
567 p Lycopus europaeus L
568 p Marrubium peregrinum L
569 p — vulgare L
570 p Melissa officinalis L
571 p Melittis melissophyllum L
~~572~~ p Mentha aquatica L
573 p — pulegium L
574 p — silvestris L
575 p Monarda digyma L
576 p — fistulosa L
577 p Nepeta cataria L
578 p — grandiflora M. B

579 p Nepeta macrantha Fisch.
580 a Ocimum Basilicum L
581 a Origanum Majorana L
582 p — vulgare L
583 p Phlomis tuberosa L
584 p Physostegia virginiana Benth
~~585~~ p Prasium majus L
586 p Salvia Aethiopis L
587 b — argentea L
588 p — austriaca Jacq
589 p — azurea Lam
590 p — clandestina L
591 p — cleistogama de Bary
592 p — coccinea L
593 p — glutinosa L
~~594~~ p — grandiflora Etl
595 p — Horminum L
596 p? — nilotica Murr
597 p — officinalis L
598 p — pratensis L
599 p — silvestris L
600 p — splendens Sellow
601 p — verticillata L
602 a Satureja hortensis L
603 a — montana L
604 p Scutellaria galericulata L
605 p — macrantha Fisch
606 p Sideritis montana L
607 p Stachys alpina L
608 p — germanica L
609 p — recta L
610 Tp — Sieboldii Miq = affinis
Fres

611 p — silvatica L
612 a Teucrium Botrys L
613 p — Chamaedrys L
~~614~~ p — Euganeum Vis
~~615~~ p — flavum L
616 p — Scorodonia L

Glechoma hederacea L.

Mentha piperita L.

Phlomis cashmeriana Royle.

Salvia nemorosa L.

Thymus vulgaris L.

Liliaceae.

617 T Allium ampeloprasum L
618 T — ascalonicum L
619 T — fistulosum L
~~620~~ — flavum L
621 T — Porrum L
622 — sibiricum L
623 — Victorialis L
624 — vineale L
625 Asparagus officinalis L
~~626~~ Asphodelus albus Mill
627 — luteus L
628 T Colchicum autumnale L
629 T Convallaria majalis L
630 T Galtonia candicans Dec.
631 T Lilium Martagon L
632 T — pardalinum Lindl
~~633~~ T — tigrinum L
634 T Leucojum vernum L

635 T Ornithogalum umbellatum L
636 Paradisia Liliastrum Bert
637 Paris quadrifolia L
638 Polygonatum multiflorum All
639 — officinale All
640 Streptopus amplexifolius De
641 Veratrum nigrum L

Allium Schoenoprasum L.

Allium ursinum L.

Anthericum ramosum L.

Leucojum aestivum L.

Lineae.

642 p Linum alpinum L
643 p — flavum L
644 p — perenne L
~~645~~ p — tenuifolium L
646 a — usitatissimum L
~~647~~ p — viscosum L

Loasaceae, Datisceae.

648 a Blumenbachia Hieronymi Urb
~~649~~ a Cajophora lateritia Presl
650 a Datisca cannabina L
651 a Loasa lateritia Gill

Malvaceae.

~~652~~ a Abutilon Avicennae Gärtn
653 p Althaea cannabina L
654 p — officinalis L
655 b — rosea L atropurp.
656 a Hibiscus esculentus L
~~657~~ a — palustris L
658 a — Trionum L
659 p Kitaibelia vitifolia Willd
660 p Lavatera thuringiaca L
~~661~~ p Malva Alcea L
662 a — crispa L
663 p — moschata L
664 a — rotundifolia L
665 b — silvestris L

Oenotheraeae, Lythraceae.

~~666~~ p Circaea lutetiana L
~~667~~ a Clarkia elegans Dougl
~~668~~ a Cuphea viscosissima Jacq
669 p Epilobium angustifolium L
670 p — Dodonaei Vill
671 p — hirsutum L
672 p — roseum Schreb
673 p Lythrum Salicaria L
674 b Oenothera biennis L
675 p — fruticosa L
~~676~~ p — missouriensis Sims
677 p — pumila L
~~678~~ p — taraxacifolia Sweet

Chamaenerion Fleischeri Fritsch.

Oxalideae.

- | | | | |
|----------------|-----|--------|---------------------|
| 679 | T p | Oxalis | Acetosella L |
| ~~680~~ | T p | — | caprina L |
| 681 | T p | — | corniculata |
| 682 | T p | — | tetraphylla Cav |
| ~~683~~ | T p | — | valdiviensis Barn. |
| 684 | T p | — | vespertilionis Zucc |

Papaveraceae.

- 685 a Argemone grandiflora Sw
686 a — mexicana L
687 p Chelidonium majus L f. laciniata
688 a Eschscholtzia californica Cham
689 a Glaucium corniculatum Curt
690 a — flavum Crantz
~~691 a Hypecoum procumbens L~~
~~692 p Macleya cordata R. Br.~~
693 p Meconopsis cambrica L
~~694 p — nepalensis DC~~
~~695 p Papaver alpinum L fl. alb.~~
696 p — — nudicaule L
697 a — argemone L
698 p — caucasicum M. B
699 p — orientale L
700 a — Rhoeas L
701 a — somniferum L
~~702 p Sanguinaria canadensis L~~

Papilionaceae.

- ~~703~~ p Anthyllis montana Jacq
704 p — vulneraria L
705 p Astragalus baeticus L
706 p — Cicer L
707 p — danicus Retz
708 p — glycyphyllos L
709 a Biserrula Pelecinus L
710 p Colophaca wolgarica Fisch
711 p Caragana arborescens Lam
712 a Cicer arietinum L
713 p Colutea arborescens L
~~714~~ p Coronilla Emerus L
~~715~~ p — scorpioides Koch
716 p — varia L
717 p Cytisus Laburnum L
~~718~~ p — leucanthus W. K.
~~719~~ p — nigricans L
~~720~~ p — purpureus Scop
721 p — ratisbonensis Schöff
~~722~~ a Dolichos Lablab L
723 p Doryenium suffruticosum Jord
724 p Galega officinalis L
725 p Genista germanica L
~~726~~ p — radiata Scop
~~727~~ p — sagittalis L
~~728~~ p — tinctoria L
729 p Glycyrrhiza echinata L
~~730~~ p — glabra L
731 p Hedysarum obscurum L
732 p Hippocrepis comosa L
733 p Indigofera Dosua Hamilt.

- | | | | | |
|----------------|-----|----------------|------------------|--------------------------|
| 734 | a | Lathyrus | Aphaca | L |
| 735 | p | — | montanus | Bernh |
| 736 | a | — | Nissolia | L |
| 737 | a | — | odoratus | L |
| 738 | p | — | silvester | L |
| 739 | p | — | tuberosus | L |
| 740 | p | — | vernus | Bernh |
| 741 | a | Le.s | esculenta | Moench |
| 742 | p | Lotus | corniculatus | L |
| 743 | a | Lupinus | angustifolius | L |
| 744 | a | — | luteus | L |
| 745 | p | — | perennis | L |
| 746 | p | — | polyphyllus | Lindl |
| ~~747~~ | a | Medicago | Echinus | DC |
| ~~748~~ | p | — | falcata | L |
| 749 | p | — | falcata | × sativa =
media Pers |
| 750 | a | — | minima | Desr |
| 751 | p | — | sativa | L |
| 752 | a | — | turbinata | Willd |
| 753 | b | Melilotus | officinalis | Desr |
| 754 | p | Onobrychis | sativa | Lam |
| 755 | p | Ononis | spinosa | L |
| 756 | a | Ornithopus | sativus | Brot |
| 757 | a | Phaseolus | multiflorus | Willd |
| 758 | a | Pisum | arvense | L |
| 759 | p | Sarothamnus | scoparius | Koch |
| 760 | a | Scorpiurus | vermiculatus | L |
| ~~761~~ | a | Soja | hispida | Moench |
| 762 | p | Spartium | junceum | L |
| 763 | p | Tetragonolobus | siliquosus | L |
| ~~764~~ | a | Trifolium | arvense | L |
| ~~765~~ | b | — p | Trifolium aureum | Poll |
| 766 | p | Trifolium | badium | Schreb. |
| 767 | p | — | fragiferum | L |
| ~~768~~ | p | — | hybridum | L |
| 769 | b | — | incarnatum | L |
| ~~770~~ | p | — | medium | L |
| ~~771~~ | a | — | minus | Sm |
| 772 | p | — | montanum | L |
| 773 | p | — | ochroleucum | L |
| 774 | p | — | repens | L |
| 775 | p | — | rubens | L |
| 776 | b—p | — | spadiceum | L |
| 777 | p | — | stellatum | L |
| 778 | p | — | subterraneum | L |
| ~~779~~ | a | Trigonella | coerulea | Ser |
| 780 | a | — | foenum graecum | L |
| 781 | p | Ulex | europaeus | L |
| 782 | a | Vicia | Faba | L |
| ~~783~~ | a | — | lutea | L |
| 784 | a | — | narbonensis | L |
| ~~785~~ | p | — | sepium | L |
| 786 | a | Vigna | sinensis | |

Ervum silvaticum Ptm.

Hedysarum multijugum Max.

Lupinus mutabilis Sweet.

Onobrychis caput galli

Scorpiurus sulcatus L.

Vicia sativa L.

Plantagineae.

- | | | | | |
|----------------|---|----------|------------|---|
| 787 | p | Plantago | alpina | L |
| 788 | p | — | lanceolata | L |
| ~~789~~ | p | — | maritima | L |
| 790 | a | — | Psyllium | L |

Plantago media L.

Plumbagineae.

- 791 p *Armeria alpina* Willd
792 p — *vulgaris* Willd
793 p *Plumbago europaea* L
794 p *Statice Limonium* L

Armeria maritima Willd.

Polemoniaceae.

- 795 a *Cobaea scandens* Cav
796 a *Collomia coccinea* Lehm
797 a — *grandiflora* Dougl
~~798~~ p *Phlox paniculata* L
799 p *Polemonium coeruleum* L

Polygoneae.

- | | | | | |
|----------------|---|-----------|----------------|----------|
| 800 | a | Fagopyrum | esculentum | Moench |
| ~~801~~ | p | Polygonum | amphibium | L |
| ~~802~~ | p | — | baldschuanicum | Regl |
| 803 | p | — | Bistorta | L |
| 804 | a | — | Convolvulus | L |
| 805 | p | — | cuspidatum | L. et Z. |
| ~~806~~ | a | — | hydropiper | L |
| ~~807~~ | p | — | sachalinense | Schmidt |
| 808 | a | — | tinctorium | Ait |
| ~~809~~ | a | — | virginianum | L |
| 810 | p | — | viviparum | L |
| 811 | p | Rheum | officinale | L |
| 812 | p | — | palmatum | L |
| 813 | p | — | Rhaponticum | L |
| 814 | p | Rumex | Acetosa | L |
| 815 | p | — | alpinus | L |
| 816 | p | — | crispus | L |
| 817 | p | — | Hydrolapathum | Huds |
| 818 | p | — | maximus | Schreb |
| 819 | p | — | Patientia | L |
| 820 | p | — | sanguineus | L |
| 821 | p | — | scutatus | L |

Rumex flexuosus Soland.

Primulaceae.

- 822 a Anagallis arvensis L
~~823~~ a — coerulea Schreb
824 p — grandiflora Andr
825 p Androsace lactea L
826 b — maxima L
827 p — sarmentosa Wall
(stolones)
~~828~~ p Cortusa Matthioli L
~~829~~ p Lysimachia nummularia L
830 p — punctata L
831 p Naumburgia thyrsoflora Rehb

- 832 p *Primula acaulis* Jacq
833 p — *auricula* L
834 p — *cortusoides* L
~~835~~ p — *hirsuta* All
~~836~~ p — *minima* L
837 p — *officinalis* L

Lysimachia vulgaris L.

Primula farinosa L.

Ranunculaceae.

- 838 p *Aconitum Lycoctonum* L
~~839~~ p — *Napellus* L
840 p *Actaea spicata* L
841 a *Adonis aestivalis* L
842 p — *vernalis* L
~~843~~ p *Anemone alpina* L
844 p — *grandis* Wend
~~845~~ p — *japonica* Sieb
846 p — *narcissiflora* L
847 p — *nigricans* Fritsch
848 p — *pulsatilla* L
849 p — *ranunculoides* L
850 p — *silvestris* L
~~851~~ p — *vernalis* L
852 p *Aquilegia atroviolacea* Lall
853 p — *vulgaris* L
854 p *Atragene alpina* L
~~855~~ p *Caltha palustris* L
~~856~~ p *Clematis recta* L
~~857~~ p — *Viticella* L
858 p *Delphinium caucasicum* C. A. M.
~~859~~ a — *Consolida* L
860 p — *elatum* Willd
861 p — *Staphysagria* L
862 p *Eranthis hiemalis* L
863 p *Helleborus foetidus* L
864 p — *niger* L
865 p — *viridis* L
866 p *Isopyrum thalictroides* L
867 a *Myosurus minimus* L
868 p *Nigella damascena* L
869 p — *sativa* L
870 p *Paeonia peregrina* Mill
871 p *Ranunculus acer* L
872 a — *arvensis* L
873 p — *auricomus* L
874 p — *Ficaria* L
875 p — *gramineus* L
876 p — *lanuginosus* L
~~877~~ p — *lingua* L
~~878~~ p — *platanifolius* L
~~879~~ p — *polyanthemus* L
880 p — *sardous* Crantz
881 a — *sceleratus* L
882 p *Thalictrum angustifolium* L
883 p — *aquilegifolium* L
884 p — *flavum* L
885 p — *minus* L
886 p *Trollius europaeus* L
887 p — *Ledebouri* Rehb.

Aconitum Anthora L.

Adonis auctumnalis L.

Anemone nemorosa L.

Aquilegia alpina L.

Delphinium nudicaule Gray.

Hepatica triloba DC.

Trollius pumilus D. Don.

Resedaceae.

888 b *Reseda luteola* L

889 a — *odorata* L

Reseda lutea L.

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
891 p *Alchemilla alpina* L
892 p — *vulgaris* L
893 p *Amelanchier vulgaris* Mönch
894 p *Aruncus silvester* Kostel
~~895~~ p *Comarum palustre* L
896 p *Crataegus coccinea* L
~~897~~ p *Cydonia japonica* Pers
898 p *Dryas octopetala* L
~~899~~ p *Eriobotrya japonica* Lindl
~~900~~ p *Fragaria elatior* Ehrh
901 p *Geum album* Gm
902 p — *montanum* L
903 p — *intermedium* Ehrh
904 p — *rivale* L
905 p — *urbanum* L
906 p *Pirus baccata* L
907 p *Potentilla alba* L
908 p — *anserina* L
~~909~~ p — *argentea* L
910 p — *atrosanguinea* Lodd
~~911~~ p — *aurea* L
~~912~~ p — *caulescens* L
913 p — *Clusiana* L
914 p — *pennsylvanica* L
— *sanguisorbifolia* A. G.
915 p — *rupestris* L
~~916~~ p *Poterium Sanguisorba* L
917 p *Sanguisorba minor* Scop
918 p — *officinalis* L
919 p *Sorbus Aria* Ehrh
~~920~~ p — *Aucuparia v. dulcis* A. G.
921 p — *torminalis* Crantz
922 p *Spiraea Filipendula* L
923 p — *Ulmaria* L

Potentilla aurea L

Potentilla alpestris Hal.

Potentilla grandiflora L.

Potentilla multifida L.

Potentilla Nevadensis L.

Potentilla recta L.

Rhodotypos kerrioides S. et Z.

Rubiaceae

- 924 p *Asperula cynanchica* L
925 p — *odorata* L
926 p — *tinctoria* L
927 a *Crucianella stylosa* Trin
928 a *Galium Aparine* L
~~929~~ p — *boreale* L
~~930~~ p — *cruciata* Scop
931 a — *tricornis* With
932 p — *verum* L
933 p *Rubia tinctorum* L
934 a *Sherardia arvensis* L

Galium Molleugo L.

Rutaceae.

- 935 p *Dictamnus albus* L
936 p *Ruta graveolens* L

Saxifrageae.

- ~~937~~ p *Chrysosplenum alternifolium* L
~~938~~ p *Mitella pentandra* Hook
~~939~~ p *Parnassia palustris* L
~~940~~ p *Ribes alpinum* L
~~941~~ p — *sanguineum* Pursh
942 p *Saxifraga aizoon* L
943 p — *Cotyledon* L
944 T p — *granulata* L
945 p — *rotundifolia* L

Saxifraga longifolia Lp.

Saxifraga trifida Suend.

Scrophulariaceae, Bignon., Martyn., Pedaliaceae, Orobanchaeae.

- 946 a *Alonzoa Warscewiczii* Regl
947 a *Antirrhinum majus* L
948 p — *Orontium* L
949 a *Calceolaria scabiosaefolia* Sims
~~950~~ p *Celsia betonicifolia* Desf
~~951~~ a *Collinsia bicolor* Benth
952 p *Digitalis ambigua* Murr
953 p — *ferruginea* L
954 b-p — *lanata* Ehrh
955 b-p — *lutea* L
956 b — *purpurea* L
957 a *Hebenstreitia dentata*
~~958~~ p *Incarvillea Delavayi* Franch
959 a *Linaria alpina* Mill
960 p — *cymbalaria* Mill
~~961~~ p — *dalmatica* Mill
962 p — *genistifolia* Mill
963 a — *spuria* Mill
~~964~~ p — *vulgaris* Moench
965 p *Lophospermum scandens* Don
966 a *Martynia proboscidea* L
967 b-p *Maurandia Barclayana* Lindl
968 a *Mimulus luteus* L
969 a *Nycterinia capensis* Benth
970 p *Pentstemon coeruleus* Nutt
~~971~~ p — *gentianoides* Lindl
~~972~~ p — *glaucus* Grah

Supplementum seminum pro

1913

Ergänzungs-Liste für

Acanthaceae. Thunbergia alata Bojer Amarantaceae. Gomphrena globosa L Amaryllideae. Amaryllis formosissima L Bignoniaceae. Eccremocarpus scaber R. et. P. Incarvillea grandiflora Spr. Campanulaceae. Campanula alliariifolia Willd. " medium L " rotundifolia Phyteuma Scheuchzeri All Symphyandra Hofmanni Pant. Caryophylleae. Cerastium lanatum Lam. Lychnis coeli rosa Desv. ~~Silene armeria L~~ " muscipula L " noctiflora L " viscosa Pers	Hieracium humile Jacq " murorum L " saxatile Jacq " setigerum Fsch Crassulaceae. Sedum dasyphyllum L Cruciferae. Aethionema saxatile R. Br. ~~Camelina microcarpa Andr.~~ Draba affinis Host Lepidium Draba L Malcolmia maritima R. Br. Rhaphanus Rhaphanistrum L Sisymbrium Sophia L Thlaspi ceratocarpum Murr Cucurbitaceae. Cucurbita Pepo L " verrucosa L Luffa acutangula Ser Cuscutaceae. Cuscuta epilinum Weih	Irideae. ~~Gladiolus communis L~~ " imbricatus L Iris spuria L Sisyrinchium Bermudianum Tournef. Juncaceae. Luzula campestris DC. " multiflora Dsf. Labiatae. Molucella laevis L Thymus angustifolius Pers Liliaceae. Anthericum Liliago L Allium montanum Schmidt Bowiea volubilis Harvey Eremurus robustus Rgl " turkestanicus Rgl Fritillaria Meleagris L Muscari comosum Mill Ornithogalum nutans L Polygonatum verticillatum All ~~Veratrum album L.~~
Chenopodiaceae. Atriplex tartaricum L Chenopodium botrys L Kochia arenaria Roth Salsola Kali L Compositae. Achillea macrophylla L " setacea W. et. K. Anacyclus pyrethrum DC ~~Bellidiastrum Michellii Cass~~ Crepis paludosa Mönch " Jacquini Tsch " grandiflora Tsch " biennis L Carduus defloratus L Catananche coerulea L Centaurea jacea L " pseudophrygia Mey Cnicus benedictus L Cosmos bipinatus Cav Eupatorium aromaticum L Filago arvensis L Helichrysum arenarium DC Hieracium bupleuroides Gmel " glaucum All " glabratum	Cyperaceae. Carex atrata L " hordeistichos Vill Scirpus maritimus L Dipsaceae. Cephalaria pilosa Gren Scabiosa graminifolia L Gentianeae. Gentiana Pneumonanthe L Geraniaceae. Erodium cicutarium L'Herit Geranium dissectum L Gramineae. Avena versicolor Vill Bromus mollis L " patulus M. u. K. " tectorum L Festuca vaginata W. u. K. Corynephorus canescens P. B. Eragrostis major Host Koeleria cristata Pers Phleum alpinum L Poa alpina L " pratensis L Zizania aquatica L	Lineae. Linum austriacum L " grandiflorum Desf. Malvaceae. ~~Anoda hastata Cav~~ Lavatera trimestris L Oenotheraeae. Lythrum virgatum L Lopezia coronata Andr Papilionaceae. Astragalus echinatus " falcatus Lam Medicago hispida macrocarpa " scorpioides Plantagineae. Plantago arenaria W. u. K " argentea Chaix " coronopus L Plumbagineae. ~~Acantholimon glumaceum Bois~~ Statice serbica Nym

Polemoniaceae.

Phlox Drummondii Hook

Primulaceae.

~~Androsace Laggeri Huet~~
" ~~chamaejasme Hst~~
Primula elatior Jacq
" ~~pannonica Kern~~
" ~~rosea Royle~~
Samolus Valerandi L.

Ranunculaceae.

Anemone hortensis L
Ranunculus Steveni Andr

Rosaceae.

Dryas Drummondii Rich
~~Potentilla minima Schlecht~~
" nivea L

Potentilla pulcherrima Lehm.
" villosa Pall
Sibbaldia cuneata Hornem

Saxifragineae.

Bergenia cordifolia A. Br.
" crassifolia Engl
Saxifraga crustata Vest
" cuneifolia L
" moschata Wulf
" Rocheliana Sternb
" sancta Grsb
" umbrosa L

Scrophularineae.

Erinus alpinus L
Gratiola officinalis L
Linaria macrocana hort
" minor Desf
Scrophularia vernalis L

Veronica latifolia L
" spicata L

Solaneae.

Scopolia carniolica Jaquin
Solanum Lycopersicum L

Tropaeolaceae.

Tropaeolum majus L
" peregrinum

Umbelliferae.

Anethum graveolens L
Bupleurum longifolium L
Daucus Carota L
Seseli annuum L
" glaucum Mneh

Valerianeae.

Valeriana montana L

Botanischer Garten Olmütz (Austria).

Index seminum horti botanici Olomucensis pro 1907—1912.



pro 1915

Generalliste

der für den Samenaustausch in den Jahren 1907—1912 bestimmten Arten.

Seminibus non praesentibus numerus deletus est. — Die gestrichenen Nummern bedeuten, daß die betreffenden Samen nicht abgegeben werden können.

Communicationem desideratorum ante Kalendas Febr. rogamus.

Wir bitten um Bekanntgabe der gewünschten Samen bis 1. März.

T = tubera, bulbi, etc. (Bulbs), a = plantae annuae, b = pl. biennes, p = pl. perennes vel lignosae.

Aizoac., Basellac., Nyctag., Phytolacc., Portulac. vide **Amarantaceae** — Bignoniac., Martyn., Pedal., Orobanch. vide **Scrophul.** — Datisac. vide **Loasaceae** — Lythrac. vide **Oenother.**

Amarantaceae, Aizoac.
Nyctag., Phytol., Portulac.

1 a *Amarantus atropurpureus* Roxb.
2 a — *caudatus* L
3 a — *paniculatus* f. *sanguinea* L
~~4 a~~ *Basella rubra* L
5 T *Boussingaultia baselloides* Kth.
6 a *Celosia cristata* L
~~7 a~~ *Claytonia perfoliata* Donn
8 a *Euxolus oleraceus* Raf.
9. a *Mesembryanthemum cristallinum* L
10 p *Mirabilis Jalapa* L
11 p *Phytolacca decandra* L
12 p — *esculenta* v. Hout.
13 a *Portulaca oleracea* L
14 a — *grandiflora* Hook
15 a *Tetragonia expansa* Murr

Aroideae.

16 Tp *Amorphophallus Rivieri* Dur
17 Tp *Arum maculatum* L
18 Tp *Richardia albomaculata* Hook
19 Tp *Sauromatum guttatum* Schott

Asclepiadeae.

20 p *Asclepias syriaca* L
21 p *Cynanchum Vincetoxicum* R. Br.

Balsamineae.

22 a *Impatiens glanduligera* Lindl
23 a — *noli tangere* L
24 a — *parviflora* DC

Boraginaceae.

25 b *Alkanna tinctoria* Tsch.
~~26 b~~ — *p Anchusa officinalis* L
~~27 p~~ *Arnebia echioides* A. DC
28 a *Asperugo procumbens* L
29 a *Borago officinalis* L
~~30 p~~ *Cerithe alpina* Kit.
31 a — *minor* L
32 b *Cynoglossum officinale* L
33 b *Echinosperrum lappula* Lehm
34 b *Echium vulgare* L
~~35 p~~ *Lithospermum officinale* L
~~36 p~~ — *purpureo coeruleum* L
37 b *Myosotis alpestris* Schmidt
~~38 p~~ *Nonnea pulla* DC
~~39 p~~ *Pulmonaria obscura* Dum
40 p — *virginica* L
~~41 p~~ *Symphytum caucasicum* M. B.
~~42 p~~ — *tuberosum* L

Pulmonaria angustifolia L

Campanulaceae.

43 p *Adenophora liliifolia* Ledeb
~~44 p~~ *Campanula barbata* L
45 p — *carpatica* Jacq.
46 p — *cervicaria* L
47 p — *glomerata* L
48 p — *latifolia* L

49 p *Campanula persicifolia* L
~~50 p~~ — *Portenschlagiana* R.S.
~~51 p~~ — *pulla* L
52 p — *pusilla* Hânke
53 p — *pyramidalis* L
54 p — *rapunculoides* L
55 p — *sarmatica* Ker
56 p — *Schenckzeri* Vill
57 p — *sibirica* L
58 p — *spicata* L
59 p — *thyrsoides* L
60 p — *Trachelium* L
61 p — *turbinata* Schott
~~62 p~~ *Edraianthus tenuifolius* DC fl.
~~63 b~~ *Jasione montana* L
~~64 p~~ — *perennis* Lam
65 b *Michauxia campanuloides* L'Her
~~66 p~~ *Phyteuma hemisphaericum* L
67 p — *nigrum* Schmidt
68 p — *orbiculare* L
69 p — *spicatum* L
70 p *Platycodon grandiflorus* DC
Mariesii
71 a *Specularia speculum* DC

Campanula medium L

Camp. patula L

Camp. rancunculoides L

p Caprifoliaceae.

72 *Lonicera Caprifolium* L
73 — *Xylosteum* L
74 *Sambucus Ebulus* L
75 — *racemosa* L

Caryophyllaceae.

- 76 a *Agrostemma Githago* L
77 p *Alsine juniperina* Wahlenb.
78 p — *verna* Bartl
~~79~~ p *Arenaria ciliata* L
80 p — *grandiflora* All
81 a *Cerastium arvense* L
82 p *Cucubalus baccifer* L
~~82~~ p *Dianthus alpinus* L
84 p — *Armeria* L
85 p — *barbatus* L
86 p — *caesius* Sm.
87 p — *carthusianorum* L
88 p — *deltoides* L
89 p — *plumarius* L
~~90~~ p — *speciosus* Rehb.
~~91~~ p — *superbus* L
~~92~~ p *Drypis spinosa* L
~~93~~ a *Gypsophila muralis* L
94 p — *paniculata* L
95 p — *repens* L fl. alb.
et ros.
96 p *Heliosperma alpestre* (Jacq.)
~~97~~ p — *quadrifidum* (L)
98 p *Lychnis alpina* L
99 b — *coronaria* Lam
100 p — *flos cuculi* L
101 p — *flos Jovis* Lam
102 p *Malachium aquaticum* L
103 b *Melandrium album* Garcke
104 p — *rubrum* Garcke
105 p *Moehringia muscosa* L
106 p *Saponaria ocymoides* L
107 p — *officinalis* L
108 p *Silene acaulis* L
109 a — *gallica* L
110 p? — *nemoralis* W. et K.
111 p — *nutans* L
112 p — *Otites* Sm.
113 p — *pumilio*
114 p — *saxifraga* L
115 p — *vulgaris* Garcke
116 a *Spergula arvensis* L
117 p *Stellaria holostea* L
118 p *Tunica saxifraga* Scop.
119 a *Vaccaria parviflora* Mönch
120 p *Viscaria vulgaris* Röhl

Agrostemma coeli rosa L.

Cerastium tomentosum L

Ceanothus lanatum L.

Chenopodiaceae.

- | | | | |
|-----|---|---------------------------|---------------------------|
| 121 | a | <i>Atriplex hortensis</i> | L |
| 122 | a | — | <i>nitens</i> Schk. |
| 123 | b | <i>Beta maritima</i> | L |
| 124 | b | — | <i>vulgaris</i> Cicla L |
| 125 | b | — | — <i>rapa altissima</i> L |
| 126 | b | — | — — <i>rubra</i> L |
| 127 | a | <i>Chenopodium album</i> | L |
| 128 | a | — | <i>ambrosioides</i> L |
| 129 | p | — | <i>Bonus Henricus</i> L |
| 130 | a | — | <i>capitatum</i> Asch |
| 131 | a | — | <i>ficifolium</i> Sm. |
| 132 | a | — | <i>foliosum</i> Mönch |

- 133 a *Chenopodium Quinoa* Willd
134 a *Kochia scoparia* Schrad
135 b *Spinacia oleracea* L

Cistaceae.

- 136 p *Helianthemum polifolium* Koch
137 p — *vulgare* Gärtn

Compositae.

- | | | | | |
|-----|---|--------------|---------------|-------------------------|
| 138 | p | Achillea | ageratifolia | Hook |
| 139 | p | — | argentea | Vis |
| 140 | p | — | Clavennae | L |
| 141 | p | — | Clusiana | Tsch |
| 142 | p | — | Millefolium | L f. sude-
tica Opiz |
| 143 | p | — | nobilis | L |
| 144 | p | — | pannonica | Scheele |
| 145 | p | — | Ptarmica | L |
| 146 | p | — | tanacetifolia | All. |
| 147 | p | Achyrophorus | maculatus | Scop. |
| 148 | p | — | uniflorus | Bl. et
Fing |

- 149 p *Alfredia cernua* Cass.
150 a *Ambrosia trifida* L
151 a *Anacyclus officinarum* Hayne
~~152~~ p *Antennaria dioica* L
153 p *Anthemis nobilis* L
154 p — *tinctoria* L
~~155~~ p *Arnica montana* L
156 p *Aronicum scorpioides* Koch
157 p *Artemisia Absinthium* L
~~158~~ p — *Dracunculus* L
~~159~~ p — *maritima* L
~~160~~ p — *Mutellina* L
~~161~~ p — *spicata* Wulf
162 p *Aster alpinus* L
163 p — *Amellus* L
164 p — *Tripolium* L
~~165~~ a *Bidens andicola* hort
~~166~~ a — *bipinnata* L
167 a — *cernua* L
168 a — *leucantha* Willd
169 a — *tripartita* L

- 170 p Buphthalmum salicifolium L
~~171~~ p Cacalia suaveolens L
172 a Calendula officinalis L
173 b Carduus nutans L
~~174~~ p Carlina acaulis L
175 a Carthamus tinctorius L
176 b Contaurea Calcitrapa L
177 a — cyanus L
178 p — macrocephala M.
179 p — montana L
180 p — rhenana Bor
181 p — Scabiosa L
182 a — solstitialis L
183 a — suaveolens Willd
184 p Chamaepeuce diacantha DC

- 185 p *Chondrilla juncea* L
186 p *Chrysanthemum cinerariifol.*
Bocc
187 a *Chrysanthemum segetum* L
188 a *Cichorium Endivia* L
189 p — *Intybus* L
190 p *Cirsium acaule* All
191 p — *canum* M. B.
192 p — *eriphorum* Scop
193 p — *erisithales* Scop
194 p — *ferox* DC
195 p — *heterophyllum* All
196 p — *oleraceum* Scop
197 p — *spinosissimum* Scop
198 a *Coreopsis tinctoria* Nutt
199 p *Crepis aurea* Cass
200 p — *blattarioides* Vill
201 p — *praemorsa* Tsch
202 a *Crupina vulgaris* Cass
203 b *Cynara Scolymus* L
204 a *Dimorphoteca pluvialis* Mönch
205 p *Doronicum austriacum* Jacq
206 p — *caucasicum* M. B.
207 p — *Halleri* Tsch
208 p *Echinops Ritro* L
209 p — *sphaerocephalus* L
210 p *Erechtites hieracifolia* Raf
211 p *Erigeron aurantiacus* Rgl
212 a — *canadensis* L
213 p — *uniflorus* L
214 p *Eupatorium cannabinum* L
215 p *Gaillardia aristata* Pursh
216 p — — *var grandiflora*
217 a *Galinsoga parviflora* Cav
218 p *Gnaphalium norvegicum* Gunn
219 a — *silvaticum* L
220 p *Grindelia squarrosa* Dunal
221 a *Guizotia oleifera* DC
222 a *Helianthus annuus* L
223 T p — *tuberosus* L
224 a *Helichrysum angustifolium* DC
225 a *Helminthia echioides* Gärt
226 p *Hieracium alpinum* L
227 p — *aurantiacum* L
228 p — *intybaceum* Jacq
229 p — *magyaricum* N. P.
230 p — *pilosella* L
231 p — *sabaudum* L
232 p — *staticifolium* Vill
233 p — *umbellatum* L
234 p — *villosum* L
235 p *Inula Helenium* L
236 p — *hirta* L
237 p — *salicina* L
238 p *Kentrophyllum lanatum* DC
239 a *Lactuca angustana* All
240 p — *perennis* L
241 a — *scariola* L
242 b — *virosa* L
243 a *Lampsana communis* L
244 b *Lappa tomentosa* Lam
245 p *Leontopodium alpinum* Cass
246 p *Ligularia sibirica* Cass
247 a *Madia sativa* Mol
248 a *Matricaria chamomilla* L
249 p *Mulgedium alpinum* Cass

- 250 b Onopordon Acanthium L
 251 b — illyricum L
 252 p Petasites niveus Bmg.
 253 p — officinalis Mönch
 254 p Picris hieracioides L
 255 p Podospermum Jacquinianum
 256 p Prenanthes purpurea L [Koch
 257 p Pulicaria dysenterica Gaert
 258 p Pyrethrum caucasicum Willd
 259 p — Parthenium Sm
 260 p — roseum Bieb
 261 p Rudbeckia laciniata L
 262 p — purpurea L
 263 a Sanvitalia procumbens L
 264 a Scolymus hispanicus L
 265 p Scorzonera hispanica L
 266 p — humilis L
 267 p — purpurea L
 268 p Senecio abrotanifolius L
 269 p — Fuchsii Gm
 270 p — sudeticus DC
 271 p Serratula tinctoria L
 272 p Silphium laciniatum L
 273 p — perfoliatum L
 274 a Silybum Marianum Gärt.
 275 p Solidago canadensis L
 276 p — virga aurea L
 277 a Spilanthus oleracea Jacq
 278 a Tagetes patula L
 279 p Tanacetum Balsamita L
 280 p — corymbosum Schultz
 281 p — vulgare L
 282 b Tragopogon porrifolius L
 283 b — pratensis v. orientalis L
 284 a Xanthium italicum Mor
 285 a — spinosum L
 286 a — Strumarium L
 287 a Xeranthemum annuum L
 288 a Zinnia elegans Jacq

Convolvulaceae.

- 289 a Convolvulus Scammonia L
 290 p — sepium L
 291 a Cuscuta europaea L
 292 p Exogonium purga Wend
 293 p Ipomoea Batatas Lam
 294 a — purpurea Lam
 295 a Quamoclit coccinea Mönch

Crassulaceae.

- 296 p Sedum album L
 297 p — reflexum L
 298 p — villosum L
 299 p Sempervivum arachnoideum L
 300 — hirtum L
 301 — montanum L
 302 — tectorum L

Cruciferae.

- 303 a Alliaria officinalis L
 304 p Alyssum montanum L
 305 p — saxatile L
 306 p — Wulfenianum Willd =
 = transsilvanicum Schk
 307 a Anastatica hierochuntica L
 308 p Arabis alpina L
 309 b — bellidifolia Jacq
 310 b — hirsuta Scop
 311 p — procurrens W. et K
 312 b — Turrita L
 313 p Aubrietia graeca Boiss
 314 p Barbarea praecox R Br
 315 p — vulgaris R Br
 316 b Berteroa incana DC
 317 p Biscutella laevigata L
 318 a Brassica nigra Koch
 319 a — Napus L oleifera annua

Koch

- 320 a — — L oleifera hie-
 malis Doel
 321 b — — rapifera Metzger
 322 b — oleracea L acephala DC
 323 b — — botrytis L
 324 b — — capitata L
 325 b — — gemmifera DC
 326 b — — gongylodes L
 327 b — — sabauda L
 328 a — Rapa oleif. annua Koch
 329 b — — hiemalis Mart
 330 b — — rapifera Metzger

- 331 a Bunias Erucago L
 332 p — orientalis L
 333 a Camelina sativa Crantz

- 334 p Cardamine amara L
 335 a — impatiens L
 336 p — resedifolia L
 337 p — trifolia L

- 338 b Cheiranthus Cheiri L
 339 Tp Cochlearia Armoracia L
 340 b — officinalis L

- 341 p Crambe maritima L
 342 p Dentaria bulbifera L.
 343 p — enneaphyllos L
 344 p — glandulosa W et K

- 345 p Diplotaxis tenuifolia DC
 346 p Draba aizoides L
 347 p — stellata Jacq
 348 a Eruca sativa Mill
 349 p Erysimum canescens Roth
 350 b — cheiranthoides L
 351 b—p — odoratum Ehrh

- 352 b—p Hesperis matronalis L
 353 b — tristis L
 354 a Iberis amara L
 355 a — umbellata L
 356 b Isatis tinctoria L
 357 p Kerneria saxatilis Rchb
 358 b Lepidium campestre R. Br
 359 a — ruderales L
 360 a — sativum L
 361 a Lunaria biennis Mönch
 362 p — rediviva L
 363 a Mathiola incana L
 364 p Nasturtium officinale L
 365 a Neslea paniculata Desv.
 366 p Peltaria alliacea L
 367 p Petrocallis pyrenaica R. Br
 368 a Raphanus sativus L oleiferus
 369 p Roripa amphibia Scop
 370 a Sinapis alba L
 371 a Sisymbrium officinale Scop
 372 p — strictissimum L
 373 a Thlaspi arvense L
 374 p — rotundifolium L
 375 b Turritis glabra L

Cucurbitaceae.

- 376 p Bryonia alba L
 377 p — dioica L
 378 a Citrullus vulgaris Schrad
 379 a Cucumis Melo L
 380 a — sativus L
 381 a Cucurbita Melopepo L
 382 a Cyclanthera explodens Naud
 383 a — pedata Schrad
 384 a Ecballium Elaterium Rich
 385 a Lagenaria vulgaris Ser
 386 a Luffa cylindrica Roem
 387 a Momordica charantia L

Cyperaceae.

- 388 p Carex ampullacea Good
 389 p — flava L
 390 p — hirta L
 391 p — humilis Leysser
 392 p — muricata L
 393 p — panicea L
 394 p — paradoxa Willd
 395 p — pulicaris L
 396 p — rupestris All
 397 Tp Cyperus esculentus L
 398 a — flavescens L
 399 p Eriophorum polystachyum L
 400 p Rhynchospora alba Vahl

Dipsaceae.

- 401 p *Cephalaria alpina* Schrad
402 b *Dipsacus fullonum* Mill
403 b — *laciniatus* L
404 b — *silvestris* Mill
405 p *Knautia arvensis* Coult
406 a *Scabiosa atropurpurea* L
407 p — *caucasica* M. B
408 p — *ochroleuca* L
409 p — *stellata* L
410 p — *suaveolens* Desf.
411 p *Succisa pratensis* Mönch

Euphorbiaceae.

- 412 p *Euphorbia amygdaloides* L
413 a — *chamaesyce* L
414 p — *dulcis* L
415 p — *epithymoides* L
416 p — *fragifera* Jan
417 b — *lathyris* L
418 p — *Myrsinites* L
419 p — *palustris* L
420 p — *Paralias* L
421 p — *verrucosa* Lam
422 p — *villosa* W. et K
423 p — *Wulfeni* Hoppe
424 p — *Mercurialis perennis* L
425 a — *Ricinus communis* L

Fumariaceae.

- 426 p *Adlumia cirrhosa* Raf
427 p *Corydalis cava* Wahlb
428 p — *lutea* DC
429 T p *Dicentra spectabilis* Borkh.
430 a *Fumaria officinalis* L
431 a *Hypecoum procumbens* L

Gentianeae.

- 432 a *Erythraea centaurium* Pers
433 p *Gentiana acaulis* L
434 p — *asclepiadea* L
435 p — *bavarica* L
436 p — *cruciata* L

- 437 p *Gentiana germanica* Willd
438 p — *verna* L
439 p *Swertia perennis* L

Geraniaceae.

- 440 a *Erodium gruinum* L
441 p *Geranium argenteum* L
442 p — *macrorhizum* L
443 p — *phaeum* L
444 p — *pratense* L
445 p — *sanguineum* L
446 p — *silvaticum* L

Globularieae.

- 447 p *Globularia cordifolia* L
448 p — *nudicaulis* L
449 p — *vulgaris* L

Gramineae.

- 450 p *Agrostis alba* L
451 p — *canina* L
452 p *Aira caespitosa* L
453 a *Andropogon cernuus* Kth
454 p — *Gryllus* L
455 a — *halepensis* Brot
456 p — *Ischaemum* L
457 a — *Sorghum Brot niger*
Körn
458 a — *saccharatus* Kth
459 a *Apera spica venti* P. B.
460 p *Anthoxantum odoratum* L
461 p *Arrhenatherum elatius* P. B.
462 p *Avena pubescens* Huds
463 a — *sativa* L
464 a — *sterilis* L
465 p *Bouteloua oligostachya* Torr
466 p *Brachypodium pinnatum* P. B.
467 p *Briza media* L
468 a *Bromus briziformis* Fisch et Mey
469 p — *erectus* Huds
470 p — *inermis* Leyss
471 a — *sterilis* L
472 p *Calamagrostis lanceolata* Roth
473 p *Catabrosa aquatica* P. B.
474 a *Cenchrus tribuloides* L
475 a *Coix lacryma Jobi* L
476 a *Crypsis aculeata* Ait
477 p *Cynodon dactylon* Pers
478 p *Cynosurus cristatus* L
479 a *Eleusine coracana* Gärtn
480 a — *indica* Gärtn
481 p *Elymus arenarius* L
482 a *Eragrostis abessinica* Link
483 p *Festuca pratensis* L
484 p — *rubra* L
485 p — *scoparia* Hackel v. *crinum*
ursi Ram

- 486 p *Festuca sulcata* Hackel
487 p *Holcus lanatus* L
488 a *Hordeum distichum* L
489 a — *hexastichum* L
490 p — *jubatum* L
491 a — *zeocriton* L
492 a *Lagurus ovatus* L
493 p *Lolium multiflorum* Lam
494 p — *perenne* L
495 a — *temulentum* L
496 p *Melica altissima* L
497 a — *ciliata* L
498 p *Molinia coerulea* Moench
499 p *Nardus stricta* L
500 a *Panicum italicum* v. *german.*
501 a — *miliaceum* L [Lam
502 a — *sanguinale* L
503 a *Pennisetum villosum* R. Br
504 p *Phalaris arundinacea* L
505 a — *canariensis* L
506 p *Phleum pratense* L *nodosum*
507 p *Poa bulbosa* L *vivipara*
508 p — *sudetica* Hânke
509 p *Secale montanum* Guss
510 p *Sesleria coerulea* Scop
511 p — *auctumnalis* F. Schultz
512 p *Stipa calamagrostis* Link
513 p — *capillata* L
514 p — *pennata* L
515 p — *tenacissima* L
516 a — *tortilis* Desf.
517 a *Tragus racemosus* Desf.
518 p *Trisetum flavescens* Beauv
519 a *Triticum monococcum* L
520 a — (*Aegilops*) *ovatum* Gren
521 a — *ventricosum* Ces
522 a — *sativum* X *ovatum* A. G.
= *Aegilops triticoides* Req
523 a — *spelta* L
524 a *Zea Mais* L

Hydrocharitaceae (pl. viv.)
Potamogetoneae.

- 525 p *Elodea canadensis* Rich
526 p *Hydrocharis morsus ranae* L
527 p *Potamogeton acutifolius* Link
528 p — *crispus* L
529 p — *pusillus* L

Hydrophyllaceae.

530 a *Phacelia tanacetifolia* Benth

Hypericaceae.

~~531~~ p *Hypericum calycinum* L
532 p — *Coris* L
533 p — *montanum* L
534 p — *perforatum* L

Irideae.

~~535~~ Tp *Crocus sativus officinalis* L
536 " *Iris germanica* L
537 " — *graminea* L
538 " — *Pseudacorus* L
539 " — *pumila* L
540 " — *sibirica* L
541 " — *Xiphium* L

Juncaceae.

~~542~~ p *Juncus squarrosus* L
543 p *Luzula albida* DC
544 p — *silvatica* Gaud

Labiatae.

~~545~~ b *Ajuga chamaepitys* Schreb
546 p — *genevensis* L
547 p — *reptans* L
548 p *Ballota nigra* L
549 p *Betonica officinalis* L
550 p *Brunella grandiflora* Jacq
551 p *Calamintha acinos* Clairv
552 p — *alpina* Lam
553 p — *nepetoides* Jord
554 p *Clinopodium vulgare* L
555 p *Dracocephalum altaianse* Lam
556 p — *austriacum* L
557 a — *Moldavica* L
558 a *Galeopsis tetrahit* L
559 a — *ochroleuca* Lam
560 a — *versicolor* Curt
561 p *Horminum pyrenaicum* L
562 p *Hyssopus officinalis* L
563 p *Lamium album* L
564 p — *Orvala* L
565 a *Lallemantia iberica* Fisch. et.
566 p *Leonurus Cardiac* L [Mey
567 p *Lycopus europaeus* L
568 p *Marrubium peregrinum* L
569 p — *vulgare* L
570 p *Melissa officinalis* L
571 p *Melittis melissophyllum* L
~~572~~ p *Mentha aquatica* L
573 p — *pulegium* L
574 p — *silvestris* L
575 p *Monarda digyma* L
576 p — *fistulosa* L
577 p *Nepeta cataria* L
~~578~~ p — *grandiflora* M. B

~~579~~ p *Nepeta macrantha* Fisch.
580 a *Ocimum Basilicum* L
581 a *Origanum Majorana* L
582 p — *vulgare* L
583 p *Phlomis tuberosa* L
584 p *Physostegia virginiana* Benth
~~585~~ p *Prasium majus* L
586 p *Salvia Aethiopis* L
587 b — *argentea* L
588 p — *austriaca* Jacq
589 p — *azurea* Lam
~~590~~ p — *clandestina* L
591 p — *cleistogama* de Bary
592 p — *coccinea* L
593 p — *glutinosa* L
594 p — *grandiflora* Etl
595 p — *Horminum* L
596 p? — *nilotica* Murr
597 p — *officinalis* L
598 p — *pratensis* L
599 p — *silvestris* L
600 p — *splendens* Sellow
601 p — *verticillata* L
602 a *Satureja hortensis* L
603 a — *montana* L
604 p *Scutellaria galericulata* L
~~605~~ p — *macrantha* Fisch
606 p *Sideritis montana* L
607 p *Stachys alpina* L
608 p — *germanica* L
609 p — *recta* L
610 Tp — *Sieboldii* Miq = *affinis* Fres
611 p — *silvatica* L
612 a *Teucrium Botrys* L
613 p — *Chamaedrys* L
614 p — *Euganeum* Vis
~~615~~ p — *flavum* L
616 p — *Scorodonia* L

Liliaceae.

617 T *Allium ampeloprasum* L
618 T — *ascalonicum* L
619 T — *fistulosum* L
~~620~~ — *flavum* L
621 T — *Porrum* L
622 — *sibiricum* L
623 — *Victorialis* L
624 — *vineale* L
~~625~~ *Asparagus officinalis* L
~~626~~ *Asphodelus albus* Mill
627 — *luteus* L
628 T *Colechicum autumnale* L
629 T *Convallaria majalis* L
630 T *Galtonia candicans* Dec
631 T *Lilium Martagon* L
632 T — *pardalinum* Lindl
633 T — *tigrinum* L
634 T *Leucojum vernum* L

635 T *Ornithogalum umbellatum* L
636 *Paradisica Liliastrum* Bert
637 *Paris quadrifolia* L
638 *Polygonatum multiflorum* All
639 — *officinale* All
~~640~~ *Streptopus amplexifolius* De
641 *Veratrum nigrum* L

Lineae.

~~642~~ p *Linum alpinum* L
643 p — *flavum* L
644 p — *perenne* L
~~645~~ p — *tenuifolium* L
646 a — *usitatissimum* L
~~647~~ p — *viscosum* L

Loasaceae, Datisceae.

648 a *Blumenbachia Hieronymi* Urb
649 a *Cajophora lateritia* Presl
650 a *Datisca cannabina* L
651 a *Loasa lateritia* Gill

Malvaceae.

652 a *Abutilon Avicennae* Gärtn
653 p *Althaea cannabina* L
654 p — *officinalis* L
655 b — *rosea* L *atropurp.*
~~656~~ a *Hibiscus esculentus* L
~~657~~ a — *palustris* L
658 a — *Trionum* L
659 p *Kitaibelia vitifolia* Willd
~~660~~ p *Lavatera thuringiaca* L
661 p *Malva Alcea* L
662 a — *crispa* L
663 p — *moschata* L
~~664~~ a — *rotundifolia* L
665 b — *silvestris* L

Oenotheraeae, Lythraceae.

~~666~~ p *Circaea lutetiana* L
~~667~~ a *Clarkia elegans* Dougl
~~668~~ a *Cuphea viscosissima* Jacq
669 p *Epilobium augustifolium* L
670 p — *Dodonaei* Vill
~~671~~ p — *hirsutum* L
672 p — *roseum* Schreb
673 p *Lythrum Salicaria* L
674 b *Oenothera biennis* L
675 p — *fruticosa* L
676 p — *missouriensis* Sims
677 p — *pumila* L
~~678~~ p — *taraxacifolia* Sweet

Oxalideae.

- ~~679~~ Tp Oxalis Acetosella L
~~680~~ Tp — caprina L
~~681~~ Tp — corniculata
~~682~~ Tp — tetraphylla Cav
~~683~~ Tp — valdiviensis Barn.
~~684~~ Tp — vespertilionis Zucc

Papaveraceae.

- ~~685~~ a Argemone grandiflora Sw
~~686~~ a — mexicana L
~~687~~ p Chelidonium majus L f. laciniata
~~688~~ a Eschscholtzia californica Cham
~~689~~ a Glaucium corniculatum Curt
~~690~~ a — flavum Crautz
~~691~~ a Hypecoum procumbens L
~~692~~ p Macleya cordata R. Br.
~~693~~ p Meconopsis cambrica L
~~694~~ p — nepalensis DC
~~695~~ p Papaver alpinum L fl. alb.
~~696~~ p — — nudicaule L
~~697~~ a — argemone L
~~698~~ p — caucasicum M. B
~~699~~ p — orientale L
~~700~~ a — Rhoeas L
~~701~~ a — somniferum L
~~702~~ p Sanguinaria canadensis L

Papilionaceae.

- ~~703~~ p Anthyllis montana Jacq
~~704~~ p — vulneraria L
~~705~~ p Astragalus baeticus L
~~706~~ p — Cicer L
~~707~~ p — danicus Retz
~~708~~ p — glycyphyllos L
~~709~~ a Biserrula Pelecinus L
~~710~~ p Colophaca wolgarica Fisch
~~711~~ p Caragana arborescens Lam
~~712~~ a Cicer arietinum L
~~713~~ p Colutea arborescens L
~~714~~ p Coronilla Emerus L
~~715~~ p — scorpioides Koch
~~716~~ p — varia L
~~717~~ p Cytisus Laburnum L
~~718~~ p — leucanthus W. K.
~~719~~ p — nigricans L
~~720~~ p — purpureus Scop
~~721~~ p — ratisbonensis Schaff
~~722~~ a Dolichos Lablab L
~~723~~ p Dorycnium suffruticosum Jord
~~724~~ p Galega officinalis L
~~725~~ p Genista germanica L
~~726~~ p — radiata Scop
~~727~~ p — sagittalis L
~~728~~ p — tinctoria L
~~729~~ p Glycyrrhiza echinata L
~~730~~ p — glabra L
~~731~~ p Hedysarum obscurum L
~~732~~ p Hippocrepis comosa L
~~733~~ p Indigofera Dosua Hamilt.

- 734 a Lathyrus Aphaca L
~~735~~ p — montanus Bernh
~~736~~ a — Nissolia L
~~737~~ a — odoratus L
~~738~~ p — silvester L
~~739~~ p — tuberosus L
~~740~~ p — vernus Bernh
~~741~~ a Le. s esculenta Moench
~~742~~ p Lotus corniculatus L
~~743~~ a Lupinus angustifolius L
~~744~~ a — luteus L
~~745~~ p — perennis L
~~746~~ p — polyphyllus Lindl
~~747~~ a Medicago Echinus DC
~~748~~ p — falcata L
~~749~~ p — falcata × sativa = media Pers
~~750~~ a — minima Desr
~~751~~ p — sativa L
~~752~~ a — turbinata Willd
~~753~~ b Melilotus officinalis Desr
~~754~~ p Onobrychis sativa Lam
~~755~~ p Ononis spinosa L
~~756~~ a Ornithopus sativus Brot
~~757~~ a Phaseolus multiflorus Willd
~~758~~ a Pisum arvense L
~~759~~ p Sarothamnus scoparius Koch
~~760~~ a Scorpiurus vermiculatus L
~~761~~ a Soja hispida Moench
~~762~~ p Spartium junceum L
~~763~~ p Tetragonolobus siliquosus L
~~764~~ a Trifolium arvense L
~~765~~ b — p Trifolium aureum Poll
~~766~~ p Trifolium badium Schreb.
~~767~~ p — fragiferum L
~~768~~ p — hybridum L
~~769~~ b — incarnatum L
~~770~~ p — medium L
~~771~~ a — minus Sm
~~772~~ p — montanum L
~~773~~ p — ochroleucum L
~~774~~ p — repens L
~~775~~ p — rubens L
~~776~~ b—p — spadiceum L
~~777~~ p — stellatum L
~~778~~ p — subterraneum L
~~779~~ a Trigonella coerulea Ser
~~780~~ a — foenum graecum L
~~781~~ p Ulex europaeus L
~~782~~ a Vicia Faba L
~~783~~ a — lutea L
~~784~~ a — narbonensis L
~~785~~ p — sepium L
~~786~~ a Vigna sinensis

Plantagineae.

- 787 p Plantago alpina L
~~788~~ p — lanceolata L
~~789~~ p — maritima L
~~790~~ a — Psyllium L

Plumbagineae.

- 791 p Armeria alpina Willd
~~792~~ p — vulgaris Willd
~~793~~ p Plumbago europaea L
~~794~~ p Statice Limonium L

Polemoniaceae.

- 795 a Cobaea scandens Cav
~~796~~ a Collomia coccinea Lehm
~~797~~ a — grandiflora Dougl
~~798~~ p Phlox paniculata L
~~799~~ p Polemonium coeruleum L

Polygoneae.

- 800 a Fagopyrum esculentum Moench
~~801~~ p Polygonum amphibium L
~~802~~ p — baldschuanicum Regel
~~803~~ p — Bistorta L
~~804~~ a — Convolvulus L
~~805~~ p — cuspidatum L. et Z.
~~806~~ a — hydropiper L
~~807~~ p — sachalinense Schmidt
~~808~~ a — tinctorium Ait
~~809~~ a — virginianum L
~~810~~ p — viviparum L
~~811~~ p Rheum officinale L
~~812~~ p — palmatum L
~~813~~ p — Rhaponticum L
~~814~~ p Rumex Acetosa L
~~815~~ p — alpinus L
~~816~~ p — crispus L
~~817~~ p — Hydrolapathum Huds
~~818~~ p — maximus Schreb
~~819~~ p — Patientia L
~~820~~ p — sanguineus L
~~821~~ p — scutatus L

Primulaceae.

- 822 a Anagallis arvensis L
~~823~~ a — coerulea Schreb
~~824~~ p — grandiflora Andr
~~825~~ p Androsace lactea L
~~826~~ b — maxima L
~~827~~ p — sarmentosa Wall (stolones)
~~828~~ p Cortusa Matthioli L
~~829~~ p Lysimachia nummularia L
~~830~~ p — punctata L
~~831~~ p Naumburgia thyrsiflora Rehb

- 832 p *Primula acaulis* Jacq
 833 p — *auricula* L
 834 p — *cortusoides* L
 835 p — *hirsuta* All
 836 p — *minima* L
 837 p — *officinalis* L

Ranunculaceae.

- 838 p *Aconitum Lycoctonum* L
 839 p — *Napellus* L
 840 p *Actaea spicata* L
 841 a *Adonis aestivalis* L
 842 p — *vernalis* L
 843 p *Anemone alpina* L
 844 p — *grandis* Wend
 845 p — *japonica* Sieb
 846 p — *narcissiflora* L
 847 p — *nigricans* Fritsch
 848 p — *pulsatilla* L
 849 p — *ranunculoides* L
 850 p — *silvestris* L
 851 p — *vernalis* L
 852 p *Aquilegia atrovioacea* Lall
 853 p — *vulgaris* L
 854 p *Atragene alpina* L
 855 p *Caltha palustris* L
 856 p *Clematis recta* L
 857 p — *Viticella* L
 858 p *Delphinium caucasicum* C. A. M.
 859 a — *Consolida* L
 860 p — *elatum* Willd
 861 p — *Staphysagria* L
 862 p *Eranthis hiemalis* L
 863 p *Helleborus foetidus* L
 864 p — *niger* L
 865 p — *viridis* L
 866 p *Isopyrum thalictroides* L
 867 a *Myosurus minimus* L
 868 p *Nigella damascena* L
 869 p — *sativa* L
 870 p *Paeonia peregrina* Mill
 871 p *Ranunculus acer* L
 872 a — *arvensis* L
 873 p — *auricomus* L
 874 p — *Ficaria* L
 875 p — *gramineus* L
 876 p — *lanuginosus* L
 877 p — *lingua* L
 878 p — *platanifolius* L
 879 p — *polyanthemus* L
 880 p — *sardous* Crantz
 881 a — *sceleratus* L
 882 p *Thalictrum angustifolium* L
 883 p — *aquilegifolium* L
 884 p — *flavum* L
 885 p — *minus* L
 886 p *Trollius europaeus* L
 887 p — *Ledebouri* Rehb.

Resedaceae.

- 888 b *Reseda luteola* L
 889 a — *odorata* L

Rosaceae.

- 890 p *Agrimonia Eupatoria* L
 891 p *Alchemilla alpina* L
 892 p — *vulgaris* L
 893 p *Amelanchier vulgaris* Mönch
 894 p *Aruncus silvester* Kostel
 895 p *Comarum palustre* L
 896 p *Crataegus coccinea* L
 897 p *Cydonia japonica* Pers
 898 p *Dryas octopetala* L
 899 p *Eriobotrya japonica* Lindl
 900 p *Fragaria elatior* Ehrh
 901 p *Geum album* Gm
 902 p — *montanum* L
 903 p — *intermedium* Ehrh
 904 p — *rivale* L
 905 p — *urbanum* L
 906 p *Pirus baccata* L
 907 p *Potentilla alba* L
 908 p — *anserina* L
 909 p — *argentea* L
 910 p — *atrosanguinea* Lodd
 911 p — *aurea* L
 912 p — *caulescens* L
 913 p — *Clusiana* L
 914 p — *pennsylvanica* L
 sanguisorbifolia A. G.
 915 p — *rupestris* L
 916 p *Poterium Sanguisorba* L
 917 p *Sanguisorba minor* Scop
 918 p — *officinalis* L
 919 p *Sorbus Aria* Ehrh
 920 p — *Aucuparia v. dulcis* A. G.
 921 p — *torminalis* Crantz
 922 p *Spiraea Filipendula* L
 923 p — *Ulmaria* L

Rubiaceae

- 924 p *Asperula cynanchica* L
 925 p — *odorata* L
 926 p — *tinctoria* L
 927 a *Crucianella stylosa* Trin
 928 a *Galium Aparine* L
 929 p — *boreale* L
 930 p — *cruciata* Scop
 931 a — *tricornis* With
 932 p — *verum* L
 933 p *Rubia tinctorum* L
 934 a *Sherardia arvensis* L

Rutaceae.

- 935 p *Dictamnus albus* L
 936 p *Ruta graveolens* L

Saxifrageae.

- 937 p *Chrysosplenium alternifolium* L
 938 p *Mitella pentandra* Hook
 939 p *Parnassia palustris* L
 940 p *Ribes alpinum* L
 941 p — *sanguineum* Pursh
 942 p *Saxifraga aizoon* L
 943 p — *Cotyledon* L
 944 T p — *granulata* L
 945 p — *rotundifolia* L

**Scrophularieae, Bignon., Martyn.,
Pedaliaceae, Orobanchae.**

- 946 a *Alonzoa Warscewiczii* Regl
 947 a *Antirrhinum majus* L
 948 p — *Orontium* L
 949 a *Calceolaria scabiosaefolia* Sims
 950 p *Celsia betonicifolia* Desf
 951 a *Collinsia bicolor* Benth
 952 p *Digitalis ambigua* Murr
 953 p — *ferruginea* L
 954 b-p — *lanata* Ehrh
 955 b-p — *lutea* L
 956 b — *purpurea* L
 957 a *Hebenstreitia dentata*
 958 p *Incarvillea Delavayi* Franch
 959 a *Linaria alpina* Mill
 960 p — *cymbalaria* Mill
 961 p — *dalmatica* Mill
 962 p — *genistifolia* Mill
 963 a — *spuria* Mill
 964 p — *vulgaris* Moench
 965 p *Lophospermum scandens* Don
 966 a *Martynia proboscidea* L
 967 b-p *Maurandia Barclayana* Lindl
 968 a *Mimulus luteus* L
 969 a *Nycteria capensis* Benth
 970 p *Pentstemon coeruleus* Nutt
 971 p — *gentianoides* Lindl
 972 p — *glaucus* Grah

- ~~973~~ a Salpiglossis sinuata R. P.
 974 a Schizantus pinnatus R. P.
 975 p Scrophularia nodosa L
 976 a Torenia Fournieri Linden
 977 b Verbascum Blattaria
 978 p — nigrum L
 979 b — Olympicum Boiss
 980 b — phlomoides L
 981 b — phoeniceum L
 982 b — speciosum Schrad
 983 p Veronica aphylla L
~~984~~ p — Beccabunga L
 985 p — caucasica Bieb
 986 p — chamaedrys L
 987 p — crassifolia Wierzb
 988 p — fruticulosa L
 989 p — gentianoides Vahl
 990 a — hederifolia L
 991 p — longifolia L
~~992~~ p — lutea Wettst.
~~993~~ p — maritima L
 994 p — officinalis L
~~995~~ p — satureioides Vis
 996 p — saxatilis Scop
 997 p — Teucrium L
 998 p — urticifolia L

Solaneae.

- 999 p Atropa Belladonna L
 1000 a Capsicum annuum L
 1001 a — baccatum L
 1002 a Datura Metel L
 1003 a — Stramonium L
 1004 a — — var Tatula L
 1005 a Hyoscyamus niger L
 1006 a Nicandra physaloides Gaertn
 1007 a Nicotiana affinis Moore
 1008 a — rustica L
~~1009~~ a — silvestris Speg
 1010 a — Tabacum L
 1011 p Physalis Alkekengi L
 1012 a — peruviana L
 1013 p Solanum Dulcamara L
 1014 a — guineense Lam
 1015 a — Melongena L

- 1016 a Solanum nigrum L
 1017 a — rostratum Dunal

Thymeleae.

- ~~1018~~ p Daphne Laureola L
~~1019~~ p — Mezereum L
~~1020~~ p Hippophaë rhamnoides L
~~1021~~ a Passerina annua (L)

Umbelliferae.

- 1022 a Aethusa Cynapium L
~~1023~~ p Angelica silvestris L
 1024 a Anthriscus Cerefolium Hoffm
 1025 p Archangelica officinalis Hoffm
 1026 p Astrantia major L
 1027 p Athamanta cretensis L
 1028 p Bupleurum falcatum L
~~1029~~ p — ranunculoides L
 1030 a — rotundifolium L
~~1031~~ b Carum Bulbocastanum L
 1032 b — carvi L
 1033 p Chaerophyllum aromaticum L
~~1034~~ p — hirsutum Koch
~~1035~~ b — temulum L
 1036 p Cicuta virosa
 1037 b Conium maculatum L
 1038 a Coriandrum sativum L
 1039 p Eryngium alpinum
 1040 p — Bourgati Gouan
~~1041~~ p — campestre L
 1042 p — giganteum M. B
 1043 p — planum L
 1044 b Falcaria vulgaris Bernh
 1045 a Foeniculum officinale L
~~1046~~ Tp Hacquetia Epipactis De
~~1047~~ p Heracleum giganteum Hort
 1048 p Imperatoria Ostruthium L
 1049 p Laserpitium latifolium L
 1050 p Levisticum officinale Koch
 1051 p Libanotis montana Crantz
 1052 p Meum alhamanticum Jacq
 1053 p — Mutellina Gaertn
~~1054~~ a Orlaya grandiflora Hoffm
 1055 p Peucedanum alsaticum L
 1056 p — Cervaria Lap
~~1057~~ p — Oreoselinum Moench
 1058 a Pimpinella Anisum L
 1059 p — magna L
~~1060~~ p Pleurospermum austriacum Hoffm

- 1061 p Sanicula europaea L
 1062 p Scandix pecten Veneris L
 1063 p Selinum Carvifolia L
 1064 p Silaus pratensis Bess
~~1065~~ p Siler trilobum Crantz
 1066 p Sium Sisarum L
~~1067~~ b Torilis Anthriscus Gm
~~1068~~ b Trinia vulgaris DC

Urticaceae.

- 1069 a Cannabis sativa L
 1070 Laportea canadensis Gaud
 1071 p Parietaria officinalis L
 1072 p Urtica cannabina L
 1073 a — pilulifera L

Valerianeae.

- 1074 p Centranthus ruber DC
 1075 p Valeriana officinalis L
 1076 a Valerianella olitoria Moench

Verbenaceae.

- 1077 p Verbena officinalis L

Violaceae.

- 1078 p Viola biflora L
~~1079~~ p — lutea Sm sudetica Koch
~~1080~~ p — mirabilis L
~~1081~~ p — Riviniana Rehb

Zygophylleae.

- 1082 a Tribulus terrestris L

E. Tuma

Obmann.

JOSEF PAUER
 Obergärtner

PROF. K. ZELEŇKA

Prof. L. Frank

Gartendirektor.